NTPC LTD CC-OS, EOC NOIDA

Sub: <u>Oualifying requirements & other details for Vendor Enlistment for supply of MS Pipe / Tube (15mm NB to 150mm NB) as per IS 1239 (Part-1)</u>

(Startup vendors are also allowed in this group for enlistment)

A)	Details of MEG (MATERIAL ENLISTMENT GROUP)									
	16 MEG-23									
	MEG No. MEG Description	MS Pipe / Tube (15mm NB to 150mm NB) as per IS 1239 (Part-1)								
	Responsibility centre	CC-CPC								
B)	 The applicant should be a manufacturer and licensed by BIS for MS Steel pipe / Tube production as per IS 123 And The party should be licensed by BIS for Steel pipes / tubes Class Heavy Duty, NB 15 mm to 150 mm And The party should have supplied Pipes / Tubes as per IS: 1239 during last five years from the date of application 									
	Qualifying Requirement for startup applicants only:									
	Applicant should be start up manufacturer of IS 1239 Marked Pipes.									
C)	C) Document to be submitted by the applicants against qualifying requirements (for other than startups): 1. QR-1 & QR-2: Copy of valid BIS License for IS: 1239 Part-1 issued by Bureau of Indian Standard the applicant and the attachments showing the details of the products for which the applicant should be valid on the date of application.									
		rchase order executed by the applicant for supply of Pipes / Tubes as per IS: 1239 during last of application and the execution proof document(s) for the same order.								
D)	Other documents to be submitted (for applicants other than startups): In addition to the documents required in support of meeting technical requirements as stated above, following documents are required to be submitted by the applicant for enlistment:									
	1. Three POs of highest executed values of similar work during last five years from the date of application (PO data should not be more than 5 years old as on the date of the application) along with copy of invoice / completic certificate from the concerned buyer/s in support of successful execution of supply against POs.									
	2. Audited balance sheet including profit and loss statement for the previous three completed financial years reckoned from date of application. In case the audited results for the preceding financial year is not available, certification of financial statements from a practic chartered account may be submitted. In case, Applicant is not able to submit the certificate from practicing chartered Account certifying its financial parameters, the audited results of three consecutive financial years preceding the last financial year s be considered for evaluating the financial parameters. Further a Certificate would be required from the CEO/CFO as per format enclosed in the application format documents stating that the financial results of the company are under audit as on date of Application and the Certificate from the practicing Chartered Accountant certifying the financial parameters is available.									
	3. Any other document in additi	on to the above which the applicant wants to submit.								
	Note-2 - The executed value r PO (also applicable to partly ex	as: Supply of Pipes / Tubes as per IS: 1239 means basic value of quantity of similar works executed / supplied against the reference xecuted POs as on the date of application). Where PO value is composite (i.e., ant to give item-wise break up of composite PO mentioning basic value, taxes etc.								

E) (A) Conditions for Startup applicants only (not applicable for applicants other than startups):

- (i) The company should be certified as 'Start Up; by Inter-Ministerial Board of Certification as constituted by Department of Industrial Policy and Promotion from time to time.
- (ii) The Company product (**IS 1239 Marked Pipes**) should have been tested and cleared from a Govt. approved third party laboratory as per applicable standards (IS/IEC etc.).
- (iii) The factory set up shall be inspected by NTPC for checking the suitability for taking up manufacturing of the product by start up, before declaring it qualified. Inspection requirement shall not be waived off.
- (iv) The product shall be manufactured only in an Indian Manufacturing facilities / works.
- (v) No Turnover requirement shall be specified.
- (vi) In case of placement of Purchase Order, Start up Contractor shall furnish performance guarantee for an amount of 10% of the ex-works cost of the equipment(s) in addition to the contract performance guarantee to be submitted by the contractor.

(B) Other requirements / conditions for **Startup** applicants:

- The startup applicant should upload in the "QR Documents" tab of the Technical Parts of online application the following:-
 - Credential documents in support of conditions (A-i) & (A-ii) as above
 - + the Qualifying Requirement stipulated for them in the previous page.

If proper documents as mentioned above are not given by the applicant, their application may not be considered any further.

- 2. In the "Technical Information" part of the online application, they are not required to upload any Purchase Order (PO) / PO Execution proof as required for other type of applicants. In the "PO" tab and "Supporting Invoices / Completion Certificate" tabs they can upload a page mentioning the following "application from startup applicant, hence this is not applicable."
- 3. In the "Financial Information" part of the application they are not required to upload any "Profit & Loss" + "Balance Sheet". In this tabs hey can upload a page mentioning the following "application from startup applicant, hence this is not applicable."
- 4. On application submission by the startup applicant it will be implied that they agree to the conditions given at A-iii, A-iv & A-vi as above.
- 5. In case of issue of tender enquiry after enlistment the startup applicants should agree to all terms & conditions given in the said tenders from NTPC sites / plant / offices.

Technical Specification

A) Details of MEG	
MEG No.	16 MEG-23
MEG Description	MS Pipe / Tube (15mm NB to 150mm NB) as per IS 1239 (Part-1)
Responsibility centre	CC-CPC

B) Technical Specifications

MS Pipes/Tubes as per IS:1239 Part-1, BIS Marked

Dimensions- 15mm NB to 150mm NB, class- Light/ Medium/ Heavy, thickness as per BIS

Black/ Galvanized as per Tender requirement



ITEM (MATERIAL, CLASS, GRADE, RATING, RANGE, SIZE ETC.) GALVANIZED) MS PIPES (BLACK &

CONFORMING TO CODE: IS: 1239 (PART-I) / IS:3589 STANDARD QUALITY PLAN

VALID UPTO: 03.03.2019 PAGE I OF I DATE: 04.03.2016 **REV.NO.02**

QP NO:0000-999-QOM-S-001

RAJEEV KR JAM U SUDEEP REVIEWED BY: KKO

APPROVED BY: DE 04/03/16

2.6	2.5	2.4			2.3	2.2	2.1	2.0				1.0	_	č	<u>s</u>	
Finished Pipe	Hydro Test	Galvanizing (if applicable)			Pipe			Final Inspection	Plate / Sheet /Strip			Raw Materials	2	COMPONENT & OPERATION		
Identification & Marking	Leakage	Thickness of Coating, Mass of Zn Coating, Adhesion of Zinc Coating, Free Bore Test	Uniformity of Zinc Coating	Finish / Surface Condition	Mechanical Properties	Visual Inspection, Appearance, workmanship & Bead Removal	Dimensions, Straightness, Ovality & End Connections		Mechanical Properties	Chemical &	Visual	Thickness & Width		3	CHARACTERISTICS	
Major	Critical	Major	Major	Major	Major	Major	Major			Major	Major	Major		4		CLASS
Visual	Hydraulic Pressure Test	Measurement & Verification	Dip Test	Visual Check	Tensile Strength, Yield strength & % Elongation, Flattening test / Bend Test for ERW pipe / Guided bend test for SAW pipe	Verification	Measurement		Mechanical Test	Chemical &	Visual Check	Measurement		5		TYPE OF CHECK
100%	100%	Sampli 4736		100%	IS 4711	Sampli				1 / Heat	100%	100%			2	QUAN
Sampling as per 1S 4711	5% (See Note 3)	Sampling as per IS 4736		100%	- 6	Sampling as per			1/Heat		٠	100%		6	CN	QUANTUM OF CHECK
IS 1239 (Part-1) / IS 3589 / NTPC Tech Spec	Tech Spec	IS 4736	IS 2633	IS 4736	IS 1239 (Part-1) / IS 3589 / NTPC Tech Spec	IS 1239 (Part-1) / IS 3589 / NTPC Tech Spec	Tech Spec		Tech Spec	IS 1239 (Part-1) / IS 3589 / NTPC	IS 1239 (Part-1) / IS 3589 / NTPC Tech Spec	IS 1239 (Part-1) / IS 3589 / NIPC		7		REFERENCE
89 / NTPC	89 / NTPC	7	ę		3589 / NTPC	s589 / NTPC	c NIPC	Sec. Ampo		589 / NTPC	589 / NTPC	589 / NIPC		8		ACCEPTAN CE NORMS
R	Ħ	R	R	₽	IR	IR	IR			Mill TC V	R	R		9		FORMAT OF RECORD
_ <	2	~	2	. 2		~	~		L			~	4	D*		
P₩	P W	P W	P	PW	P W	PW	PW		-	P <	-	. <	-	** 10	С	AGENCY
€	*	8	8	-		8	8			<		<		L	z	
	random													=		REMARKS

Note 1: Skelp Joint (in the case of Spiral Welded pipes to IS 3589) shall be at least 12" from the pipe end

Note 2: In case of Pipes for Rubber Lining application, internal Bead shall be removed.

Note 3: Quantum of Check for NTPC Witness for SI no 2.1, 2.2, 2.3, 2.4 & 2.5 shall be decided based on the size & quantity of pipes envisaged in the order. Same shall be tied up during

Quality plan finalization for that order / during endorsing SQP.

Note 4: Surface protection (Outside & Inside) shall be as per NTPC Technical Specs/Approved Drawing/Datasheet.

LEGEND: * RECORDS INDENTIFIED WITH "TICK (√) SHALL BE ESSSENTIALLY INCLUDED BY SUPPLIER IN QA DOCUMENTATION

** M:MANUFACTURER/SUB-SUPPLIER C:MAIN SUPPLIER, CHP: NTPC SHALL IDENTIFY IN COLUMN "N" AS "W". N. NTPC P:PERFORM W:WITNESS AND V:VERIFICATION AS APPROPRIATE.

FORMAT NO.: QS-01-QAI-P-10/F3-R1