### NTPC LIMITED (A GOVERNMENT OF INDIA ENTERPRISE)

#### UNIFIED SHARED SERVICE CENTRE, CPG-1, RAIPUR

#### **CONTRACT & MATERIAL DEPTT**

Section-I

#### **NOTICE INVITING TENDER (NIT)**

**FOR** 

## HIRING OF MMU & MCH SERVICES FOR NTPC TTPS FOR A PERIOD OF 4 YEARS (Domestic Competitive Bidding)

Tender Ref: NTPC/USSC-CPG1/9900300609

GEM Bid: GEM/2025/B/6096594

1.0 NTPC Limited (NTPC) invites online bids through GeM Portal on "Single Stage Two Envelope Bidding basis (Envelope-I: Techno-commercial Bid & Envelope-II: Price Bid)" from eligible bidders for aforesaid package, as per the scope of work briefly mentioned hereinafter.

#### 2.0 BRIEF SCOPE OF WORK

The scope of work comprises of HIRING OF MMU & MCH SERVICES FOR NTPC TTPS FOR A PERIOD OF 4 YEARS.

NTPC intends to finance subject Package through Internal Resources.

3.0 Detailed Specification, Scope of Work and Terms & Conditions are given in the Bidding Documents, which are available for examination and Sale at our eProcurement Portal (https://eprocurentpc.nic.in/nicgep/app) and as per the following schedule:

Form of Contract/Tender Category	Services*
Source of IFB/NIT	Central Procurement Group – 1, Raipur
Mode of Tendering	Custom Bid Service on GeM Portal
NIT Date	
Document sale Commencement Date	
Last date for receipt of queries from bidders (if any)	As per details at GeM Portal
Last Date & time for Bid submission	
Technical Bid Opening Date & Time	
Price bid Opening Date & time	Shall be intimated separately.
Bid Security / EMD	Rs. 2,00,000/- (Rupees Two Lakh only) (to
	be submitted in form of BG in the format of NTPC only)
Benefit to MSME	Applicable. The bidders may apprise themselves of the relevant provisions of bidding documents in this regard before submission of their bids.
Contract Period	48 Months
Pre-Bid Conference Date & Time (if any)	Not Applicable

Reverse Auction	Not Applicable
Integrity Pact	Not Applicable
Estimated Cost	INR 1,82,40,000/- (inclusive of GST@0%)

"No Queries from Bidders, whatsoever, shall be entertained by the Employer beyond the last date of receipt of Queries/ Pre-Bid Conference (if applicable) as specified on online portal".

Corrigendum (if any) shall be available on GeM Portal only.

As per provisions of Bidding Documents, the Bidders shall submit "Techno-Commercial Proposal" and "Price Proposal" online (https://gem.gov.in), within the bid submission date and time as mentioned on Gem Portal. Only Techno-Commercial proposals will be opened on the date and time mentioned on Gem Portal.

Note: For any corrigendum and extension of date of bid submission, please visit the website https://gem.gov.in.

4.0 All bids must be accompanied by Bid Security for an amount (as mentioned at Clause 3.0 above). Integrity Pact shall be accepted by the bidder through 'Undertaking for Compliance of Important Conditions of tender by bidder' i.e. Attachment-13 (if applicable).

ANY BID NOT ACCOMPANIED BY AN ACCEPTABLE BID SECURITY IN A SEPARATE SEALED ENVELOPE SHALL BE REJECTED BY THE EMPLOYER AS BEING NON-RESPONSIVE AND SHALL NOT BE OPENED.

Any bid without an acceptable Bid Security shall be rejected by Employer as being non-responsive and shall not be opened.

#### 5.0 QUALIFYING REQUIREMENTS FOR BIDDERS.

The bidder who wishes to participate in the bidding shall meet the Qualifying Requirements stipulated hereunder:

#### 5.1.0 Technical Criteria:

- **5.1.1** The bidder should have executed the work of deployment of **Mobile Health Clinic** within the preceding seven (7) years reckoned as on the date of Techno-Commercial bid opening, in any of the following manner;
- a. One (1) order having executed value not less than Rs. 36 lakh

OR

b. Two (2) orders having executed value not less than Rs. 23 lakh each.

OR

c. Three (3) orders having executed value not less than **Rs. 18 lakh each.** 

#### **Notes for Technical Criteria:**

#### Notes for Clause 1.0 above:

- 1. The word "Executed" mentioned above means that the bidder should have achieved the criteria specified above, even if the total contract is started earlier and/or is not completed/closed.
- 2. In case of orders under execution, the value of work executed prior to the date of Techno-Commercial bid opening duly certified by bidder's client shall be considered acceptable.

- 3. Reference work executed by the bidder as a sub-contractor may also be considered provided the certificate issued by main contractor is duly certified by owner specifying the scope of work executed by the sub-contractor in support of qualifying requirements.
- 4. For arriving at the executed value of work specified above, basic amount only shall be considered. In case contract is inclusive of taxes, bidder should provide the break up of basic value and taxes.
- 5. For arriving at the executed value of work specified above, cost of diesel would not be considered if it is reimbursable in the reference contract.
- 6. **MSE-SC/ST & MSE-Women** bidders are exempted from meeting the Average Annual Turnover (**AATO**) requirement of financial QR. Accordingly, for these bidders Evaluation shall be carried out only based on Technical Criteria of Qualifying Requirements.

#### 5.2.0 Financial criteria:

- **5.2.1** The Average Annual Financial Turnover (AATO) of the bidder during preceding three (03) consecutive financial years as on the date of Techno Commercial bid opening should not be less than **Rs. 46 Lakh (Rupees forty-six lakh only)**
- 5.2.2 In case the Bidder does not satisfy the financial criteria, stipulated at Cl. No. 5.1 above on its own, its Holding Company would be required to meet the stipulated turnover requirements at Cl. No. 5.1 above, provided that the Net Worth of such Holding Company as on the last day of the preceding financial year is at least equal to or more than the paid-up share capital of the Holding Company. In such an event, the Bidder would be required to furnish along with its Techno-Commercial bid, a Letter of Undertaking from the Holding Company, supported by the Holding Company's Board Resolution, as per the format enclosed in the Bid Documents, pledging unconditional & irrevocable financial support for the execution of the contract by the bidder in case of award.
- **5.2.3** In case the bidder is not able to furnish its audited financial statements on standalone entity basis, the unaudited unconsolidated financial statements of the bidder can be considered acceptable provided the bidder further furnishes the following documents for substantiation of its qualification:'
  - a) Copies of the unaudited unconsolidated financial statements of the bidder along with copies of the audited consolidated financial statements of the Holding Company.
  - b) A certificate from the CEO/CFO of the Holding Company, as per the format enclosed in the bidding documents, stating that the unaudited unconsolidated financial statements form part of the Consolidated Annual Financial Statements of the Holding Company.
- 5.2.4 In cases where audited results for the last preceding financial year as on the date of Techno-Commercial bid opening are not available, the financial results certified by a practicing Chartered Accountant shall be considered acceptable. In case, Bidder is not able to submit the Certificate from practicing Chartered Accountant certifying its financial parameters, the audited results of three consecutive financial years preceding the last financial year shall be considered for evaluating the financial parameters. Further, a Certificate would be required from the CEO/CFO as per the format enclosed in the bidding documents stating that the financial results of the Company are under audit as on the date of Techno-Commercial bid opening and the Certificate from the practicing Chartered Accountant certifying the financial parameters is not available.

#### Notes for 5.2.0 above:

- 1. Net worth means the sum total of the paid-up share capital and free reserves. Free reserve means all reserves credited out of the profits and share premium account but does not include reserves credited out of the revaluation of the assets, write back of depreciation provision and amalgamation. Further any debit balance of Profit and Loss account and miscellaneous expenses to the extent not adjusted or written off, if any,shall be reduced from reserves and surplus.
- 2. Other income shall not be considered for arriving at annual turnover figures.
- 3. "Holding Company" and "Subsidiary Company" shall have the meaning ascribed to them as per Companies Act of India.
- 6.0 Any Certificate(s) / Financial Statement(s) / Audited Balance Sheet and P&L Account (wherever applicable) undertaken/ signed by a Member of Institute of Chartered Accountant of India (ICAI), which Bidders submit in support of compliance to Qualifying Requirements (QR), will carry Unique Document Identification Number (UDIN) generated in line with the Gazette Notification of Council of Institute of Chartered Accountant of India (ICAI).
- 7.0 Notwithstanding anything stated above, the Employer reserves the right to assess the credentials/capabilities/capacity of the Bidder/ his collaborators / associates/ subsidiaries / group companies to perform the contract, should the circumstances warrant such assessment in the overall interest of the Employer.
  - The physical or any mode of assessment/verifications by Employer shall include but not be limited to the assessment/verifications of office/ facilities/ banker's/ submitted reference works in lieu of credentials. A negative determination of such assessment of credentials/capacity/capabilities may result in rejection of the bid.
- 8.0 The reference works whose details have been declared in their bid shall only be considered to ascertain the bidder's compliance to the specified qualifying Requirement (QR). The Employer at its discretion may seek any clarification and/or documentary evidence only for the reference works as mentioned above. However, no change or substitution of the reference works by new/additional plant for conforming to the specified qualifying Requirement shall be sought, offered or permitted".
- 9.0 'Class-I local suppliers' only are eligible to participate in this tender, as defined in the bidding documents/ Public Procurement (Preference to Make in India), Order 2017 and its subsequent amendments/ revisions issued by DPIIT. The bidders may apprise themselves of the relevant provisions of bidding documents in this regard before submission of their bids.
- 10.0 Any 'Bidder from a country which shares a land border with India', as specified in the Bidding Documents, will be eligible to bid in this tender only if bidder is registered with the Competent Authority as mentioned in the Bidding Documents.
  - Further, any bidder (including bidder from India) having specified Transfer of Technology (ToT) arrangement with an entity from a country which shares a land border with India, will be eligible to bid only if the bidder is registered with the same competent authority.
  - However, the said requirement of registration will not apply to bidders from those countries (even if sharing a land border with India) to which the Government of India has extended lines of credit or in which the Government of India is engaged in development projects.
- 11.0 NTPC reserves the right to reject any or all bids or cancel / withdraw the Invitation for Bids/NIT without assigning any reason whatsoever and in such case no bidder / intending bidder shall have any claim arising out of such action.

12.0 The bidding document is available online. A complete set of Bidding Documents may be downloaded by any interested Bidder from the <a href="Gem">Gem</a> Portal (https://gem.gov.in). The Bidder would be required to register on the website.

First time users are required to register themselves on GeM Portal only. First time users not allotted any vendor code by NTPC, should send a copy of the registration details to the email address specified in this NIT under Address for Communication with following details if eligible for award:

- a) Request on the letter head of the Company
- b) Address Proof
- c) Copy of GST Registration Certificate & PAN Card
- d) Email ID and Contact No.
- e) Name and Designation of the contact person
- f) Cancelled cheque & E.F.T form duly verified by bank

Note: No Hard Copy of bidding documents shall be issued.

#### 13.0 Address for communication:

#### DGM/AGM (CPG-I/C&M)

NTPC Limited, Unified Shared Service Centre, Central Procurement Group-I, Western Region-II Head Quarter, Plot No.-87, Sector-24, Atal Nagar Nava Raipur, Raipur, Chhattisgarh, Pin Code-492101

Tel. No.: 0771-2515537/0771-2515402

Email: ilaanand@ntpc.co.in / amittiwari@ntpc.co.in

Websites: https://gem.gov.in or www.ntpctender.ntpc.co.in or www.ntpc.co.in

#### 14.0 Registered Office

NTPC Limited NTPC Bhawan, SCOPE Complex, 7, Institutional Area, Lodi Road, New Delhi – 110003

Corporate Identification Number: L40101DL1975GOI007966.

Website: www.ntpc.co.in

### NTPC LIMITED

(A Government of India Enterprise)



### SECTION - II

## INSTRUCTION TO BIDDERS (ITB) FOR O&M WORKS

# INSTRUCTIONS TO BIDDERS (ITB) TABLE OF CLAUSES (ITB)

	PART A – GENERAL
1.0	INTRODUCTION
2.0	SOURCE OF FUNDS
3.0	CONFLICT OF INTEREST
40	BIDDER'S SITE VISIT
	PART B – BIDDING DOCUMENTS
5.0	CONTENT OF BIDDING DOCUMENTS
6.0	CLARIFICATION OF BIDDING DOCUMENTS
7.0	PRE-BID CONFERENCE (If specified in the NIT/Tender Enquiry)
8.0	ADDENDA/ CORRIGENDA/ AMENDMENTS TO BIDDING DOCUMENTS
	PART C - PREPARATION OF BID
0.0	COOT OF PIPPING
9.0	COST OF BIDDING
10.0 11.0	LANGUAGE OF BID AND UNITS OF MEASURE  DOCUMENTS COMPRISING THE BID
12.0	BID PRICES AND PRICE BASIS
13.0	BID VALIDITY
14.0	BID SECURITY / GUARANTEE / EARNEST MONEY
15.0	WORK SCHEDULE
	PART D - SUBMISSION OF BID
16.0	SEALING AND MARKING OF BID
17.0	BID SUBMISSION
18.0	DEADLINE FOR SUBMISSION OF BID
19.0	LATE EARNEST MONEY DEPOSIT AND INTEGRITY PACT
20.0	MODIFICATION, SUBSTITUTION AND WITHDRAWAL OF BID
	PART E - BID OPENING AND EVALUATION
21.0	BID OPENING
22.0	CLARIFICATION OF BIDS
<b></b>	
23.0	EVALUATION AND COMPARISON OF BIDS

	PART F - AWARD OF CONTRACT
25.0	AWARD CRITERIA
26.0	LETTER OF AWARD
27.0	SIGNING OF CONTRACT AGREEMENT
28.0	INELIGIBILITY FOR FUTURE TENDERS
29.0	ADHERENCE TO FRAUD PREVENTION POLICY
30.0	DECLARATION ON DEBARMENT FROM BUSINESS DEALINGS POLICY
31.0	BENEFITS TO MSEs
32.0	PREFERENCE TO MAKE IN INDIA AND GRANTING OF PURCHASE
	PREFERENCE TO LOCAL SUPPLIERS
33.0	RESTRICTION ON PROCUREMENT FROM A BIDDER OF A COUNTRY
	WHICH SHARES A LAND BORDER WITH INDIA
34.0	CORRUPT OR FRAUDULENT PRACTICES
35.0	ANTI-BRIBERY AND ANTI-CORRUPTION (ABAC) POLICY
36.0	Integrity Pact

	INSTRUCTIONS TO BIDDERS (ITB)	
PART A - G	PART A - GENERAL	
1.0	PART A - GENERAL	
1.1	NTPC Limited, (hereinafter called "NTPC" or "Employer"), wishes to receive bids for the Package named in NIT/IFB/Tender Enquiry.	
1.2	Throughout these Bidding Documents, the term "Bid" and "Tender" and their derivatives (Bidder/Tenderer, Bidding/Tendering, Bidding Document/Tender Document, etc.); Bill of Quantity / Schedule of Quantity / Schedule of Quantities/ Bill of Quantities; Employer / NTPC; Bid Security / Earnest Money Deposit; Security Deposit / Performance Security/ Performance Guarantee; Engineer-in-Charge / Engineer; Amendment/Corrigendum; Schedule of Quantity/Bill of Quantity (BOQ), appearing anywhere in the Bidding Documents shall have the same meaning and are synonymous to each other.	
2.0	SOURCE OF FUNDS	
	Expenditure under this package is intended to be funded from internal resources and/ or borrowings by the Employer.	
3.0	CONFLICT OF INTEREST	
3.1	A bidder shall not have conflict of interest with other bidders. Such conflict of interest can lead to anti-competitive practices to the detriment of Employer's interests. A bidder may be considered to have a conflict of interest with one or more parties in this bidding process, if:  a) they directly or indirectly control, or are controlled by or are under common control of another entity; or  b) they have the same legal representative/agent for purposes of their bids; or  c) they have relationship with each other, directly or through common third party(ies), that puts them in a position to have access to information about or influence on the bid of another Bidder; or  d) Bidder and/or any of its allied entity(ies), which directly or indirectly control(s) or is(are) controlled by or is(are) under common control of another entity, has(ve) participated as a consultant in the preparation of the design or technical specifications of the contract that is the subject of the tender; or  e) Bidder participates in more than one bid in this bidding process.  f) In cases of agents quoting on behalf of their principal manufacturers/service providers, one agent cannot represent two manufacturers/service providers or quote on their behalf in a particular tender enquiry. One manufacturer/service provider can also authorize only one agent. There can be only one bid from the following:  i) The principal manufacturer/service provider directly or through one Indian agent on his behalf; and  ii) Indian/foreign agent on behalf of only one principal.	
<u></u> .	For the purposes of this clause the term 'control' shall have the following meaning:	

3.2	"Control" shall include the right to appoint majority of the directors or to control the management or policy decisions exercisable by a person or persons acting individually or in concert, directly or indirectly, including by virtue of their shareholding or management rights or shareholders' agreements or voting agreements or in any other manner.  Note: If two or more CPSEs/State PSEs participate in a tender, they will not be deemed to fall under the 'Conflict of Interest' provisions solely because they are under common control of Government of India/State Government.  Bidders shall certify their compliance to Clause "Conflict of Interest" by accepting the following condition through undertaking as per Attachment-13:  "Do you certify full compliance to all provisions of Bidding Document?"  Acceptance of above condition shall be considered as Bidder's confirmation that Bidder has read and understood the Clause regarding "Conflict of Interest" and its bid is in compliance to this clause.	
	In case it is established that Bidder has provided any false information in pursuance of the aforesaid Clause, while competing for this contract, then its bid shall be rejected and EMD/bid security shall be forfeited.	
	In case of a successful bidder, if it is established that the Bidder has not complied with terms of aforesaid Clause, during execution of contract, this would be considered as fraudulent practice as mentioned in para 5.1 (j) of "Policy for Debarment from Business Dealings" and shall be dealt accordingly.	
4.0	BIDDER'S SITE VISIT	
	The Bidders are advised to visit the Site to familiarize themselves with the nature and quantum of work and site condition and obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect his tender. No extra charges consequent on any misunderstanding or otherwise shall be allowed.	
PART B - BIDDIN	PART B - BIDDING DOCUMENTS	
5.0	CONTENT OF BIDDING DOCUMENTS	

5.1	The set of Bidding Documents issued for the purpose of bidding includes one set of the following, which should be read in conjunction with amendments, if any, issued in accordance with ITB Clause 8.0 below.
	A) GeM General Terms and Conditions (GTC),
	B) GeM Product / Service specific Special Terms and Conditions (STC)
	including Service Level Agreement (SLA),
	C) BID/Reverse Auction Specific Additional Terms and Conditions (ATC): Comprising of following sections:
	I. Invitation for Bids (IFB)/Tender Enquiry/Notice Inviting Tender (NIT).
	II. Instructions to Bidders (ITB)
	III. General Conditions of Contract (GCC)
	IV. Special Conditions of Contract (SCC)
	V. Technical Specifications and Bid Drawings (Scope of Supply/Service)
	VI. Schedule of Quantities (SOQ) / Bill of Quantities (BOQ)
	VII. Forms and Procedures
	The Terms and Conditions stipulated in STC & SLA will supersede those in GTC and Terms and Conditions stipulated in ATC will supersede those in GeM GTC and STC in case of any conflicting provisions.
5.2	The Bidder is expected to examine all instructions, forms, terms, conditions and specifications in the Bidding Documents, before submission of his bid. Failure to furnish all information or documentation required by the Bidding Documents may result in the rejection of such bid.
5.3	Qualifying Requirements, if applicable
	The qualifying requirements for the tender are specified in the NIT/Tender enquiry.
5.4	Documents in support of meeting Qualifying Requirements
	Bidders are required to submit documents to satisfactorily establish their meeting the Qualifying Requirements stipulated in the tender.
	Bidders are required to furnish the details of the past experience like authentic Work Orders/Purchase Orders/Letter of Awards/Contract Agreements, client certificates, completion certificate, etc. in support of meeting the Qualifying Requirements based on which selection is to be made as per format at Attachment 3.
	Orders/Purchase Orders/Letter of Awards/Contract Agreement pertain to the work executed by Bidder for NTPC or Subsidiary / JV companies of NTPC in the

past, then in respect of such Work Orders/Purchase Orders/Letter of Awards/Contract Agreements, Bidder shall not be required to enclose Client Certificate along with its Bid.

Bidders shall submit all the documents, in support of Technical Qualification Requirements (such as copy of Purchase Orders/ Work Orders/ Contract Agreements/ Client Certificates etc.), duly certified and verified for authenticity from Independent Statutory Auditor of their Company or specified Third-Party Inspection Agency (TPIA).

Further, wherever information can be drawn from books of accounts, records and other relevant documents, Bidders can also submit a certificate issued by their Independent Statutory Auditor certifying the data required for meeting the Technical Qualification Requirements.

Such bidder shall be required to submit duly certified and verified documents from their Statutory Auditors or specified TPIA in support of meeting Technical QR along with a certificate regarding verification of authenticity of documents as per the format placed at Appendix A to Attachment-3A-1 (Undertaking from Statutory Auditor) and/ or Appendix B to Attachment-3A-1 (Undertaking from TPIA). All the documents submitted by the bidder in support of meeting Technical QR shall be digitally signed by the Statutory Auditor and/ or specified TPIA.

In case documents are certified & verified for authenticity through TPIA, the verification and certification of authenticity of documents is acceptable from any of the TPIAs as mentioned at below and on NTPC tender website (https://ntpctender.ntpc.co.in/) under "Policy for Document Authentication Process in Tenders of NTPC Ltd" tab of Policy Docs. However, Bidders must verify the accreditation validity of the designated TPIA as noted below before proceeding to engage them for document certification.

- 1) Société Générale de Surveillance / SGS India Pvt. Ltd. (SGS)
- 2) International Certification Services Pvt. Ltd.
- 3) TUV Rheinland (India) Pvt. Ltd.
- 4) TÜV SÜD South Asia Pvt. Ltd.
- 5) TUV India Pvt. Ltd. (TÜV Nord Group)
- 6) Intertek India Pvt. Ltd.
- 7) Moody International (India) Pvt. Ltd.
- 8) RINA India Pvt. Ltd.
- 9) Competent Inspectorate and Consultants Pvt. Ltd.
- 10) KBS Certification Services Pvt. Ltd.
- 11) ICS India Pvt. Ltd.
- 12) Assure Quality Management Certification Services Pvt. Ltd.
- 13) International Inspection Services Private Limited
- 14) Hertz Inspection & Services Pvt. Ltd.
- 15) Quality Evaluation & Systems Team Pvt. Ltd.
- 16) Industrial Inspection and Verification Services (I) Pvt. Ltd.
- 17) Ravi Energie Pvt. Ltd.
- 18) IRCLASS Systems & Solutions Private Limited
- 19) Quality Services & Solutions Pvt. Ltd.
- 20) Certification Engineers International Ltd.
- 21) Aaditech Inspections & Services Pvt. Ltd.
- 22) Phistream Consulting Pvt. Ltd.
- 23) Conformity India International Pvt. Ltd.
- 24) Geochem Laboratories Pvt. Ltd.

- 25) Edlipse Engineering Global Private Limited
- 26) Dr. Amin Controllers Pvt. Ltd. (Amin)
- 27) Leon Inspection & Testing Pvt. Ltd.
- 28) LRQA Inspection Service India LLP (LRQA)
- 29) Electrical Research and Development Association
- 30) IRC Engineering Services India Pvt. Ltd.
- 31) RSJ Inspection Service Limited (RSJ)
- 32) Bureau Veritas (India) Pvt. Ltd.
- 33) Astron Certification India Pvt. Ltd.
- 34) TCRC Inspections Pvt. Ltd.
- 35) DNV Business Assurance India Pvt. Ltd.
- 36) BSCIC Certifications Pvt. Ltd.

The following link may be referred for contact details and accreditation validity of 36 TPIA Agencies as listed in the circular:

#### https://nabcb.gci.org.in/inspection-body/

Any document pertaining to reference works/ plants in support of Technical QR, which is not certified by specified TPIA or Statutory Auditor of the bidder as per the format enclosed with the bidding documents, shall not be considered verified/ certified for the purpose of evaluation, and the bid shall be liable for rejection.

The Bidder shall be responsible to get their documents/ credentials in support of Qualifying Requirements verified & certified by their Statutory Auditor(s) and/ or specified TPIAs. All the costs pertaining to third party verification and certification (including those by statutory auditors) shall be borne by the Bidder. Employer shall have no liability (financial or otherwise) towards the same and shall not be liable for any claim/ dispute between the bidder and TPIA and/ or Statutory Auditor.

The reference works whose details have been declared in their bid shall only be considered to ascertain the bidder's compliance to the specified qualifying Requirement (QR).

Notwithstanding anything stated above, the Employer reserves the right to undertake physical assessment of the capacity and capabilities including financial capacity and capability of the Bidder / his Collaborator(s) / Associate(s) / Subsidiary(ies) / Group Company(ies) to perform the Contract, should the circumstances warrant such assessment in the overall interest of the Employer.

The physical assessment shall include but not be limited to the assessment of the office/facilities/banker's/reference works by the Employer. A negative determination of such assessment of capacity and capabilities may result in the rejection of the Bid.

The above right to undertake the physical assessment shall be applicable for the qualifying requirements stipulated in both Section – ITB.

Bidders shall certify their compliance on "Qualifying Requirements" of Employer by accepting the following condition through undertaking as per Attachment-15:

	"Do you certify full compliance to all provisions of Bidding Document?"
	Acceptance of above condition shall be considered as bidder's confirmation to the followings:
	a) The number of reference Plants/Orders quoted by Bidder in the bid, for establishing compliance to the specified Qualifying Requirement (QR), are in accordance with the provision specified above.
	b) The reference Plants/ Orders/ declared, shall only be considered for evaluation/ establishing compliance to Qualifying Requirement (QR).
	c) No change or substitution in respect of reference Plants/Orders for meeting the specified Qualifying Requirement (QR) shall be offered by the bidder.
	NOTES:
	A) In the cases where appointment of Statutory Auditor is not mandatory as per statute under which bidder has been incorporated, the option of certification from specified TPIA shall only be considered for such bidder.
	B) If any of the Submitted Reference work executed by Bidder are <b>directly</b> awarded to them by NTPC or Subsidiary / JV companies of NTPC; then for those reference works only, Bidder shall not be required to submit Client Certificate (s) or Certificate of authenticity from Independent Statutory Auditor or specified TPIA.
	C) The undertaking/Certificate of authenticity issued from Independent Statutory Auditor or specified TPIA submitted for any reference work/s in earlier tender/s floated from NTPC; can be submitted by the bidder in the present tender or any future tenders subject to fulfilment of QR criteria as stipulated in NIT. The same would be acceptable subject to conditions mentioned at NOTE at A) above.
5.5	Bid Drawings
	The Bidder is requested to refer the Technical Specifications for the provisions in this regard.
6.0	CLARIFICATION OF BIDDING DOCUMENTS
	A prospective Bidder requiring any clarification of the Bidding Document shall put the query at online portal. EMPLOYER will respond to any request for clarification or modification of the bidding documents that it receives within the timeline specified.
	EMPLOYER will post the Clarifications at online portal. Bidders can view these clarifications.
	Bidders are advised to regularly check under Clarification/Corrigendum tab regarding posting of clarification, if any.

	Bidders must check the Clarifications issued before submission of Bid. Should the Employer deem it necessary to amend the Bidding Document as a result of a clarification, it shall do so and upload the amendments in the tender on the online portal.
7.0	PRE-BID CONFERENCE (If specified in the NIT/Tender Enquiry)
7.1	Employer at its discretion may organize a pre-bid conference with the prospective Bidders. The purpose of the conference will be to clarify the package related issues and to respond to the Bidder's queries, which may arise from the Bidding Documents, site visit etc. The Employer will give a notice of the pre-bid conference to the Bidders at least seven (7) days prior to the said pre-bid conference unless otherwise fixed or informed in the IFB/NIT.
7.2	The Bidders are required to submit their questions/ clarifications/queries etc. in writing including by way of email from the registered email Id so as to reach the Employer at least three days before the pre-bid conference. It may not be practicable at the conference to answer the questions which are received late.
7.3	Record notes of the pre-bid conference including the Employer's response to the queries raised by the Bidders in writing may be prepared and transmitted to all the prospective Bidders by the Employer. Further, any modification to the Bidding Documents which may become necessary as a result of the pre-bid conference shall be made by the Employer exclusively through an amendment to the Bidding Documents. The record notes of the pre-bid conference shall not be treated as amendment to the Bidding Documents.
7.4	Non-attendance of the pre-bid conference will not be a cause for disqualification of a Bidder or his bid
8.0	ADDENDA/ CORRIGENDA/ AMENDMENTS TO BIDDING DOCUMENTS
	At any time prior to the deadline for submission of bids, EMPLOYER may, for any reason, whether at its own initiative, or in response to a clarification requested by a prospective Bidder, amend the bidding documents.
	The corrigendum/amendment will be posted in the tender on the online portal for viewing by the Bidder. The amendments will be binding on Bidders and it will be assumed that the information contained therein will have been taken into account by the Bidder in its bid. Bidders are advised to regularly check the tender regarding posting of Amendments, if any.
	To give prospective Bidders reasonable time to take the amendment into account in preparing their bid, EMPLOYER may, at its discretion, extend the deadline for the submission of bids
PART C - PREPA	RATION OF BID
9.0	COST OF BIDDING
9.1	Not applicable for GeM tenders.
10.0	LANGUAGE OF BID AND UNITS OF MEASURE
10.1	The bid and all correspondence and documents relating thereto exchanged by the Bidder and the Employer shall be written in English. Supporting documents and printed literature furnished by the Bidder may be in another language provided they are accompanied by an appropriate translation of pertinent passages into English, in which case, for the purpose of interpretation of the bid such translations shall govern

10.2	The units of measurement shall be metric system of measures, unless otherwise specified elsewhere
11.0	DOCUMENTS COMPRISING THE BID
11.1	The bid submitted by the Bidder shall interalia comprise of the following documents:
	a) Bid Form duly completed and signed by the Bidder, together with all Attachments identified in ITB Sub-Clause 11.3 below.
	b) Schedules of Quantities duly completed.
11.2	Bidding procedure shall be as specified in the NIT/SCC.
11.3	Each Bidder shall submit with his bid the following attachments.
11.3.1	TECHNO-COMMERCIAL BID
	(a) Attachment 1: Earnest Money Deposit (If specified in the NIT/Tender Enquiry) (To be given offline in physical form and copy to be uploaded on the portal)
	Earnest Money Deposit shall be furnished in accordance with ITB Clause 14.0 in a separate sealed envelope. Bid not accompanied by the requisite Earnest Money Deposit in a separate sealed envelope, or bid accompanied by Earnest Money Deposit of insufficient value, shall not be entertained and in such case, the bid shall not be opened and rejected pursuant to ITB Sub-Clause 14.4.
	(b) Attachment 2: Authority to Sign the bid (To be uploaded on the portal)
	The Bidder shall furnish the following to check that the person(s) signing the bid has/have the authority to sign the bid and thus establish that the bid is binding upon the Bidder during the full period of its validity in accordance with ITB Clause No.13.
	i) In case of Sole Proprietorship Concern/Partnership Firm, Specimen signature of the Proprietor/all the partners duly attested by a scheduled Bank or First-Class Magistrate.
	ii) In case of Private Limited Companies, Copy of Power of Attorney issued by Competent Officer under the common seal of the Company, authorising the person to sign the bid/ execute contracts/agreements etc duly notarized.
	iii) In case of Public Limited Companies and Statutory Corporations, Board resolution authorising the Executive to sign the bid/contracts/agreements and affix common seal thereon in accordance with the provisions of Article of Association of the Company OR Power of Attorney issued by Competent Officer under the common seal of the Company authorising the person to sign the bid/ execute contracts/agreements etc.
	iv) In case of Joint Venture/Consortium, Satisfactory evidence of

authority of the person signing on behalf of the Bidder shall be furnished with the bid.

(c) **Attachment 3**: Bidder's Qualifications (To be uploaded on the portal)

Documentary evidence establishing that the Bidder meets the Qualifying Requirements stipulated in the NIT/IFB including the following shall be furnished in Attachment-3 to the bid:

#### (A) Legal Status of the Company

### 1. In case of Sole Proprietorship Concern

- i) The full name of an individual proprietor, his/her parentage, documentary proof of his/her age, permanent address and present postal address/ contact details.
- ii) A deed of declaration by the Proprietor, that no other individual or company has any share in the concern.

#### 2. In case of Partnership Firm.

- i) Certified photocopy of the Partnership Deed, with upto date amendments (if any).
- ii) Registration certificate issued by the Registrar of Companies concerned, if any.
- iii) In case of change in the constitution of the firm due to retirement or death or addition of an incoming partner, photocopy of Deed of Dissolution, fresh registration Certificate and the fresh / extant Partnership Deed, as applicable.

#### 3. In case of Private Limited Companies

- i) Certified to be true and upto date amended copy of Memorandum and Articles of Association of the Company.
- ii) Certificate of incorporation of the Company.

## 4. In case of Public Limited Companies and Statutory Corporations.

- i) Certified to be true copy of Memorandum and Articles of Association of the Company and/or the relevant Statute/Act.
- ii) Certificate of Incorporation of the company In case of public limited Co. only.
- iii) Certificate of Commencement of Business In case of public limited Co. only.

#### 5. In case of Consortium/ Joint Venture bid

i) The information listed in Qualifying Requirements in NIT/IFB/Tender Enquiry shall be submitted for each Joint Venture or Consortium partner.

- ii) The bid, shall be signed so as to be legally binding on all partners;
- iii) One of the partners shall be nominated as being in charge and shall be designated as leader; this authorisation shall be evidenced by submitting with bid, a power of attorney signed by legally authorised signatories of all the partners;
- iv) An authorisation authorising the leader to incur liabilities and receive instructions for and on behalf of any and all partners of the Joint Venture or Consortium and the entire execution of the Contract including payment to be done exclusively with the leader:
- v) All partners of the Joint Venture shall be liable jointly and severally for the execution of the Contract in accordance with the Contract terms, and a relevant statement to this effect shall be included in the authorisation mentioned under (iii) above as well as in the Bid Form and in the Agreement (in the case of a successful bid);
- vi) Joint Venture / Consortium Agreement entered into by the Joint Venture or Consortium partners shall be submitted with the bid. The Joint Venture or consortium Agreement shall clearly specify the work and responsibility of each partner or a notarised copy.
- vii) A copy of the Partnership Deed/Memorandum & Articles of Association/Certificate of incorporation as the case may be of the prime bidder and all the Partners of Joint Venture / Consortium shall also be enclosed.

#### (B) Financial Status

In support of meeting the Financial criteria specified in the Qualifying Requirements stipulated in the NIT/IFB/Tender Enquiry, the following documents shall be furnished with the bid:

- Audited financial results of preceding 3 financial years or Balance Sheet and Profit & Loss account statement of preceding 3 financial years duly certified by a Chartered Accountant.
- 2. Solvency Certificate from Bankers, issued not earlier than fifteen (15) days prior to the scheduled date of bid opening of the Package, if asked for in the NIT/Tender Enquiry.

#### (C) Proof of Execution of Works

In support of meeting the work execution requirements specified in the Qualifying Requirements stipulated in the NIT/IFB/Tender enquiry, the following documents shall be furnished with the bid

- i) Copies of the Letter of Award/Purchase orders/Contracts.
- ii) Certificate(s) from the Client(s) for successful execution of the assignment with value and period of execution.

### (D) Other requirements specified in the Qualifying Requirements

In support of meeting the other requirements specified in the Qualifying Requirements stipulated in the NIT/IFB/Tender enquiry, the documents specified in the SCC shall be furnished with the bid.

The documentary evidence of the proposed sub-contractor's qualifications against the sub qualifying requirements if so specified in the bidding documents shall also be furnished in Attachment - 4. - See Sub-Clause (d) below.

Notwithstanding anything stated above, the Employer reserves the right to undertake a physical assessment of the capacity and capabilities including financial capacity and capability of the Bidder / his Collaborator(s) / Associate(s) / Subsidiary(ies) / Group Company(ies) to perform the Contract, should the circumstances warrant such assessment in the overall interest of the Employer.

The physical assessment shall include but not be limited to the assessment of the office/facilities/banker's/reference works by the Employer. A negative determination of such assessment of capacity and capabilities may result in the rejection of the Bid.

The above right to undertake the physical assessment shall be applicable for the qualifying requirements stipulated in the bidding documents.

(d) Attachment 4: Subcontractors Proposed by the Bidder (To be uploaded on the portal)

The Bidder shall furnish the names of the agencies for each subcontract(s) alongwith the broad scope of work for each of the subcontracting works proposed for subcontracting.

(e) Attachment 5: Equipment/ Machinery deployment Schedule (As applicable) (To be uploaded on the portal)

The Bidder shall indicate the quantum and schedule of the equipment/ machinery/ lab equipment etc. he proposes to deploy for the Work under this bid.

(f) Attachment 6: General Declaration of Bidder (To be uploaded on the portal)

Declaration that the Bidder has carefully examined the Bidding Documents in totality and his authorised personnel have visited the site for assessment of all factors for the purposes of bidding.

(g) Attachment 7: Electronic Fund Transfer (EFT) Authorisation Form (To be given offline in physical form and copy to be uploaded on the portal)

Authorisation Form for release of payments through Electronic Fund Transfer System.

(h) Attachment 8: Details of PF, ESI, PAN and GSTIN Regn. (To be uploaded on the portal)

The details of registration for PF, ESI, PAN and GSTIN to be furnished.

In case GSTIN details are not provided, it shall be considered that the bidder is an unregistered dealer.

(i) Attachment 9: Declaration Regarding GST (To be uploaded on the portal)

The bidder shall necessarily mention the GST applicable in the Schedule of Quantities. Further, the services covered under RCM must be declared in Attachment 9 of Forms & Procedures (Section VII) and specify the GST applicable. However, levies, royalty, fees etc., if any, shall be included in the price.

(j) Attachment 10: Technical Compliance (To be uploaded on the portal)

The bidder shall essentially confirm compliance to the scope of work and other technical requirements specified in the Technical Specifications and Bid Drawings (Section V)

#### (k) Attachment 11: Declaration of Local Content

Declaration regarding local content as per the Employer's format, for granting of purchase preference.

In case a bidder does not submit the aforesaid declaration or no value is indicated by the bidder or statement/any declaration like 'later', 'to be furnished later', 'NA' etc. are indicated by the bidder against value/percentage of local content, then the bidder shall not be considered as a local supplier and "shall not be eligible for any purchase preference"/ \*\*"its bid shall be considered non-responsive and shall be outrightly rejected".

Further, Bidder shall be required to submit a certificate from the statutory auditor or cost auditor (in the case the bidder is a company) or from a practicing cost accountant or practicing chartered accountant (in respect of bidders other than companies) giving the percentage of local content during execution prior to submission of last bill for payment.\*\*

In case aforesaid Certificate furnished by Contractor/Vendor is not in line with the declaration in respect of Local content in their bid, same shall be treated as false declaration and will be dealt in line with the Fraud Prevention Policy of NTPC.

\*\*Applicable unless otherwise mentioned in SCC.

#### (I) Attachment 12: Integrity Pact

Bidders are required to unconditionally accept the "Integrity Pact (IP)"

	as per Attachment-12 to the Bidding Documents which has been presigned by the Employer through undertaking as per Attachment-13.
	(m) Attachment 12A: Details of Foreign Principals of India Bidders (To be uploaded on the portal)
	The Bidder shall furnish information with regard to disclosure of the details of its foreign principals or associates (if applicable).
	(n) Attachment 13: Undertaking for Compliance of Importar Conditions (To be uploaded on the portal)
	Bidders are required to unconditionally accept & furnish th undertaking for compliance of Important Conditions as per Attachment-13 to the Bidding Documents and upload the same of portal.
	Bidder's failure to comply with the aforesaid requirement regardin the submission of 'Undertaking for Compliance of Importar Conditions' may lead to rejection of bid.
	Note: Techno-Commercial Bid should not contain any price content entry
11.3.2	PRICE BID
	The bidder has to quote for Total Contract Price (Inclusive of all taxes & duties on lumpsum basis on GeM portal. The premium (%) or Discount (%) shall be derived considering total quoted amount excluding GST (as declared by bidder w.r.t. estimated amount provided by NTPC.
	The derived premium (%) or Discount (%) shall be uniformly applied on all th BOQ items as mentioned in the Schedule of Quantities (BOQ.xls).
	Bidder has to mandatorily quote GST (%) as applicable seven (7) days prior t last date of Bid Submission in the Attachment-9.
11.4	Filling the information in the Attachment-9 with answers like "shall be given late or "shall be mutually discussed and finalised" or "information already submitte at the time of enlistment/earlier tenders" etc. shall not be accepted. Even if the information required in the attachment has been given in response to any other recent invitation for bids of the Employer or in some other reference, it mandatory for the Bidder to give the information along with his bid as asked for
	In case the bidder does not provide applicable GST (%), the quoted price sha be considered as inclusive of GST, at the rate prevailing as on seven (7) day prior to the date of opening of Techno-commercial Bids, for award purpose.
11.5	A conditional Price Bid shall run the risk of rejection.
11.6	Price Bid should not contain any matter in respect of Technical and / commercial aspects other than the details specifically sought in the Price Bid
12.0	BID PRICES AND PRICE BASIS
12.1	Unless otherwise specified in the Technical Specifications, Bidders shall quot for the entire facilities on a "single responsibility" basis such that the total bi

	price covers all the Contractor's obligations mentioned in or to be reasonably inferred from the bidding. Bidders shall give a breakdown of the prices in the manner and detail called for in the Schedule of Quantities (BOQ).
12.2	The currency of the bid and currency of payment shall be in Indian Rupees until unless specified otherwise in the SCC.
12.3	Bidders are advised to price their bids in such a manner that the component for 'Amount linked to Safety Aspects/ compliance to Safety Rules' should not be less than minimum% of the total value for works portion of Contract specified in SCC.
	The successful bidder if awarded the contract shall take sufficient care in moving the plants equipments and materials from one place to another so that they do not cause any damage to any person or the property of employer or 3rd party including overhead and underground cables/pipelines. In the event of such damage including eventual loss of operation and operation of the plant or services in any plant or establishment as estimated by the employer or adjusted by third party shall be borne by the Contractor.
12.4	The rates/amount quoted shall be inclusive of GST and all other taxes & duties as per GCC clause 22.0.
12.5	The Contractor shall be responsible for payment of any tax levied on the 'Works Contract' in accordance with the applicable GST Law or Notification(s) by the State or Central Government or other authorities and rules made thereunder including amendments, if any.  The Contract Price shall be exclusive of GST and all other taxes, duties
	applicable as per the rates prevailing as on seven (7) days prior to the date of bid opening.
	In case RCM is applicable on any service same shall be specified in Attachment 9 of Forms & Procedures (Section VII).
12.6	The bidder shall necessarily declare, as part of his bid, the GST applicable in the Bill of Quantities.
	The estimated value of Owner Issue Materials, if any, to be considered for working out GST liability, if applicable, as indicated in SCC.
	Provisions of GST law in respect of Related Persons/Parties may appropriately be taken into consideration by Bidders while submitting the bid.
	In case of any variation between the pre-determined value and actual value of Owner Issue Material during the execution of the contract, an equitable adjustment shall be made to the applicable GST amount.
	In case GST is applicable on free issue material, the Bidder must indicate the same in Attachment 9 of Forms & Procedures (Section VII). In case the same has not been specified by the Bidder in Attachment 9 of Forms & Procedures (Section VII), GST paid by Employer shall be to Bidder's account.
	GST component will be deposited with the concerned authorities by the Employer.
12.7	In case 'Amount linked to Safety Aspects / compliance to Safety Rules' is less than aforesaid minimum percentage specified of the total value for works portion of Contract (i.e. Amount of works/services other than the amount linked to safety Aspects/Compliance to safety rules), the amount by which it is lower shall be retained proportionately from the other components of the Contract price while releasing payments of each RA bill. No interest shall be payable on the amounts

	linked to Safety Aspects / Compliance to Safety Rules including aforesaid retained amount. The amounts linked to Safety Aspects / Compliance to Safety Rules including aforesaid retained amount shall be payable in part or full based on safety compliance duly certified by EIC and Safety-in-charge on quarterly basis.
13.0	BID VALIDITY
13.1	The Bidder shall keep his bid valid for a period of 120 days from the date of opening of the techno-commercial bid, unless otherwise specified in the SCC, during which period the Bidder agrees not to vary, alter or revoke his bid either in whole or in part.
13.2	In exceptional circumstances, prior to the expiry of the original bid validity period, the Employer may request the Bidders to extend the period of validity for a specified additional period. The request and the responses thereto shall be made in writing. A Bidder agreeing to the request will not be permitted to modify his bid, but will be required to extend the validity of his Earnest Money Deposit for the period of the extension.
14.0	BID SECURITY / GUARANTEE / EARNEST MONEY
14.1	The Bidder shall furnish, as part of its Bid, a Bid Security be in the form of a bank guarantee or an Insurance Surety Bond from an insurer as per guidelines issued by Insurance Regulatory and Development Authority of India (IRDAI) in a separate sealed envelope for the amount and currency as stipulated in the NOTICE INVITING TENDER (NIT).
14.2	The format of the Bank Guarantee shall be as per Gem Portal or in accordance with the form of bank guarantee towards bid security included in the Bidding Documents (Section-VII). Bid Security shall remain valid for a period of forty-five (45) days beyond the original Bid validity period and beyond any extension of bid validity subsequently requested under relevant clause of ITB.
14.3	Wherever Bids under Joint Venture route are permitted as per the Qualifying Requirements in the Bidding Documents, the Bid Security by the Joint Venture must be on behalf of all the partners of the Joint Venture.
14.4	Any bid not accompanied by an acceptable Bid Security in a separate sealed envelope shall be rejected by the Employer as being non-responsive and shall not be opened.
14.5	BG against Bid Security issued by a Bank outside India needs to bear stamp duty of appropriate value applicable to the place in NTPC where BG is to be submitted. The BG may be got adjudicated by the employer from Collector of Stamps, within 3 months of arrival of BG in India. Expenses incurred in this regard shall be borne by NTPC.
	Insurance Surety Bond against Bid security issued by an Indian Insurance company outside India needs to bear stamp duty of appropriate value to the place in NTPC where Insurance Surety Bond is to be submitted. The insurance Surety Bond may be got adjudicated by the employer from Collectors of Stamps, within 3 months of arrival of Insurance Surety Bond in India. Expenses incurred in this regard shall be borne by NTPC.
14.6	Subject to clause 14.8 below, the Bid Security of the Bidder whose Techno-Commercial Bid has not been found acceptable, shall be returned along with letter communicating rejection of Techno-Commercial Bid. The Bid Security of the bidders who are unsuccessful after opening of Price Bids shall be returned expeditiously.

14.7	The Bid Security of the successful Bidder to whom the contract is awarded will be returned when the said Bidder has signed the Contract Agreement and has furnished the required Performance Securities pursuant to relevant clauses of ITB.
14.8	The Bid Security may be forfeited
	a) If the Bidder withdraws or varies its Bid during the period of Bid validity;
	b) If the Bidder does not accept the correction of its Bid Price pursuant to ITB Sub-Clause for Arithmetical Correction.
	c) If the Bidder refuses to withdraw, without any cost to the Employer, any deviation, variation, additional condition or any other mention anywhere in the bid (Price bid in case of Two Stage Bid), contrary to the provisions of bidding documents;
	d) In the case of a successful Bidder, if the Bidder fails within the specified time limit to furnish the required Contract Performance Guarantee/Security Deposit in accordance with relevant clause of ITB.
	e) If the bidder/his representatives commits any fraud while competing for this contract pursuant to Fraud Prevention Policy of NTPC.
	(f) In case the Bidder/Contractor is disqualified from bidding process in terms of Section 3 and 4 of Integrity Pact (IF APPLICABLE).
	(g) Any suppression of material fact or false declaration regarding Insolvency,
	bankruptcy and Liquidation proceeding against Bidder, Associate, Collaborator
	or Technology Provider.
14.9	CONFIRMATION OF BGS THROUGH STRUCTURED FINANCIAL MESSAGING SYSTEM (SFMS)/SWIFT
	While issuing the physical BGs, the Bidder's Bank shall also send electronic message through secure SFMS (in case of BGs issued from within India) or SWIFT (in case of BGs issued from outside India) to Employer's Beneficiary Bank whose details are provided herein below:
	(i) Bank Name: ICICI Bank Limited
	(ii) Branch: CONNAUGHT PLACE BRANCH
	(iii) Bank Address: 9A, PHELPS BUILDING, INNER CIRCLE,
	NEW DELHI-110001
	(iv) IFSC Code: ICIC0000007
	BG issuing/amending bank must send the BG advice in the form of message format via SFMS (Structured Financial Messaging System) as provided by RBI. The format of the message for confirmation of the BG shall be as below:
	BG advising message: IFN 760COV/ IFN 767COV via SFMS
	Field Number: Particulars (to be mentioned in Row 1)
	7037: NTPCBG (unique identifier)

14.10	No interest will be payable by the Employer on the said amount covered under Earnest Money Deposit.
14.11	In case of Bidders opting for Bank Guarantee as Bid Security but unable to submit the Original Bank Guarantee in physical form at the tender opening location, before the deadline for submission of bids, following shall also be considered acceptable, subject to para 14.12 below:
	(i) The issuing bank shall intimate through their own official e-mail id to concerned C&M department with a copy to Bidder regarding issuance / extension of Bank Guarantee (BG) along with following documents, before the deadline of submission of bids: -
	a) The scanned copy of the BG.
	b) SFMS / SWIFT message acknowledgement copy sent to NTPC / Employer's banker stating the date of sending.
	c) An undertaking from the issuing Bank strictly as per format enclosed at Annexure-III to SCC.
	SFMS / SWIFT message must be sent to the NTPC/Employer's bank, details of which are mentioned in Bidding documents.
	(ii) Bidders shall also be required to upload the scanned copy of the BG on online portal.
14.12	The bidder shall be required to submit all the documents in the manner as specified at para 14.11 above, to reach NTPC/Employer before the deadline for submission of bids, failing which its bid shall be rejected as being non-responsive and not opened.
	In such a case, Bidder shall also be required to submit the Original BG in physical form to reach NTPC at the address mentioned in Bidding Documents, not later than 10 days from the date of submission of Techno-Commercial bids or before the Price Bid opening, whichever is earlier, failing which its bid shall be rejected and not considered for further evaluation.
15.0	WORK SCHEDULE
	The entire Work covered under the contract of this bid shall be completed within the time specified in the SCC and further elaborated in the Technical Specifications. The Work shall be performed in time and to achieve the targets, the Contractor shall have to plan adequate mobilisation of all resources.
PART D - SUBM	IISSION OF BID
16.0	SEALING AND MARKING OF BID
	Bid shall be submitted through online mode in the manner specified elsewhere in bidding document. No Manual/ Hard Copy of the Bid shall be acceptable.
16.1	Documents to be submitted in physical form (as brought out at ITB clause 11.3.1) shall be sealed and marked in the following manner:
	(i) The Earnest Money Deposit (in case paid in modes other than on-line payment) furnished in accordance with ITB Clause 14 shall be sealed in a separate envelope duly marking the envelope as "ATTACHMENT-1: EARNEST MONEY DEPOSIT".

	<ul> <li>(ii) The power of attorney furnished in accordance with ITB Clause 11.3.1(b) shall be sealed in a separate envelope duly marking the envelope as "ATTACHMENT-2: POWER OF ATTORNEY".</li> <li>(iii) The deed of joint undertaking (if applicable) as per relevant attachment shall be sealed in a separate envelope duly marking the envelope as "DEED OF JOINT UNDERTAKING".</li> <li>(iv) The joint venture/consortium agreement (if applicable) as per relevant attachment shall be sealed in a separate envelope duly marking the envelope as "JOINT VENTURE/CONSORTIUM AGREEMENT".</li> <li>(v) The 'Integrity Pact" (if applicable) as per ATTACHMENT-12 duly signed by the signatory authorized to sign the bid, shall be sealed in a separate envelope entitled "ATTACHMENT- 11: INTEGRITY PACT".</li> </ul>
	The envelopes shall then be sealed in an outer envelope.
16.2	The inner and outer envelopes shall:
	(a) be addressed to the Employer at the address given in the NIT/Tender Enquiry/SCC, and
	(b) bear the Package name indicated in the NIT/Tender Enquiry, the Invitation for Bids number indicated in the NIT/Tender Enquiry, and the statement "DO NOT OPEN BEFORE [date]," to be completed with the time and date specified in the NIT/Tender Enquiry, pursuant to ITB clause 16.
16.3	The inner envelopes shall also indicate the name and address of the Bidder.
16.4	If the outer envelope is not sealed and marked as required by ITB Sub-Clause 16.2 above, the Employer will assume no responsibility for its misplacement.
17.0	BID SUBMISSION
	Bidders are requested to submit offer / proposal as under:
	(A) TECHNO-COMMERCIAL BID
	i) OFF-LINE BID (PHYSICAL BID)
	Envelope marked as 'EMD/Bid Security'
	(a) Bid Form 1: EMD form
	(b) Attachment 1: Earnest Money Deposit,
	(c) Attachment 7: Electronic Fund Transfer (EFT) Form
	(d) Attachment 12: Integrity Pact (if applicable)
	Any other document asked for in the SCC.
	ii) ON - LINE BID
	Upload the following documents under Technical Cover/Envelope (as applicable)
	a) Attachment 1: Earnest Money Deposit (scanned copy).
	b) Attachment 2: Authority to sign the bid (scanned copy).
	c) Attachment 3: Bidders Qualification Documents
	d) Attachment 4: Sub-contractor proposed by Bidder.
	e) Attachment 5: Equipment/Machinery Deployment Schedule
	f) Attachment 6: General Declaration

	ITB.  Withdrawal / modified of a bid during this interval may result in the Bidder's
20.3	No bid may be withdrawn / modified in the interval between the bid submission deadline and the expiration of the bid validity period specified in clause 13.0 of
20.2	<b>Bid Modification and withdrawal:</b> The Bidder may modify or withdraw its bid after submission prior to the deadline prescribed for bid submission.
20.1	Bidders are requested to submit the bids on-line on GeM Portal.
20.0	MODIFICATION, SUBSTITUTION AND WITHDRAWAL OF BID
	Any Bid Security/EMD and/or Integrity Pact bid received by the Employer after the bid submission deadline prescribed by the Employer, pursuant to ITB Clause 18, will be rejected and returned unopened to the Bidder.
19.0	LATE EARNEST MONEY DEPOSIT AND INTEGRITY PACT
18.2	The Employer may, in exceptional circumstances and at his discretion, extend the deadline for submission of bids by issuing an amendment in accordance with ITB Clause 8.0 above, in which case all rights and obligations of the Employer and the Bidders previously subject to the original deadline shall thereafter be subject to the deadline as extended.
18.1	Bid must be received by the Employer at the address referred in the NIT/Tender Enquiry/SCC, no later than the time and date stated in the NIT/Tender Enquiry or mentioned on GeM portal.
18.0	DEADLINE FOR SUBMISSION OF BID
	uploaded in Technical Cover/Envelope.  (B) PRICE BID  The bidder has to quote for Total Contract Price (Inclusive of all taxes & duties) on lumpsum basis on GeM portal.
	Any other document asked for in the SCC/Technical specifications also to be
	n) Attachment 13: Undertaking for Compliance of Important Conditions of Tender
	m) Attachment 12A: Details of Foreign Principals of Indian Bidders
	I) Attachment 12: Integrity Pact
	<ul><li>j) Attachment 10: Technical details &amp; data sheets, drawings, compliance to scope of work etc.</li><li>k) Attachment 11: Declaration of Local Content</li></ul>
	i) Attachment 9: Declaration Regarding GST.
	<ul> <li>h) Attachment 8: Details along with Copy of PF and ESI registration, PAN and GSTIN. In case GSTIN is not specified, it shall be considered that the bidder is an unregistered dealer.</li> </ul>
	g) Attachment 7: Electronic Fund Transfer (EFT) Form

### PART E - BID OPENING AND EVALUATION

21.0	BID OPENING
	The bids will be opened at the time, date and location notified in the NIT/SCC of
	Tender Enquiry.

22.0	CLARIFICATION OF BIDS
	Bidder's attention is drawn that during the period, the bids are under consideration, the Bidder is advised to refrain from contacting by any means, the Employer and/or his employees/representatives on matters related to the bids under consideration and that if necessary, the Employer will obtain clarifications from the Bidder in writing. Any effort by a Bidder to influence the Employer's processing of bids or award decisions will result in the rejection of the Bidder's bid.
	During the bid evaluation the Employer may, at its discretion, ask the Bidder for a clarification of its bid including documentary evidence pertaining to only the Work Orders/Purchase Orders/Letter of Awards/Contract Agreements declared in the bid for the purpose of meeting Qualifying Requirement specified in NIT/Bidding Documents. The request for clarification and the response shall be in writing and no change in the price or substance of the bid including substitution of reference Work Orders/Purchase Orders/Letter of Awards/Contract Agreements in the bid by new/additional Work Orders/Purchase Orders/Letter of Awards/Contract Agreements for conforming to Qualifying Requirement shall be sought, offered or permitted.
23.0	EVALUATION AND COMPARISON OF BIDS
23.1	BID EVALUATION
23.1.1	The Employer will initially determine whether each bid is of acceptable quality, is generally complete and is substantially responsive to the Bidding Documents. For purposes of this determination, a substantially responsive bid is one that conforms to all the terms, conditions and specifications of the Bidding Documents without material deviations, objections, conditionalities or reservations. A material deviation, objection, conditionality or reservation is one (i) that affects in any substantial way the scope, quality or performance of the contract; or
	(ii) That limits in any substantial way, inconsistent with the Bidding Documents, the Employer's rights or the Bidder's obligations under the contract; or
	(iii) Whose rectification would unfairly affect the competitive position of other Bidders who are presenting substantially responsive bids.
23.1.2	The Employer's determination of a bid's responsiveness is to be based on the contents of the bid itself without recourse to extrinsic evidence. If a bid is not substantially responsive, it will be rejected by the Employer, and may not subsequently be made responsive by the Bidder by correction of the nonconformity.
23.1.3	Further, for order preference, MSE guidelines mentioned in ITB Clause 31.0 read conjunction with ITB Clause 32.0 "Preference to Make in India and granting of purchase preference to local suppliers" mentioned in Annexure-I to SCC, shall be applicable as in mentioned in Special Conditions of Contracts (SCC).
23.1.4	Bidders shall certify their compliance to ITB Clause "Restrictions on procurement from a Bidder of a country which shares a land border with India" by accepting the following condition through undertaking as per Attachment-13:
	"Do you certify full compliance on clause as per tender documents on Restrictions on procurement from a Bidder of a country which shares a land border with India?" / "Do you certify full compliance to all provisions of Bid Documents?"

	Acceptance of above condition shall be considered as Bidder's confirmation that Bidder has read and understood the ITB Clause regarding "Restrictions on procurement from a Bidder of a country which shares a land border with India" and its bid is in compliance to this clause.
	In case it is established that Bidder has provided any false information in pursuance of the aforesaid ITB Clause, while competing for this contract, then its bid shall be rejected.
	In case of a successful bidder, if it is established that the Bidder has not complied with terms of aforesaid ITB Clause, during execution of contract, this would be a sufficient ground for immediate termination of the contract as per GCC Clause titled 'Termination for Contractor's Default' and shall be dealt accordingly.
23.2	The evaluation shall be based on the evaluated cost of fulfilling the contract in compliance with all commercial, contractual and technical obligations under this Bidding Document.
23.4	ABNORMALLY HIGH OR LOW RATED ITEMS
23.4.1	If the price quoted by the successful bidder are found to be having a variation of +/-25% or above in relation to Employer's estimate of the cost of work to be performed under the contract, then such items of works shall be identified as abnormally high rate (AHR) or abnormally low rate (ALR).
23.4.2	After evaluation of the rates/prices analysis which includes early cash flow analysis, Employer/NTPC may require the successful bidder to provide a suitable undertaking to execute the items of works including the ALR items and complete the entire work under the contract. Further, the Employer may invite the successful bidder for discussions/tie ups to safeguard the interest of the Employer/NTPC and ensure that the Bidder executes the ALR items of works and completes the entire work under the contract.
23.5	Post-Qualification
23.5.1	The Employer will determine to its satisfaction whether the Bidder is qualified to satisfactorily perform the contract, in terms of the Qualifying Requirements (QR) stipulated in NIT/IFB/Tender Enquiry and other criteria detailed elsewhere in the bidding documents.
23.5.2	The determination will take into account the Bidder's capabilities, based upon examination of the documentary evidence of the Bidder's qualifications submitted by the Bidder in the Attachments – 3 and 4 as well as such other information as the Employer deems necessary and appropriate. The Employer reserves the right to assess the capabilities and capacity of the Bidder to perform the contract, should the circumstances warrant such assessment in the overall interest of the Employer.
23.5.3	An affirmative determination will be a prerequisite for award of the contract to the Bidder. A negative determination will result in rejection of the Bidder's bid.
23.5.4	The capabilities of the vendors and subcontractors, proposed in Attachment - 4, to be used by the lowest evaluated Bidder, will also be evaluated for acceptability. Their participation should be confirmed with a letter of intent between the parties, as needed. Should a vendor or subcontractor be determined to be unacceptable, the bid will not be rejected, but the Bidder will be required to substitute an acceptable vendor or subcontractor without any change in the bid price, prior to award.

24.0	Subject to ITB Clause 25.0, the Employer will award the Contract to the Bidder whose bid has been determined to be substantially responsive to the Bidding Documents and whose bid has been adjudged as the lowest evaluated bid, provided that such Bidder has been determined to be qualified to perform the contract satisfactorily as per methodology read in conjunction with ITB Clause 32.0 "Preference to Make in India and granting of purchase preference to local suppliers" mentioned in Annexure-I to ITB.  No contract shall be awarded to a bidder against whom a Debarment Order has been issued as per Employer's Policy for Debarment from Business
	Dealings.
25.0	Notwithstanding ITB Clause 24.0, the Employer reserves the right to accept, (whole or in part) and the Bidder shall be bound to perform the same at his quoted rate, or reject any bid for any reasons including national defence and security consideration and to annul the bidding process and to reject all bids at any time prior to award of contract without thereby incurring any liability to the affected Bidder or Bidders or any obligation to inform the affected Bidder or Bidders of the grounds for the Employer's action. Decision of Employer shall be final and binding in this regard.
26.0	LETTER OF AWARD
26.1	Prior to the expiration of the bid validity prescribed by the Employer, the Employer will issue a Letter of Award(LOA)/Service Purchase Order/GeM PO to the successful Bidder containing reference of the documents which form the Contract, Scope of Work, Contract Price, period of completion of the Works, terms of payment, price adjustment, and other important aspects in consideration of the execution and completion of the Works and the remedying of any defects therein by the Contractor as prescribed by the Contract.
26.2	This Letter of Award/Purchase Order will constitute the formation of the Contract.
26.3	Prior to the expiration of the bid validity prescribed by the Employer, the Employer can issue a Brief Letter of Award (LOA) to the successful Bidder containing reference of the tender, offer and Contract Price. This brief letter of award shall constitute the formation of the Contract.
27.0	SIGNING OF CONTRACT AGREEMENT
27.1	The Successful Bidder/ Contractor shall enter into a Contract Agreement with the Employer within thirty (30) days from the date of Letter of Award or within such other time, as may be desired by the Employer. The Contract Agreement shall be executed on a non-judicial Stamp Paper of appropriate value.
27.2	Manner of Execution of Contract Agreement
	<ul> <li>i) Unless and until a formal contract is prepared and executed, the Letter of Award/Purchase Order read in conjunction with the Bidding Documents will constitute a binding contract.</li> <li>ii) The Contract Agreement shall be prepared by the Employer and signed at the office of the Employer. The Contract Agreement will be signed in three originals and the Contractor shall be provided with one signed original and the other two originals will be retained by the Employer.</li> </ul>

iii) The Contractor shall provide free of cost to the Employer all the engineering data, drawings and descriptive materials submitted as a part of his bid, in at least three (3) copies to form an integral part of the Contract Agreement within twenty-eight (28) days after issuing of Letter of Award/Purchase Order. The Contractor shall further provide for signing of the Contract Agreement as per prescribed proforma enclosed in the Bidding Documents, appropriate Power of Attorney and the requisite stamp papers. All the other documents required for the preparation of the Contract Agreement shall be provided by the Employer. iv) Unless and until the Contract Agreement is signed as above, no payments under the Contract as per GCC Clauses entitled 'Payment On Account/Progressive Interim Payments' and 'Time Limit for Submission & Payment of Final Bill' shall be released to the Contractor by the Employer nor any materials shall be issued to the Contractor as stipulated in the Special Conditions of Contract or otherwise agreed to be issued by the Employer. v) Subsequent to signing of the Contract Agreement, the Contractor at his own cost shall provide to the Employer with at least three (3) true copies of Contract Agreement within twenty-eight (28) days of its signing. The Contractor will also provide one (1) electronic version of the Contract Agreement to the Employer within thirty (30) days of its signing. 28.0 **INELIGIBILITY FOR FUTURE TENDERS** 28.1 Notwithstanding the provisions regarding forfeiture of Earnest Money Deposit specified in ITB Sub-Clause 14.7, if a Bidder after having been issued the Letter of Award/ Purchase Order, either does not accept the same or does not sign the Contract Agreement or does not submit an acceptable Initial Security Deposit/Entire Security in line with the provisions of the Contract and which results in tender being annulled then such bidder shall be treated ineligible for participation in re-tendering of this particular package. Further, such bidder/contractor shall also be dealt as per the provisions of policy for Debarment from Business Dealings. If a bidder after opening of tenders where EMD is 'NIL/Not applicable' or 28.2 exempted for bidders as per policy guidelines, withdraws its offer within the validity period of the offer, then such bidder shall be treated as ineligible for participation in the future tenders issued from NTPC for a period of 6 months from the date of withdrawal of the bid, and also in re-tendering of this particular package. 28.3 If a bidder after having been issued the Notification of Award/Purchase Order of a package where EMD is 'NIL/Not applicable' or exempted for bidder as per policy guidelines, either does not accept the Notification of Award/Purchase Order or does not sign the Contract Agreement pursuant to ITB Clause titled 'Signing the Contract Agreement' or does not submit an acceptable Performance Security pursuant to ITB Clause titled 'Performance Security', and which result in tender being annulled then such bidder shall be treated ineligible for participation in re-tendering of this particular package. Further, such bidder/contractor shall also be dealt as per the provisions of the contract and policy for Debarment from Business Dealings. ADHERENCE TO FRAUD PREVENTION POLICY 29.0 The Bidder/Contractor along with its associate / collaborators / sub-contractors / sub-vendors / consultants / service providers shall strictly adhere to the Fraud

Prevention Policy of Employer displayed on its website http://www.ntpctender.ntpc.co.in. The Bidder/Contractor shall immediately apprise the Employer about any fraud or suspected fraud as soon as it comes to their notice. A certificate to this effect shall be furnished by the bidder along with his bid by accepting the undertaking condition "Do you certify full compliance to all provisions of Bidding Document" at Attachment-13. If in terms of above policy it is established that the bidder/his representatives have committed any fraud while competing for this contract then the Employer shall be entitled to disqualify the Bidder(s)/ Contractor(s) from the bidding process and forfeit the Earnest Money Deposit. In addition to the above, if the Bidder has committed a fraud such as to put his reliability or credibility into question, the Employer shall be entitled to exclude including blacklist and put the Bidder on holiday for any future tenders/contracts award process. DECLARATION ON DEBARMENT FROM BUSINESS DEALINGS POLICY 30.0 The employer has in place a Policy for Debarment from Business Dealings displayed on the website www.ntpc.co.in / www.ntpctender.ntpc.co.in. The version of Policy presently followed by NTPC is mentioned in SCC. Business dealings may be withheld or banned with the Bidder/Contractor on account of any default by the contractor under GCC clause 47.3.1 or any of the grounds and following the procedures as detailed in the said Policy for Debarment from Business Dealings. Declaration on Policy for Debarment from Business Dealings is to be given by accepting the undertaking condition "Do you certify full compliance to all provisions of Bidding Document" at Attachment-13. 31.0 **BENEFITS TO MSEs** Bidders may ascertain their eligibility for availing benefits as per Public Procurement Policy (PPP) 2012 before submission of Bids. Micro and Small Enterprises (MSEs) registered as per MSMED Act 2006 for goods produced and services shall be eligible for MSE benefits. In case of an upward change in terms of investment in plant and machinery or equipment or turnover or both, and consequent re-classification, an enterprise shall continue to avail of all non-tax benefits of the category (micro or small or medium) it was in before the re-classification, for a period of three years from the date of such upward change. MSEs shall be issued the bid documents free of cost and shall be exempted from paying Earnest Money Deposit. The benefits to the participating Service Providers under PPP 2012 shall be applicable irrespective of product (Goods / Services) categories for which bidder is registered as MSE. MSEs seeking exemption and benefits should enclose a attested/self-certified copy of registration certificate as a part of his bid, giving details such as stores/services, validity (if applicable) etc. failing which they run the risk of their bid being passed over as ineligible for the benefits applicable to MSEs. Further, in case of tenders where splitting of quantity is possible, participating

MSEs quoting price within price band of L1 + 15 percent shall also be allowed to supply a portion of requirement by bringing down their price to L1 price in a situation where L1 price is from someone other than a Micro and Small Enterprise and such Micro and Small Enterprise shall be allowed to supply up to 25 percent of total tendered value. In case of more than one such MSE, the supply will be shared proportionately (to tendered quantity).

However, in case of tenders where splitting of quantity is not possible, participating MSEs quoting price within price band of L1 + 15 percent shall be allowed to execute the package by bringing down their price to L1 price in a situation where L1 price is from someone other than a Micro and Small Enterprise. The award shall be made as follows:

- a) Award shall be given to L1 bidder if L1 bidder is a MSE.
- b) In case L1 bidder is not a MSE, then all the MSE vendor(s) who have quoted within the range of L1 + 15%, shall be given the opportunity in order of their ranking (starting with the lowest quoted MSE bidder and so on) to bring down its price to match with L1 bidder. Award shall be placed on the MSE vendor who matches the price quoted by L1 bidder.
- c) If no MSE vendor who has quoted within range of L1 + 15% accepts the price of L1 bidder then the award shall be made to the L1 bidder.

#### Note:

- 1. Generally, in tenders having Item wise evaluation, splitting is allowed unless otherwise specified in the Special Conditions of Contract (SCC). Further, in tenders having Package wise evaluation generally splitting is not allowed. Please refer Special Conditions of Contract for specific tender provisions.
- 2. "In case MSE Benefit/ Purchase Preferences for MSE and/or Class-I local supplier is applicable as per the provisions specified in the Bidding documents and if during evaluation of Bids, Negotiation is required to be conducted - the Negotiation shall be carried out with L1 Bidder.

Further, eligible MSE and/or Class-I local supplier as per the provisions specified in the Bidding documents with respect to MSE Benefit/ Purchase Preferences shall be offered to match the Negotiated/ Awardable price of L-1 Bidder in the order of their ranking & eligibility based on Original quoted price of L-1 Bidder (before Negotiation)."

#### 32.0 Preference to Make in India and granting of purchase preference to local suppliers

Purchase preference shall be given to local suppliers as per general methodology specified in Annexure-I to SCC)

For order preference, MSE guidelines mentioned above in 31.0 read in conjunction with "Preference to Make in India and granting of purchase preference to local suppliers" mentioned in Annexure-I to SCC, shall be applicable.

The bidders may apprise themselves of the relevant provisions of bidding documents in this regard before submission of their bids.

1	
	Bids which do not meet the Minimum Local Content as mentioned in SCC for the offered Item(s)/Service(s)/Work(s) shall be considered non-responsive and shall be outrightly rejected. **
	**Applicable unless otherwise mentioned in SCC.
	<b>Note</b> : Please refer Special Conditions of Contract of the bidding document for tender specific provisions as applicable and defined for Preference to Make In India and granting of purchase preference to local suppliers.
33.0	Restrictions on procurement from a Bidder of a country which shares a land border with India
33.1	Any Bidder (including its Collaborator/Associate/DJU Partner/JV partner/Consortium Member/Assignee, wherever applicable) from a country which shares a land border with India will be eligible to bid in this tender only if bidder is registered with the Competent Authority as mentioned in Annexure-I to General Conditions of Contract (GCC).  Such registration should be valid for the entire period of bid validity or any
	extension thereof. However, in case the validity period of registration is less than bid validity period, the Bidder shall be required to submit the extension of the validity period of registration before the opening of price bids, failing which the bid shall be rejected.
	Further the successful bidder shall not be allowed to sub-contract works to any "Sub-contractor" from a country which shares a land border with India unless such Sub-contractor is registered with the competent Authority as mentioned in Annexure-I to General Conditions of Contract (GCC).
	However, the said requirement of registration will not apply to bidders/sub-contractors from those countries (even if sharing a land border with India) to which the Government of India has extended lines of credit or in which the Government of India is engaged in development projects. Bidders may apprise themselves of the updated lists of such countries available in the website of the Ministry of External Affairs.
33.2	"Bidder" (including the term 'tenderer', 'consultant' or 'service provider' in certain contexts) means any person or firm or company, every artificial juridical person not falling in any of the descriptions of bidders stated hereinbefore, including any agency, branch or office controlled by such person, participating in a procurement process.
33.3	"Sub-contractor" (including the term 'Sub-vendor'/Sub-supplier' in certain contexts) means any person or firm or company, every artificial juridical person not falling in any of the descriptions of Sub-contractors stated hereinbefore, including any agency branch or office controlled by such person, participating in a procurement process.
33.4	"Bidders from a country which shares a land border with India" / "Sub-contractor from a country which shares a land border with India" mentioned in para 33.1 above means: -
	<ul> <li>a) An entity incorporated, established, or registered in such a country; or</li> <li>b) A subsidiary of an entity incorporated, established, or registered in such a country; or</li> <li>c) An entity substantially controlled through entities incorporated, established, or registered in such a country; or</li> </ul>

	d) An entity whose beneficial owner is situated in such a country; or
	<ul><li>e) An Indian (or other) agent of such an entity; or</li><li>f) A natural person who is a citizen of such a country; or</li></ul>
	g) A consortium or joint venture where any member of the consortium or
	joint venture falls under any of the above
33.5	The beneficial owner for the purpose of 33.4 above will be as under:
	a) In case of a company or Limited Liability Partnership, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person, has a controlling ownership interest or who exercises control through other means.
	Explanation—
	<ul> <li>i) "Controlling ownership interest" means ownership of or entitlement to more than twenty-five per cent of shares or capital or profits of the company;</li> </ul>
	ii) "Control" shall include the right to appoint majority of the directors or to control the management or policy decisions including by virtue of their shareholding or management rights or shareholders agreements or voting agreements;
	<ul> <li>b) In case of a partnership firm, the beneficial owner is the natural person(s) who, whether acting alone or together, or through one or more juridical person, has ownership of entitlement to more than fifteen percent of capital or profits of the partnership;</li> </ul>
	c) In case of an unincorporated association or body of individuals, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person, has ownership of or entitlement to more than fifteen percent of the property or capital or profits of such association or body of individuals;
	d) Where no natural person is identified under (1) or (2) or (3) above, the beneficial owner is the relevant natural person who holds the position of senior managing official;
	<ul> <li>e) In case of a trust, the identification of beneficial owner(s) shall include identification of the author of the trust, the trustee, the beneficiaries with fifteen percent or more interest in the trust and any other natural person exercising ultimate effective control over the trust through a chain of control or ownership.</li> </ul>
33.6	An Agent is a person employed to do any act for another, or to represent another in dealings with third person.
34.0	Corrupt or Fraudulent Practices
34.1	Employer requires that Bidders, Contractors and Suppliers observe the highest
	standard of ethics during the procurement/tendering and execution of the contracts. In pursuance of this policy, Employer:  a) defines, for the purposes of this provision, the terms set forth below as follows:
	i) "Corrupt practice" means the offering, giving, receiving or soliciting of
<u> </u>	, , , , , , , , , , , , , , , , , , ,

- anything of value to influence the action of a public official in the procurement/tendering process or in contract execution; and
- ii) "fraudulent practice" means a misrepresentation of facts in order to influence a procurement/tendering process or the execution of a contract to the detriment of the Employer, and includes collusive practice among Bidders (prior to or after bid submission) designed to establish bid prices at artificial noncompetitive levels and to deprive the Employer of the benefits of free and open competition;
- b) will reject a proposal for award if it determines that the Bidder recommended for award has engaged in corrupt or fraudulent practices in competing for the contract in question;
- c) will declare a firm ineligible, either indefinitely or for a stated period of time, to be awarded a contract if it at any time determines that the firm has engaged in corrupt or fraudulent practices in competing for or in executing a contract of the Employer.

#### Anti-Bribery and Anti-Corruption (ABAC) Policy **35.0**

The Bidder and its employees along with its Associate/ Collaborator/ Sub-Contractors / Sub-Vendors / Consultants / Service Providers and all other persons associated with business of Employer shall strictly adhere to Anti Bribery and Anti-Corruption (ABAC) Policy of Employer displayed on tender website https://ntpctender.ntpc.co.in/.

Bidders shall certify their compliance on "Anti-Bribery and Anti-Corruption (ABAC) Policy" of Employer by accepting the following GTE through undertaking as per Attachment-13:

"Do you certify full compliance to all provisions of Bidding Document?"

Acceptance of above General Technical Evaluation (GTE) condition of the Tender shall be considered as bidder's confirmation that they and their employees along with their associate / collaborator/ subcontractors / sub vendors / consultants / service providers shall strictly abide by "Anti-Bribery and Anti-Corruption (ABAC) Policy" of Employer as displayed on tender website at https://ntpctender.ntpc.co.in/ under section 'policy docs' and undertake that they represent and confirm that they are aware of, understand, and will comply with all applicable laws and regulations relating to anticorruption and anti-bribery and the ABAC Policy of Employer.

#### **Integrity Pact: 36.0**

Bidders are required to unconditionally accept all the conditions of the "Integrity Pact (IP)" as per Attachment-12 to the Bidding Documents which has been presigned by the Employer.

Bidders shall certify their compliance on "Integrity Pact " by accepting the following condition through undertaking as per Attachment-13:

"Do you certify full compliance to all provisions of Bidding Document?"

On Bidder's acceptance to the above GTE condition, Bidder confirms to have read, understood and unconditionally accept & commit to all the contents, terms, conditions and undertakings mentioned in the Integrity Pact which has been presigned by the Employer and enclosed with the Bidding Documents. Where

	the Joint Venture(s) / Consortium are permitted to participate in the bid, acceptance of above GTE condition by bidder shall mean that all the JV Partner(s)/ Consortium members have read, understood and unconditionally accepted & committed to all the contents, terms, conditions and undertakings mentioned in the Integrity Pact which has been presigned by the Employer and enclosed with the Bidding Documents.  On Acceptance of the above GTE condition, Integrity Pact shall be considered signed by the Bidder / JV Partner(s)/ Consortium members and the same shall come into force from the date of submission of bid.
	It may also be noted that subsequent to Employer's evaluation of Bids, resulting into award of Contract to a particular Bidder, the Integrity Pact so submitted shall form an integral part of the Contract.
<mark>36.1</mark>	Independent External Monitors (IEMs):
	In respect of this package, the Independent External Monitors (IEMs) would be monitoring the implementation and effectiveness of the Integrity Pact Program as per the SOP issued by CVC from time to time and available in its website <a href="https://cvc.gov.in/">https://cvc.gov.in/</a> .
	The Independent External Monitor(s) (IEMs) as mentioned at NTPC tender website(https://ntpctender.ntpc.co.in/) under Integrity Pact tab have been appointed by NTPC, in terms of Integrity Pact (IP) which forms part of the NTPC Tenders/Contracts.
	This panel is authorized to examine /consider all references made to it under this tender. The bidder(s), in case of any representation/grievance/complaint pertaining to this package may raise the issue directly with the IEMs at following Address or through e-mail as mentioned in <a href="https://ntpctender.ntpc.co.in/">https://ntpctender.ntpc.co.in/</a> : "The IEMs' Secretariat, Contracts Services, 6th Floor, EOC, NTPC Limited, A-8A, Sector-24, Noida-201301 (UP)."

## NTPC LIMITED

(A Government of India Enterprise)



SECTION - III

# GENERAL CONDITIONS OF CONTRACT (GCC) FOR O&M WORKS

## **INDEX**

A.	CONTRACT AND INTERPRETATION
1.	Definitions
2.	Heading and Marginal Notes to Conditions
3.	Singular & Plural
4.	Order of the precedence of the Documents
5.	Instructions and Notices under the Contract
6.	Contractors Representative
7.	Laws governing the Contract
8.	Settlement of Disputes
В.	SUBJECT MATTER OF CONTRACT
9.	Scope of Contract
10.	Notices to Local Bodies
11.	Human Resources
12.	Shift Work16
13.	Cooperation with other Contractors/ Agencies
14.	Security Watch and Lighting
15.	Prevention of Pollution
16.	Training of Apprentices
17.	Handing over of Site
18.	Duties and Powers of Engineer-in- Charge and his representatives
C.	PAYMENT
19.	Security Deposit
20.	Payment on Account/Progressive Interim Payments
21.	Contract Price

Taxes, Duties, Levies etc.

**Overpayments and Underpayments** 

22.

23.

- 24. Time Limit for submission & payment of Final Bill and waiver of rights of all claims
- D. EXECUTION OF FACILITIES28
- Work Commencement, Execution & Delays, Time extension, Liquidated Damage (LD)
- 26. Sub Contracts
- 27. Setting out the Works
- 28. Methodology of Execution & Equipment Mobilisation
- 29. Patent Indemnity
- 30. Materials for the performance of the Contract
- 31. Quality Assurance Programme
- 32. Inspection and Approval
- 33. Records and Measurement
- 34. Methods of Measurement
- 35. Temporary / Enabling Works
- 36. Urgent Works
- 37. Power & Water Supply and boarding and lodging of employees/ labour / staff
- 38. Site testing equipments and facilities
- 39. Completion Certificate
- E. DEFECTS LIABILITY
- 40. Liability for Damage, Defects or Imperfections and Rectification thereof
- 41. Defects Liability Period
- F. RISK DISTRIBUTION
- 42. Employer's and Contractor's Risks and Insurance
- 43. Force Majeure
- 43.5 Termination for reasons due to extended Force Majeure
- G. CHANGES IN CONTRACT ELEMENT
- 44. Changes in Constitution:
- 45. Powers of Engineer-in-Charge for alterations/ omissions/ additions /substitutions
- 46. Suspension of Works

- 47. Termination
- 48. Possession prior to completion
- 49. Adherence to Fraud Prevention Policy
- 50. Limitation of Liability
- 51. Policy for Debarment from Business Dealings
- 52. Disposal of Scrap
- 53. Disposal of surplus material, Plant & Equipment
- 54. No Claim for interest or damage
- 55. Procedure for Contract Closing
- 56. Contractor's Labor Information Management System
- 57. Independent External Monitors (IEMs)
- 58. Anti-Bribery and Anti-Corruption (ABAC) Policy

### GENERAL CONDITIONS OF CONTRACT

Α	Contract	t and Interpretation	
1.	Definitions		
	(a)	"Employer" / "Owner" / "Corporation" means the NTPC Limited, New Delhi, having its registered office at NTPC Bhawan, SCOPE Complex, 7, Institutional Area, Lodhi Road, New Delhi and shall include their legal representatives, successors and permitted assigns.	
	(b)	"Contract" means the Contract Agreement entered into between the Employer and Contractor, together with contract documents referred therein. The term "Contract" shall in all such documents be construed accordingly and includes special conditions, specifications, designs, drawings, "Schedule of Quantities/Bill of Quantities" with rates and amount. These documents taken together shall be deemed to form the Contract and shall be complimentary to one another.	
	(c)	"Contract Documents" mean the following documents that constitute the Contract between the Employer and the Contractor:	
		(i) The Contract Agreement alongwith its appendices.	
		(ii) Letter of Award/Service Purchase Order alongwith its appendices including agreed variations annexed.	
		(iii) Amendment to Tender/Bidding Documents.	
		(iv) Special Conditions of Contract.	
		(v) Technical Specifications & Bid drawings & Field Quality Assurance plan	
		(vi) General Conditions of Contract.	
		(vii) The Bid and Bill of Quantities submitted by the Contractor.	
		(viii) Instructions to Bidders.	
	(d)	"GCC" means the General Conditions of Contract.	
	(e)	"SCC" means the Special Conditions of Contract.	
	(f)	"Day" means calendar day of the Gregorian Calendar.	
	(g)	"Week" means a continuous period of seven (7) calendar days.	
(h) "Month" means calendar month of the Gregorian Calendar.			
(i) The "Contractor" means the individual or firm or company wh incorporated or not, undertaking the Works and shall include its representatives, successors, and permitted assigns.			
Standard	l Bidding Docum	nent for O&M Works SECTION-III (GCC) Page <b>5</b> of 73	

- (j) Sub-Contractor" shall mean a person or a Corporate body approved by Engineer-in-Charge who has entered into a contract with the Contractor to complete a part of the Works.
- (k) The "Contract Sum" / "Contract Price" means:
  - (i) In the case of Lump Sum Contracts the sum for which the bid is accepted.
  - (ii) In the case of item Rate Contracts the cost of the Works arrived at after extension of the quantities shown in Bill of Quantity (BOQ) by the item rates for the various items and summating them to arrive at the total price.
  - (iii) In case of percentage rate contracts, the estimated value of the contracts as mentioned in the tender adjusted by the contractor's percentage.
- (I) Engineer-in-Charge/Officer-in- Charge" shall mean the person nominated by the Employer or his duly authorized representative who shall direct, supervise and be in charge of the Works for purposes of the Contract.
- (m) "Market rate" means the rate for an item of Work, determined on the basis of the cost of labour and material brough to Site by Contractor and incorporated in the Works and for use of plant and equipment for the Work executed.
- (n) "Bill Of Quantity" shall mean the priced and completed Bill of Quantity (BOQ) forming the part of the bid or such Bill of Quantity (BOQ) forming the part of the Contract, as the case may be, with amendments, if any, thereto.
- (o) The "Site" means the working Project/Station/Region or any other place where the Works is to be executed under the Contract.
- (p) "Temporary/ Enabling Works" means all temporary works of every kindrequired in or about the execution, completion, or maintenance of the Works.
- (q) "Urgent Works" shall mean any urgent measures which, in the opinion of the Engineer-in-Charge, become necessary during the progress of the Works to obviate any risk of accident or failure or which become necessary for reasons of security and safety.
- (r) "The Works" shall mean the Works to be executed in accordance with the Contract or part(s) thereof as the case may be and shall include all extra or additional, altered or substituted works or temporary / enabling Works and urgent works as required for performance of the Contract.
- (s) "Cost" shall mean all expenditure reasonably incurred or to be incurred by the Contractor or Employer, as the case may be, whether on or off

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>6</b> of 73	

the Site, including overhead and other charges, but excluding profit.

- (t) Throughout these Bidding Documents, the term "Bid" and "Tender" and their derivatives (Bidder/Tenderer, Bidding/Tendering, Bidding Document/Tender Document, etc.); Bill of Quantity / Schedule of Quantity / Schedule of Quantities/ Bill of Quantities; Employer / NTPC; Bid Security / Earnest Money Deposit; Security Deposit / Performance Security/ Performance Guarantee; Engineer- in-Charge / Engineer, appearing anywhere in the Bidding Documents shall have the same meaning and are synonymous toeach other.
- (u) "Sub-contractor from a country which shares a land border with India" means;
  - a) An entity incorporated, established or registered in such a country; or
  - b) A subsidiary of an entity incorporated, established or registered in such a country; or
  - c) An entity substantially controlled through entities incorporated, established or registered in such a country; or
  - d) An entity whose beneficial owner is situated in such a country; or
  - e) An Indian (or other) agent of such an entity; or
  - f) A natural person who is a citizen of such a country; or
  - g) A consortium or joint venture where any member of the consortium or joint venture falls under any of the above.
  - (u1) The beneficial owner for the purpose of clause "U" above will be as under;
  - a) In case of company of Limited Liability Partnership, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person, has a controlling ownership interest or who exercises control through other means.

#### Explanation-

- i. "Controlling ownership interest" means ownership of or entitlement to more than twenty-five per cent of shares or capital or profits of the company;
- ii. "Control" shall include the right to appoint majority of the directors or to control the management or policy decisions including by virtue of their shareholdings or management rights or shareholders agreements or voting agreements;
- b) In case of a partnership firms, the beneficial owner is the natural person(s) who, whether acting alone or together, or through one or more judicial person, has ownership of entitlement to more than fifteen percent of capital or profits of the partnership;
- c) In case of an unincorporated associations or body of individuals, the beneficial owner is the natural person(s) who, whether acting alone or together, or through one or more juridical person, has ownership of or entitlement to more than fifteen percent of the property or capital or profits of such association or body of individuals;

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>7</b> of 73

	<ul> <li>d) Where no natural person is identified under (a) or (b) or (c) above, the beneficial owner is the relevant natural person who holds the position of senior managing officials;</li> </ul>
	e) In case of a trust, the identifications of beneficial owner(s) shall include identification of the author of trust, the trustee, the beneficiaries with fifteen percent or more interest in the trust and any other natural person exercising ultimate effective control over the trust through a chain of control or ownership.
	(u2) An Agent is a person employed to do any act for another, or to represent another in dealings with third person.  [Note:
	i. A person who procures and supplies finished goods from an entity from a country which shares a land border with India will, regardless of the nature of his legal or commercial relationship with the producer of the goods, be deemed to be an Agent.  ii. However, a bidder who only procures raw material, components etc. from an entity from a country which shares a land border with India and then manufactures or converts them into other goods will not be treated as an Agent.]
2.	Heading and Marginal Notes to Conditions
	Heading and marginal notes to these General Conditions of Contract shall not be deemed to form part thereof or be taken into consideration in the interpretation or construction thereof or of the Contract.
3.	Singular & Plural
	Where the context so requires, words importing the singular only will also include the plural and vice versa.
4.	Order of the precedence of the Documents
4.1	Subject to order of precedence listed below, all documents forming part of the Contract ( and all parts thereof) are intended to be correlative, complementary and mutually explanatory. The Contract shall be read as a whole.
4.2	The order of precedence of documents shall be as under:
	<ul> <li>i. The Contract Agreement alongwith its appendices</li> <li>ii. Letter of Award alongwith its appendices`</li> <li>iii. Special Conditions of Contract.</li> <li>iv. Technical Specifications &amp; Bid drawings &amp; Field Quality Assurance plan</li> <li>v. General Conditions of Contract.</li> <li>vi. The Bid and Schedule of Quantities// Bill of Quantities submitted Contractor.</li> <li>vii. instructions to bidders.</li> </ul> An amendment issued after execution of contract agreement shall take precedent
	over the formal contract and all other contract documents.
Standa	rd Bidding Document for O&M Works SECTION-III (GCC) Page 8 of 73

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>8</b> of 73	

4.2	Any error in description, quantity or rate in Bill of Quantity (BOQ) or any omission therefrom shall not vitiate the Contract or release the Contractor from the execution of the whole or any part of the Works comprised therein according to drawings and specifications or from any of his obligations under the Contract.
5.	Instructions and Notices under the Contract:
5.1	Subject as otherwise provided in the Contract, all notices to be given on behalf of the Employer and all other actions to be taken on its behalf may be given or taken by the Engineer-in-Charge or any officer for the time being entrusted with the functions, duties and powers of the Engineer- in-Charge by the Employer. All instructions, notices and communications, etc., under the Contract shall be given in writing.
5.2	The Contractor or his authorised representative shall be in attendance at the Site(s) during all working hours and shall superintend the execution of the Works with such additional assistance in each trade as the Engineer- in-Charge may consider necessary. Orders given to the Contractor's representative shall be considered to have the same force as if they had been given to the Contractor himself.
5.3	The Engineer-in-Charge shall communicate or confirm the instructions to the Contractor in respect of the execution of Work in a 'Works Site Order Book' maintained in the office of the Engineer-in-Charge and the Contractor or his authorised representative shall confirm receipt of such instructions by signing the relevant entries in this Book. If required by the Contractor he shall be furnished a certified true copy of such instruction(s).
6.	Contractors Representative
(i)	Within seven (7) days of the issuance of Service Purchase Order/Letter of Award the Contractor shall nominate the Contractor's Representative and shall request the Employer in writing to approve the person so nominated. If the Employer makes no objection to the appointment within fourteen (14) days, the Contractor's Representative shall be deemed to have been approved. If the Employer objects to the appointment giving the reason therefor, then the Contractor shall appoint a replacement within seven (7) days of such objection.
(ii)	The Contractor's Representative shall represent and act for the Contractor at all times during the currency of the Contract and shall give to the Engineer - incharge all the Contractor's notices, instructions, information and all other communications under the Contract.
(iii)	All notices, instructions, information and all other communications given by the Employer or the Engineer-on-charge to the Contractor under the Contract shall be given to the Contractor's Representative or, in his absence, its deputy, except as herein otherwise provided.
(iv)	The Contractor shall not revoke the appointment of the Contractor's Representative without the Employer's prior written consent, which shall not be unreasonably withheld. If the Employer consents thereto, the Contractor shall appoint some other person as the Contractor's Representative, pursuant to the

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>9</b> of 73	

The Contractor's Representative may, subject to the approval of the Employer (which shall not be unreasonably withheld), at any time delegate to any person any of the powers, functions and authorities vested in him or her. Any such delegation may be revoked at any time. Any such delegation or revocation shall be subject to a prior notice signed by the Contractor's Representative, and shall specify the powers, functions and authorities thereby delegated revoked. No such delegation or revocation shall take effect unless and until a copy thereof has been delivered to the Employer and the Engineer-in-Charge.  (vi)  Any act or exercise by any person of powers, functions and authorities so delegated to him or her shall be deemed to be an act or exercise by the Contractor's Representative.  7.  Laws governing the Contract  This Contract shall be governed by the Indian laws for the time being in force. The Courts at Delhi shall have jurisdiction, in all matters unless otherwise stated in the SCC.  8.  Settlement of Disputes  8.1  Mutual Consultation  If any dispute of any kind whatsoever shall arise between the Employer and the Contractor in connection with or arising out of the Contract, including without prejudice to the generality of the foregoing, any question regarding its existence, validity or termination, or the execution of the Facilities, whether during the progress of the Facilities or after their completion and whether before or after the termination, abandonment or breach of the Contract, the parties shall seek to resolve any such dispute or difference by mutual consultation.  On reference of such a dispute by either party, the Employer shall invite the Contractor for mutual consultation, within seven (07) working days of such reference.  Without admitting the Employer's liability, the Employer may obtain, within 30 days of reference of the dispute, further details from the Contractor and examine it relating to the dispute. Such examination (if any) by the Employer shall not imply acceptance of the accurac		procedure set out in GCC Sub- Clause 6 (i).
(which shall not be unreasonably withheld), at any time delegate to any person any of the powers, functions and authorities vested in him or her. Any such delegation may be revoked at any time. Any such delegation or revocation shall be subject to a prior notice signed by the Contractor's Representative, and shall specify the powers, functions and authorities thereby delegated or revoked. No such delegation or revocation shall take effect unless and until a copy thereof has been delivered to the Employer and the Engineer-in-Charge.  (vi)  Any act or exercise by any person of powers, functions and authorities so delegated to him or her shall be deemed to be an act or exercise by the Contractor's Representative.  7.  Laws governing the Contract  This Contract shall be governed by the Indian laws for the time being in force. The Courts at Delhi shall have jurisdiction, in all matters unless otherwise stated in the SCC.  8.  Settlement of Disputes  8.1  Mutual Consultation  If any dispute of any kind whatsoever shall arise between the Employer and the Contractor in connection with or anising out of the Contract, including without prejudice to the generality of the foregoing, any question regarding its existence, validity or termination, or the execution of the Facilities, whether during the progress of the Facilities or after their completion and whether before after the termination, abendomment or breach of the Contract, the parties shall seek to resolve any such dispute or difference by mutual consultation.  On reference of such a dispute by either party, the Employer shall invite the Contractor for mutual consultation, within seven (07) working days of such reference.  Without admitting the Employer's liability, the Employer may obtain, within 30 days of reference of the dispute, further details from the Contractor and examine it relating to the dispute. Such examination (if any) by the Employer may hold discussions with Contractor with an effort to resolve the dispute.  If the parties fail to resolve such a dis		procedure set out in GCC Sub- Clause 6 (1).
delegated to him or her shall be deemed to be an act or exercise by the Contractor's Representative.  7. Laws governing the Contract  This Contract shall be governed by the Indian laws for the time being in force. The Courts at Delhi shall have jurisdiction, in all matters unless otherwise stated in the SCC.  8. Settlement of Disputes  8.1 Mutual Consultation  If any dispute of any kind whatsoever shall arise between the Employer and the Contractor in connection with or arising out of the Contract, including without prejudice to the generality of the foregoing, any question regarding its existence, validity or termination, or the execution of the Facilities, whether during the progress of the Facilities or after their completion and whether before or after the termination, abandonment or breach of the Contract, the parties shall seek to resolve any such dispute or difference by mutual consultation.  On reference of such a dispute by either party, the Employer shall invite the Contractor for mutual consultation, within seven (07) working days of such reference.  Without admitting the Employer's liability, the Employer may obtain, within 30 days of reference of the dispute, further details from the Contractor and examine it relating to the dispute. Such examination (if any) by the Employer shall not imply acceptance of the accuracy or completeness of the details. The Employer may hold discussions with Contractor with an effort to resolve the dispute.  If the parties fail to resolve such a dispute or difference by mutual consultation within a period of forty-five (45) days from the date of reference of such dispute or within such extended period as the parties shall agree in writing, then the dispute may be settled through Independent Engineer (if applicable) and/ or Mediation through Independent External Monitors (if applicable) and/or through Conciliation and/or Arbitration (if applicable) / other remedies available under the applicable laws.  Notwithstanding anything contained in any other law for the time bein	(v)	any of the powers, functions and authorities vested in him or her. Any such delegation may be revoked at any time. Any such delegation or revocation shall be subject to a prior notice signed by the Contractor's Representative, and shall specify the powers, functions and authorities thereby delegated or revoked. No such delegation or revocation shall take effect unless and until a copy thereof
This Contract shall be governed by the Indian laws for the time being in force. The Courts at Delhi shall have jurisdiction, in all matters unless otherwise stated in the SCC.  8. Settlement of Disputes  8.1 Mutual Consultation If any dispute of any kind whatsoever shall arise between the Employer and the Contractor in connection with or arising out of the Contract, including without prejudice to the generality of the foregoing, any question regarding its existence, validity or termination, or the execution of the Facilities, whether during the progress of the Facilities or after their completion and whether before or after the termination, abandonment or breach of the Contract, the parties shall seek to resolve any such dispute or difference by mutual consultation.  On reference of such a dispute by either party, the Employer shall invite the Contractor for mutual consultation, within seven (07) working days of such reference.  Without admitting the Employer's liability, the Employer may obtain, within 30 days of reference of the dispute, further details from the Contractor and examine it relating to the dispute. Such examination (if any) by the Employer shall not imply acceptance of the accuracy or completeness of the details. The Employer may hold discussions with Contractor with an effort to resolve the dispute.  If the parties fail to resolve such a dispute or difference by mutual consultation within a period of forty-five (45) days from the date of reference of such dispute or within such extended period as the parties shall agree in writing, then the dispute may be settled through Independent Engineer (if applicable) and/ or Mediation through Independent External Monitors (if applicable) and/or through Conciliation and/or Arbitration (if applicable) / other remedies available under the applicable laws.  Notwithstanding anything contained in any other law for the time being in force, the parties shall keep confidential all matters relating to the Mutual consultation proceedings.	(vi)	Any act or exercise by any person of powers, functions and authorities so delegated to him or her shall be deemed to be an act or exercise by the Contractor's Representative.
The Courts at Delhi shall have jurisdiction, in all matters unless otherwise stated in the SCC.  8. Settlement of Disputes  8.1 Mutual Consultation  If any dispute of any kind whatsoever shall arise between the Employer and the Contractor in connection with or arising out of the Contract, including without prejudice to the generality of the foregoing, any question regarding its existence, validity or termination, or the execution of the Facilities, whether during the progress of the Facilities or after their completion and whether before or after the termination, abandonment or breach of the Contract, the parties shall seek to resolve any such dispute or difference by mutual consultation.  On reference of such a dispute by either party, the Employer shall invite the Contractor for mutual consultation, within seven (07) working days of such reference.  Without admitting the Employer's liability, the Employer may obtain, within 30 days of reference of the dispute, further details from the Contractor and examine it relating to the dispute. Such examination (if any) by the Employer shall not imply acceptance of the accuracy or completeness of the details. The Employer may hold discussions with Contractor with an effort to resolve the dispute.  If the parties fail to resolve such a dispute or difference by mutual consultation within a period of forty-five (45) days from the date of reference of such dispute or within such extended period as the parties shall agree in writing, then the dispute may be settled through Independent Engineer (if applicable) and/ or Mediation through Independent External Monitors (if applicable) and/or through Conciliation and/or Arbitration (if applicable) / other remedies available under the applicable laws.  Notwithstanding anything contained in any other law for the time being in force, the parties shall keep confidential all matters relating to the Mutual consultation proceedings. Confidentially shall extend also to any agreement reached during Mutual consultation.	7.	Laws governing the Contract
8.1 Mutual Consultation  If any dispute of any kind whatsoever shall arise between the Employer and the Contractor in connection with or arising out of the Contract, including without prejudice to the generality of the foregoing, any question regarding its existence, validity or termination, or the execution of the Facilities, whether during the progress of the Facilities or after their completion and whether before or after the termination, abandonment or breach of the Contract, the parties shall seek to resolve any such dispute or difference by mutual consultation.  On reference of such a dispute by either party, the Employer shall invite the Contractor for mutual consultation, within seven (07) working days of such reference.  Without admitting the Employer's liability, the Employer may obtain, within 30 days of reference of the dispute, further details from the Contractor and examine it relating to the dispute. Such examination (if any) by the Employer shall not imply acceptance of the accuracy or completeness of the details. The Employer may hold discussions with Contractor with an effort to resolve the dispute.  If the parties fail to resolve such a dispute or difference by mutual consultation within a period of forty-five (45) days from the date of reference of such dispute or within such extended period as the parties shall agree in writing, then the dispute may be settled through Independent Engineer (if applicable) and/ or Mediation through Independent External Monitors (if applicable) and/or through Conciliation and/or Arbitration (if applicable) / other remedies available under the applicable laws.  Notwithstanding anything contained in any other law for the time being in force, the parties shall keep confidential all matters relating to the Mutual consultation proceedings. Confidentiality shall extend also to any agreement reached during Mutual consultation, except		This Contract shall be governed by the Indian laws for the time being in force. The Courts at Delhi shall have jurisdiction, in all matters unless otherwise stated in the SCC.
If any dispute of any kind whatsoever shall arise between the Employer and the Contractor in connection with or arising out of the Contract, including without prejudice to the generality of the foregoing, any question regarding its existence, validity or termination, or the execution of the Facilities, whether during the progress of the Facilities or after their completion and whether before or after the termination, abandonment or breach of the Contract, the parties shall seek to resolve any such dispute or difference by mutual consultation.  On reference of such a dispute by either party, the Employer shall invite the Contractor for mutual consultation, within seven (07) working days of such reference.  Without admitting the Employer's liability, the Employer may obtain, within 30 days of reference of the dispute, further details from the Contractor and examine it relating to the dispute. Such examination (if any) by the Employer shall not imply acceptance of the accuracy or completeness of the details. The Employer may hold discussions with Contractor with an effort to resolve the dispute.  If the parties fail to resolve such a dispute or difference by mutual consultation within a period of forty-five (45) days from the date of reference of such dispute or within such extended period as the parties shall agree in writing, then the dispute may be settled through Independent Engineer (if applicable) and/ or Mediation through Independent External Monitors (if applicable) and/or through Conciliation and/or Arbitration (if applicable) / other remedies available under the applicable laws.  Notwithstanding anything contained in any other law for the time being in force, the parties shall keep confidential all matters relating to the Mutual consultation proceedings. Confidentiality shall extend also to any agreement reached during Mutual consultation, except	8.	Settlement of Disputes
mutual consultation, within seven (07) working days of such reference.  Without admitting the Employer's liability, the Employer may obtain, within 30 days of reference of the dispute, further details from the Contractor and examine it relating to the dispute. Such examination (if any) by the Employer shall not imply acceptance of the accuracy or completeness of the details. The Employer may hold discussions with Contractor with an effort to resolve the dispute.  If the parties fail to resolve such a dispute or difference by mutual consultation within a period of forty-five (45) days from the date of reference of such dispute or within such extended period as the parties shall agree in writing, then the dispute may be settled through Independent Engineer (if applicable) and/ or Mediation through Independent External Monitors (if applicable) and/or through Conciliation and/or Arbitration (if applicable) / other remedies available under the applicable laws.  Notwithstanding anything contained in any other law for the time being in force, the parties shall keep confidential all matters relating to the Mutual consultation proceedings. Confidentiality shall extend also to any agreement reached during Mutual consultation, except	8.1	If any dispute of any kind whatsoever shall arise between the Employer and the Contractor in connection with or arising out of the Contract, including without prejudice to the generality of the foregoing, any question regarding its existence, validity or termination, or the execution of the Facilities, whether during the progress of the Facilities or after their completion and whether before or after the termination, abandonment or breach of the Contract, the parties shall seek
of the dispute, further details from the Contractor and examine it relating to the dispute. Such examination (if any) by the Employer shall not imply acceptance of the accuracy or completeness of the details. The Employer may hold discussions with Contractor with an effort to resolve the dispute.  If the parties fail to resolve such a dispute or difference by mutual consultation within a period of forty-five (45) days from the date of reference of such dispute or within such extended period as the parties shall agree in writing, then the dispute may be settled through Independent Engineer (if applicable) and/ or Mediation through Independent External Monitors (if applicable) and/or through Conciliation and/or Arbitration (if applicable) / other remedies available under the applicable laws.  Notwithstanding anything contained in any other law for the time being in force, the parties shall keep confidential all matters relating to the Mutual consultation proceedings. Confidentiality shall extend also to any agreement reached during Mutual consultation, except		On reference of such a dispute by either party, the Employer shall invite the Contractor for mutual consultation, within seven (07) working days of such reference.
of forty-five (45) days from the date of reference of such dispute or within such extended period as the parties shall agree in writing, then the dispute may be settled through Independent Engineer (if applicable) and/ or Mediation through Independent External Monitors (if applicable) and/or through Conciliation and/or Arbitration (if applicable) / other remedies available under the applicable laws.  Notwithstanding anything contained in any other law for the time being in force, the parties shall keep confidential all matters relating to the Mutual consultation proceedings. Confidentiality shall extend also to any agreement reached during Mutual consultation, except		Without admitting the Employer's liability, the Employer may obtain, within 30 days of reference of the dispute, further details from the Contractor and examine it relating to the dispute. Such examination (if any) by the Employer shall not imply acceptance of the accuracy or completeness of the details. The Employer may hold discussions with Contractor with an effort to resolve the dispute.
shall keep confidential all matters relating to the Mutual consultation proceedings. Confidentiality shall extend also to any agreement reached during Mutual consultation, except		If the parties fail to resolve such a dispute or difference by mutual consultation within a period of forty-five (45) days from the date of reference of such dispute or within such extended period as the parties shall agree in writing, then the dispute may be settled through Independent Engineer (if applicable) and/ or Mediation through Independent External Monitors (if applicable) and/or through Conciliation and/or Arbitration (if applicable) / other remedies available under the applicable laws.
		Notwithstanding anything contained in any other law for the time being in force, the parties shall keep confidential all matters relating to the Mutual consultation proceedings. Confidentiality shall extend also to any agreement reached during Mutual consultation, except where its disclosure is necessary for purposes of implementation and enforcement.

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>10</b> of 73	

The parties shall not rely on or introduce as evidence in Independent Engineer/ Mediation/ Conciliation/ Arbitral or Judicial proceedings, whether or not such proceedings relate to the dispute that is the subject of the Mutual consultation proceedings-

- a) views expressed or suggestions made by the other party in respect of a possible settlement of the dispute;
- b) admissions made by the other party in the course of the mutual consultation proceedings;
- c) the fact that the other party had indicated his willingness to accept a proposal for mutual settlement.

#### 8.2 Resolution of Dispute through Independent Engineer (IE)

If the parties fail to resolve the dispute or difference by mutual consultation within the period specified at Cl. 8.1 above, the dispute shall be referred to Independent Engineer (IE), as follows:

#### I. Appointment, Selection and Removal of IEs/Experts:

i) The Employer and Contractor shall jointly select only one Member for the Contract from the panel of Experts, as specified in Special Conditions of Contract, as amended from time to time by Ministry of Power. After the award of the contract, the Contractor shall shortlist at least 3 Experts from the 'Panel of Experts as Independent Engineer' enclosed in the Special Conditions of Contract, as amended from time to time by Ministry of Power and send to EMPLOYER who shall appoint one of them as 'Independent Engineer' for the Contract.

The Expert would be designated as 'Independent Engineer' (IE) for the contract. Appointment of IE/ Expert shall be finalized within twenty-eight (28) days from award of Contract.

- ii) The initial term of appointment of IE would be for a period of five (5) years or contract period whichever is lesser and may be further renewed on a year-on year basis as may be mutually agreed between the Employer and the Contractor subject to the consent of IE and final approval by the Ministry of Power.
- ii) It will be mandatory for the IE to visit the site once in every two months to be constantly aware of the ongoing project activities and to have a fair idea of any situation that may lead to disagreement between the parties. Further, additional visits may also be undertaken as and when called upon to address issues of disagreements.
- iv) Employer or Contractor will not be able to change the IE in any case. In case of adverse finding about IE such as not performing duties or complaints of integrity, that Expert would be dropped by the Ministry from the panel itself and a new Expert would be selected by the Employer and Contractor jointly from the panel for performing the duties of IE.

#### II. Standard Operating Procedure (SOPs) for Independent Engineer (IE)

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>11</b> of 73	

- i) IE shall act as per the Standard Operating Procedures (SOPs) attached at **Annexure-C**.
- ii) Resolution by IE shall commence when the claimant Party submits detailed information as per Standard Format (for Disagreement Case filing attached as **Annexure-D**) to IE for intervention along with the necessary documentary evidences. Demand for IE intervention will not be admissible without initial documentary evidence.
- iii) Necessary information sought by IE during the course of investigation shall be provided in a time bound manner by both the Parties and non-compliance of the same shall lead to imposition of penalties, as specified in Special Conditions of Contract (SCC).
- iv) IE will examine the issue(s) raised by the Parties concerned as mentioned at point number (ii) above by conducting inspections involving field measurements as may be required to further investigate and to also conduct hearing/mediation with both the parties.
- v) Based on the preliminary hearing of the parties, IE shall prescribe resolution timeline depending upon the number and nature of disagreements subject to a maximum duration of thirty (30) days or within extended timeline under extraordinary circumstances and for reasons to be recorded in writing.
- vi) There shall not be any conflict of interest and it shall be ensured that IE should not have been engaged for providing any other services to any of the parties i.e. either Employer or Contractor in the last three years. An Undertaking in this regard shall be furnished by the Contractor for the purpose of avoiding any conflict of interest, at the time of bidding and finalization of IE/ Expert.
- vii) In the event of non-performance of obligations/services by the IEs at any time during the duration of its contract, the Employer and the Contractor, on mutually agreed basis, shall have the right and discretion to terminate IEs contract by giving a termination notice of thirty (30) days to IEs.
- viii) The role of 'Independent Engineer' under the Contract is an impartial and fair exercise, where the 'Independent Engineer' has to act as a neutral third-party facilitator. The decision of Independent Engineer shall not be binding on the parties unless the parties sign the written settlement agreement and the same is authenticated by IE. Such Settlement agreement would then be binding on the parties and both parties shall implement the same forthwith.

#### III. Terms and Conditions for Payments to 'Independent Engineer' -

 Retainership Fee: A retainer fee, as specified in Special Conditions of Contract (SCC), for 'Independent Engineer for a specific project shall be considered as payment in full for:

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>12</b> of 73	

- a. being available on a notice of 2 weeks for all site visits and hearings,
- b. becoming and remaining conversant with all the project developments and maintaining relevant files;
- c. compensating all office and overhead expenses including secretarial services, photocopying and office supplies incurred in connection with his duties; and

The retainer fee of Experts shall be increased annually by 10%. Further, an Expert, shall not be in the retainership of more than two Hydro power contracts concurrently in Employer's Organization. In case of two contracts, expert shall draw retainership fee limited to one contract only (i.e. the amount specified in Special Conditions of Contract (SCC)). The duration of retainership shall be for such duration as may be mutually decided by the Employer and Contractor but shall not, in any case, extend beyond 3 months after the completion of works as per the contract.

The retainership fee shall be shared by the Employer and the Contractor equally but shall initially be paid to the IE by the Employer.

- ii) Site Visit Fee: A daily visiting fee, as specified in Special Conditions of Contract (SCC), to either project site or project office, anywhere in India, limited to a maximum of 10 days in a month for Expert, shall be paid for hearing, preparing reports etc initially by the Employer. The daily visiting fee of Expert shall be increased on yearly basis @10%.
- iii) Reimbursement of travel, boarding/lodging expenses incurred by Independent Engineer: The travel, boarding/lodging expenses of the 'Independent Engineer', as per entitlement of Executive Director of EMPLOYER, would be made initially by the Employer. If any expert of 'Independent Engineer does not receive payment of the amount due within 30 days after submitting claim, the expert shall be free to suspend his/her services without notice until the payment is received.
- iv) Meeting Expenses: All the payments for holding the meeting would be initially borne by the Employer and shall be shared equally by the Employer and Contractor.
- v) Sharing of Expenses on Independent Engineer: All the payments for holding the meeting, site visits, reimbursement of travel, boarding/lodging expenses and monthly compensation of Independent Engineer' shall be shared equally by both the parties i.e. Employer and Contractor.
- vi) The Employer shall maintain an account of all the expenses incurred by it on 'Independent Engineer'.

Notwithstanding anything contained in any other law for the time being in force, the Independent Engineer and the parties shall keep confidential all matters relating to the Independent Engineer proceedings. Confidentiality shall extend also to the settlement agreement, except where its disclosure is necessary for purposes of implementation and enforcement.

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>13</b> of 73	

The parties shall not rely on or introduce as evidence in Mediation/ Conciliation/ Arbitral or Judicial proceedings, whether or not such proceedings relate to the dispute that is the subject of the Independent Engineer proceedings. —

- a) views expressed or suggestions made by the other party in respect of a possible settlement of the dispute;
- admissions made by the other party in the course of the Independent Engineer proceedings;
- c) proposals made by the Independent Engineer; and
- d) the fact that the other party had indicated his willingness to accept a proposal for settlement made by the Independent Engineer.

If the parties fail to resolve the dispute or difference by mutual consultation within the period specified at Cl. 8.1 above, the dispute shall be referred to Independent Engineer (IE), as follows:

8.3 Mediation through Independent External Monitors (IEMs) (Applicable only for tenders having Integrity Pact provisions)

If the parties fail to resolve a dispute or difference by mutual consultation and through Independent Engineer (if applicable) within a period specified at Cl. 8.1 and 8.2 above, the dispute, if the parties agree, may be referred to the Panel of IEMs for Mediation.

The Mediation proceedings shall be completed in a time bound manner, in **not more than 45** days from the date of reference to IEMs for Mediation.

The IEMs may conduct the Mediation proceedings in the manner, they consider appropriate. In case of 3-member Panel of IEMs, 2 members will constitute a valid quorum and the meeting can take place to proceed in the matter after seeking consent from the member who is not available. However, IEMs recommendations will be signed by all the members.

The fees for such meetings shall be as specified in the SCC. The travel and stay arrangement for such meetings shall be equal to that of Independent Board Member of Employer's Organization. However, not more than five meetings shall be held for a particular dispute resolution. The fees/ expenses on dispute resolution shall be equally shared by both the parties.

If decision of IEMs is acceptable to both the parties, a Settlement Agreement will be signed to the extent agreed by the parties within 15 days of acceptance by the parties and same shall be authenticated by all the IEMs.

Notwithstanding anything contained in any other law for the time being in force, the Mediator and the parties shall keep confidential all matters relating to the Mediation proceedings. Confidentiality shall extend also to the settlement agreement, except where its disclosure is necessary for purposes of implementation and enforcement.

The parties shall not rely on or introduce as evidence in Conciliation or Arbitral or Judicial proceedings, whether or not such proceedings relate to the dispute that is the subject of the Mediation proceedings,—

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>14</b> of 73

	<ul> <li>a) views expressed or suggestions made by the other party in respect of a possible settlement of the dispute;</li> </ul>
	b) admissions made by the other party in the course of the Mediation proceedings;
	c) proposals made by the Mediator; and
	<ul> <li>d) the fact that the other party had indicated his willingness to accept a proposal for settlement made by the Mediator.</li> </ul>
8.4	Resolution of Dispute through Conciliation  If the parties fail to resolve such a dispute or difference by mutual consultation and through Independent Engineer (if applicable) and/or through Mediation (if applicable) within a period as specified at Cl. 8.1, 8.2 and 8.3 above, the dispute if the parties agree, may be referred to Conciliation.
	(i) For cases where the disputed amount (Claim/ Counter claim, whichever is higher) is upto Rs. 25 Cr. (excluding interest), the matter for conciliation shall be referred to Expert Settlement Council (ESC), constituted by Employer.
	(ii) For cases where the disputed amount (Claim/ Counter claim, whichever is higher) is above Rs. 25 Cr. (excluding interest), the matter for conciliation shall be referred to Conciliation Committee of Independent Experts (CCIE), constituted by Ministry of Power (MoP).
	If the claim/Counter-claim is in foreign currency, the SBI Bills Selling Exchange rate prevailing on the date of claim shall be used for the purpose of converting the claim in Indian Rupee.
	The Conciliation process shall be conducted as per Part III of the Arbitration and Conciliation Act, 1996.
	In case of failure of the conciliation process at the level of the CCIE, the parties may withdraw from conciliation process and take recourse to the laid down legal process of Courts. The option of Arbitration would not be available once the conciliation mechanism through CCIE has been exercised.
8.4.1	Resolution of Dispute through Expert Settlement Council (ESC), constituted by Employer {For cases with Disputed amount (Claim/ Counter claim, whichever is higher) upto Rs. 25 Crore excl. interest}
	If the parties fail to resolve such a dispute or difference by mutual consultation and through Independent Engineer (if applicable) and/or through Mediation (if applicable) within a period specified at Cl. 8.1, 8.2 and 8.3 above, the dispute, if the parties agree, may be referred to Conciliation through Expert Settlement Council (ESC), in cases where the Disputed amount (Claim/ Counter claim, whichever is higher) is upto Rs.25 crore (excl. interest).
8.4.1.1	Invitation for Conciliation through ESC:
8.4.1.1.1	A party shall notify the other party in writing about such a dispute it wishes to refer for Conciliation through ESC within a period of 15 days from the date of failure to resolve the dispute through Mutual Consultation and Independent Engineer (if applicable) and/or through Mediation (if applicable) within a period as specified at Cl. 8.1, 8.2 and 8.3 above. Such
Standard	Bidding Document for O&M Works SECTION-III (GCC) Page <b>15</b> of 73

	Invitation for Conciliation shall contain sufficient information as to the dispute to enable the other party to be fully informed as to the nature of the dispute, amount of the monetary claim, if any, and apparent cause of action.
8.4.1.1.2	Upon acceptance of the invitation to conciliate, the other party shall submit its counter claim, if any, within a period of 15 days from the date of the invitation to conciliate. If the other party rejects the invitation or Disputed amount (Claim/ Counter claim, whichever is higher) exceeds Rs 25crore (excl. Interest), there will be no Conciliation proceedings through ESC.
	There shall be no Conciliation where disputed amount (Claim/ Counter claim, whichever is higher excl. interest) is only up to Rs 5 lakhs.
8.4.1.1.3	If the party initiating Conciliation does not receive a reply within fifteen (15) days from the date on which it sends the invitation, or within such other period of time as specified in the invitation, it shall treat this as a rejection of the invitation to conciliate from the other party.
8.4.1.2	Conciliation through ESC:
8.4.1.2.1	Where Invitation for Conciliation has been furnished under GCC sub clause 8.4.1.1, the parties shall attempt to settle such dispute through Expert Settlement Council (ESC) which shall be constituted by CMD/ Chairman of Employer.
8.4.1.2.2	ESC will be formed from experts comprising three members from the panel of Conciliators maintained by Employer. However, there will be single member ESC for disputes involving disputed amount (Claim/ Counter claim, whichever is higher excl. interest) is up to Rs. 1 crore.
	CMD/ Chairman of Employer shall have the authority to reconstitute the ESC to fill any vacancy.
8.4.1.2.3	The ESC shall be amongst Civil Servants of Govt. of India retired from the level of Joint Secretary and above, Retired Judges, Officers retired from the level of Executive Director and above of any Maharatna /Navratna company in India, other than NTPC Ltd, Retired Independent Directors who have served on the Board of any Maharatna / Navratna company in India, other than NTPC Ltd.
8.4.1.3	Proceedings before ESC:
8.4.1.3.1	The claimant shall submit its Statement of Claims (SOC) along with relevant documents to ESC members, and to the party(s) indicated in the appointment letter within 15 days of appointment of ESC. The respondent shall file its reply/Statement of Defence (SOD) and counter claim (if any) within 15 days of the receipt of the Statement of claims. Each party shall send a copy of such Statement along with relevant documents to the other party.
	Parties may file their rejoinder/additional documents, if any in support of their Claim/Counterclaim within next 7 days. No documents shall be allowed thereafter, except with the permission of ESC.
8.4.1.3.2	The parties shall file their claim and counterclaim in the following format
	<ul><li>a. Chronology of the dispute</li><li>b. Brief of the contract</li><li>c. Brief history of the dispute</li></ul>

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>16</b> of 73

	SI. Description of No. Counter claim	• • • • • • • • • • • • • • • • • • •	nt (in foreign cy/INR)	Relevant Contract Clause
	e. Details of Claim(s)/Co f. Basis/Ground of claim		(along with releva	ant clause of contract
0.4400	Note: Statement of clai			
8.4.1.3.3		the matter after see	king consent from	lid quorum and the meeting car the member who is not available mbers.
	If required, meetings can to the agreement betwe			ncing/other digital means subjec
8.4.1.3.4	bring any advocate or of Employer's Organizar allowed to attend and pemployees of parties mainterest on claims/count settlement agreement, interest shall be claimed	tion who have hand bresent the case be ay represent their re er-claims from the if so arrived. In cased by either party	dvisor/agent to co lled the subject ma efore ESC on bel espective organiza date of notice invo se, parties are un for the period fro	es. No party shall be allowed to intest on their behalf. Ex-officers atter in any capacity shall not be half of contractor. However, extions. Parties shall not claim any king Conciliation till execution on able to reach a settlement, not om the date of notice invoking days thereafter in any further
8.4.1.3.5	within 90 days from the the parties recommend	date of reference t ing possible terms of meetings, in exc	o ESC. ESC will g of settlement.CM ceptional cases, if	s, and give its recommendations live its recommendations to both ID/ Chairman of Employer may ESC requests for the same with
8.4.1.3.6	shall be either Delhi/Mu	mbai/Kolkata/Chen f travel and stay eto	nai or any other ci c. All the expenditu	s, the venue of the ESC meeting ty whichever is most economica ure incurred in ESC proceedings
8.4.1.4	Fees & Facilities to the			
				d to fees for Conciliator, Airfare facility etc shall be as provided
	SI. No. Fees/ Facil	ity	Entitlement	
	1 Fees			meeting subject to max. of case per Conciliator.
	2 Secretarial	expenses	Rs. 10,000 lump	sum (to 1 member only).
	3 Transportat meeting	ion in the city of the	Car as per entitle	ement or Rs. 2,000 per day
Standard	Bidding Document for O&M W	orks SE	CTION-III (GCC)	Page <b>17</b> of 73

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>17</b> of 73	

Facilities to be provided to the out-stationed member	
5 Travel from the city of residence to the city of Executive class air tickets / first meeting train tickets/ Luxury car/ reimbut actual fare. However, entitlement by Business class shall be austerity measures, if any, order of India.	st class AC ursement of f of air travel subject to
6 Transport to and fro airport/ Car as per entitlement or Rs. 3,00 railway station in the city of residence	00
7 Stay for out stationed As per entitlement of Independent members	nt Directors.
8 Transport in the city of Car as per entitlement or Rs. 200 meeting	00 per day
Aforesaid fees is subject to revision by Employer from time to time and subject guidelines on austerity measures, if any. All the expenditure incurred in the Eshall be shared by the parties in equal proportions. The Parties shall maintatexpenditure and present to the other for the purpose of sharing on concluproceedings.  8.4.1.5  If recommendations/ report of ESC is acceptable to both the parties, a Settle under Section 73 of the Arbitration and Conciliation Act, 1996 will be sign agreed by the parties within 15 days of acceptance by the parties and authenticated by all the ESC members.	ESC proceedings in the account of usion of the ESC ement Agreement ned to the extent
Parties are free to terminate Conciliation proceedings at any stage as pro Arbitration and Conciliation Act 1996.	ovided under the
8.4.1.6  Notwithstanding anything contained in any other law for the time being in force and the parties shall keep confidential all matters relating to the Conciliating Confidentiality shall extend also to the settlement agreement, except where necessary for purposes of implementation and enforcement.	ion proceedings.
The parties shall not rely on or introduce as evidence in Arbitral or judicial proceor not such proceedings relate to the dispute that is the subject of proceedings,—	
<ul> <li>views expressed or suggestions made by the other party in respe settlement of the dispute;</li> </ul>	ect of a possible
b) admissions made by the other party in the course of the Conciliation pr	roceedings;
c) proposals made by the Conciliator; and	
d) the fact that the other party had indicated his willingness to accept Standard Bidding Document for O&M Works SECTION-III (GCC) Pag	ot a proposal for ge <b>18</b> of 73

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>18</b> of 73	

	settlement made by the Conciliator.
8.4.2	Resolution of Dispute through Conciliation Committee of Independent Experts (CCIE), constituted by Ministry of Power (MoP) {For cases with Disputed amount (Claim/Counter claim whichever is higher) above Rs. 25 Crore excl. interest}
	If the parties fail to resolve such a dispute or difference by mutual consultation and through Independent Engineer (if applicable) and/or through Mediation (if applicable) within a period specified at Cl. 8.1, 8.2, 8.3 above, the dispute, if the parties agree, may be referred to Conciliation Committee of Independent Experts (CCIE), in cases where the Disputed amount (Claim/ Counter claim whichever is higher) is above Rs. 25 crore excl. interest. The option of Arbitration would not be available once the conciliation mechanism through CCIE has been exercised.
8.4.2.1	Invitation for Conciliation through CCIE:
8.4.2.1.1	A party shall notify the other party in writing about such a dispute it wishes to refer for CCIE within a period of 15 days from the date of failure to resolve the dispute through Mutual Consultation and Independent Engineer (if applicable) and/or through Mediation (if applicable) within a period as specified at Cl. 8.1, 8.2 and 8.3 above. Such Invitation for Conciliation shall contain sufficient information as to the dispute to enable the other party to be fully informed as to the nature of the dispute, amount of the monetary claim, if any, and apparent cause of action.
8.4.2.1.2	If the party initiating Conciliation does not receive a reply within fifteen (15) days from the date on which it sends the invitation, or within such other period of time as specified in the invitation, it shall treat this as a rejection of the invitation to conciliate from the other party.
8.4.2.2	Conciliation Committee of Independent Experts:
8.4.2.2.1	Where Invitation for Conciliation has been consented to under GCC sub clause 8.4.2.1, the same shall be referred to the Conciliation Committee of Independent Experts (CCIE) within 30 days.
8.4.2.2.2	Conciliation Committees of Independent Experts (CCIE) have been constituted and notified by MoP for settlement of disputes arising in the Contract. There are three CCIEs, as specified in Special Conditions of Contract.
8.4.2.2.3	The Contractor may select three CCIEs, in priority order, from the list of CCIEs enclosed with the Special Conditions of Contract, for finalization by Central Electricity Authority (CEA).
	There shall not be any conflict of interest for the members of the CCIE due to their past assignments. Individuals CCIE members shall submit an undertaking in this regard to the Employer, prior to appointment. It shall be ensured that they have not been engaged for providing any services to any of the parties i.e. either Employer or the Contractor in the last five years. An Undertaking in this regard, shall also be furnished by the Contractor for the purpose of avoiding any conflict of interest.
8.4.2.3	Proceedings before CCIE:
8.4.2.3.1	The procedure of CCIE shall not be treated as alternate arbitration proceedings where both parties come with Statement of claims/defence, arguments/counter arguments, rejoinders, written submissions etc., aided by their respective lawyers.

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>19</b> of 73

8.4.2.3.2	The parties shall be brief and to the point before the Committee with regard to their respective		
O	stance and view the exercise in the spirit of conciliation/settlement.		
8.4.2.3.3	The possibility of non-availability of any one of the members of CCIE in any proceedings cannot be ruled out. As such, the Committee comprising the other two members shall be competent to proceed in the matter. The proceedings of the Committee shall not be vitiated if one of the three members of CCIE is not present in the deliberations of the Committee. When the parties sign the settlement agreement, at least two members of CCIE shall authenticate the same. Such conciliation proceedings shall be considered valid and the settlement agreement will be binding on the parties.		
8.4.2.3.4	The parties shall be represented by their in house employees. No party shall be allowed to bring any advocate or outside consultant/advisor/agent to contest on their behalf. Ex-officers of EMPLOYER who have handled the subject matter in any capacity shall not be allowed to attend and present the case before <b>CCIE</b> on behalf of contractor. However, ex-employees of parties may represent their respective organizations.		
8.4.2.3.5	The Conciliation proceedings shall be completed in each case through 5 sittings in a period of not more than three months from the date the reference made to the CCIE. In exceptional cases, if any dispute so merits, the time period may be extended at the discretion of Conciliation Committee (with reasons to be recorded in writing), for a further period of three months.		
8.4.2.3.6	The CCIE shall hold day to day sitting at a suitable place (preferably the headquarter of the Employer or New Delhi) and may hold as many sittings every month as it deems appropriate keeping in view the volume of work.		
8.4.2.4	Fees & Facilities to the Members of the CCIE		
	Each member of CCIE would be paid a sum of Rs. 50,000/- as sitting fee per sitting. In addition, Rs. 5,000/- per sitting will be paid for local transport charges for each day of proceeding.  In case, a particular dispute requires more than 5 sittings, the same may be held at the discretion of the CCIE but with a cap on payment of fee for 5 sittings only. The local transport charges shall, however, be paid as provided for each day of sitting beyond the 5 sittings.		
	All expenditure incurred on the conciliation proceedings including payment of fees to the Conciliators, office space, logistic, secretarial assistance and other incidental expenses etc. shall be borne by the Employer initially. Thereafter it shall be shared equally by both parties on completion of the conciliation process.		
8.4.2.5	The Parties shall maintain the account of expenditure and present to the other for the purpose of sharing on conclusion of the CCIE proceedings.		
	The Conciliation process shall be conducted under Part III of the Arbitration and Conciliation Act, 1996.		
	In case of failure of the conciliation process at the level of the Conciliation Committee, the parties may withdraw from conciliation process and take recourse to the laid down legal process of Courts. However, the option of Arbitration would not be available once the conciliation mechanism through CCIE has been exercised.		
	In the event of the conciliation proceedings being successful, the parties to the dispute would		
Standard	Bidding Document for O&M Works SECTION-III (GCC) Page <b>20</b> of 73		

sign the written settlement agreement and the conciliators would authenticate the same. Such settlement agreement would then be binding on the parties in terms of Section 73 of the Arbitration and Conciliation Act. 1996. After successful conclusion of proceedings, the Parties to the conciliation process, have to undertake and complete all necessary actions for implementation of the terms of settlement within a period of 30 days from execution of settlement agreement, unless a different timeline not exceeding 60 days is agreed upon in settlement agreement. All pending claims of parties, in connection with the dispute, before any other legal forum are to be withdrawn within the said 30 days in pursuance of the settlement agreement. 8.4.2.6 Notwithstanding anything contained in any other law for the time being in force, the Conciliator and the parties shall keep confidential all matters relating to the Conciliation proceedings. Confidentiality shall extend also to the settlement agreement, except where its disclosure is necessary for purposes of implementation and enforcement. The parties shall not rely on or introduce as evidence in Arbitral or judicial proceedings, whether or not such proceedings relate to the dispute that is the subject of the Conciliation proceedings, a) views expressed or suggestions made by the other party in respect of a possible settlement of the dispute: admissions made by the other party in the course of the Conciliation proceedings; b) c) proposals made by the Conciliator; and the fact that the other party had indicated his willingness to accept a proposal for d) settlement made by the Conciliator. 8.5 Arbitration 8.5.1 If the process of mutual consultation and IE (if applicable) and/or Mediation (if applicable) and/or ESC fails to arrive at a settlement between the parties and/or settlement of dispute through CCIE not exercised as mentioned at GCC Sub-Clauses 8.1, 8.2, 8.3, 8.4 above, Employer or the Contractor may, within Thirty (30) days of such failure, give notice to the other party, of its intention to commence arbitration, as hereinafter provided, as to the matter in dispute, and no arbitration in respect of this matter may be commenced unless such notice is given. The mechanism of settling the disputes through arbitration shall be applicable only in cases where the disputed amount (i.e. Claim/ Counter claim, whichever is higher, excluding interest) does not exceed Rs. 25 crores. If the claim/ counter claim is in foreign currency, the SBI Bills Selling Exchange rate prevailing on the date of claim shall be used for the purpose of converting the claim in Indian Rupee In case the disputed amount (Claim/ Counter claim, whichever is higher, excl. interest) exceeds Rs. 25 Crores, the parties shall be within their rights to take recourse to remedies as may be available to them under the applicable laws other than Arbitration after prior intimation to the other party. There shall be no arbitration where the disputed amount (Claim/ counter claim, whichever is higher) is only up to Rs. 5 lakhs.

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>21</b> of 73	

The parties at the time of invocation of arbitration shall submit all the details of the claims and

	the counter-claims including the documents relied upon by the parties shall not file any documer	parties for their respective claints/details of the claims and cou	ms and counter-claims. The inter-claims thereafter.
	The claims and the counter cla arbitration shall be final and bind the same at any stage during arb	ling on the parties and no furth	er change shall be allowed in
	The parties to the contract shall in of the Facilities under the contract the parties shall not invoke arbitration.	ct or the termination of the conf	tract as the case may be and
	In case, no claim is filed within the claim. Any claim filed after the af		
8.5.2	Any dispute in respect of which a in accordance with GCC Sub Cla		
8.5.3	It is agreed between the parties to provisions of Fast Track Proced 1996, as amended from time to to	ure as provided under The Ark	
	Any dispute raised by a party to a by mutual consent from among the in the following manner:		
	(a) A party willing to comby giving notice to the	mence arbitration proceeding s other party.	hall invoke Arbitration Clause
	of at least four arbitra for short listing two an	hin 30 days from the receipt of stors from among its empanelled nong them for such appointment of Arbitrators from EMPLOYE	d arbitrators to the Contractor t, within 15 days from the date
	names short listed b	mployer shall appoint the sole a y the Contractor, within 15 da the Parties of the constitution o	ays from the receipt of such
	arbitrator from the pa response is received t the Panel of Arbitrato	r fails to inform its shortlisted nanel of at least four arbitrators from the contractor, within 15 days from EMPLOYER, CMD/Cator from among the four names	sent by the Employer or no ays from the date of receipt of Chairman of Employer shall
	any reason from the p be lawful for CMD/ Ch	pointed dies, resigns, becomes in roceedings or his mandate is te nairman of Employer to appoint aforesaid. Such person shall pro redecessor had left.	rminated by the Court, it shall another person in his place in
Standard E	Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>22</b> of 73

- (e) Arbitrator shall be paid fees as per the Fee Schedule (presently Fourth Schedule) provided in 'The Arbitration and Conciliation Act, 1996' as amended from time to time. If the claim/ counter claim is in foreign currency, the SBI Bills Selling Exchange rate prevailing on the date of claim shall be used for the purpose of converting the claim in Indian Rupee which may be used for determining the arbitration fee.
- (f) If after commencement of the Arbitration proceedings, the parties agree to settle the dispute mutually or refer the dispute to mediation or Conciliation, the arbitrator shall put the proceedings in abeyance until such period as requested by the parties. Where the proceedings are put in abeyance or terminated on account of mutual settlement of dispute by the parties, the fees payable to the arbitrator shall be determined as under:
  - (i) 40% of the fees if the Pleadings are complete.
  - (ii) 60% of the fees if the Hearing has commenced.
  - (iii) 80% of the fees if the Hearing is concluded but the Award is yet to be passed.
- (g) Each party shall pay its share of arbitrator's fees in stages as under or as per the directions of Arbitrator:
  - (i) 40 % of the fees on Completion of Pleadings.
  - (ii) 40% of the fees on Conclusion of the Final Hearing.
  - (iii) 20% at the time when arbitrator notifies the date of final award.
- (h) The Claimant shall be responsible for making all necessary arrangements for the travel/ stay of the Arbitrator including venue of arbitration, hearings. The parties shall share the expenses for the same equally.
- (i) The Arbitration shall be held at Delhi only.
- (j) The Arbitrator shall give reasoned and speaking award and it shall be final and binding on the parties.
- (k) Subject to the aforesaid conditions, provisions of the Arbitration and Conciliation Act, 1996 and any statutory modifications or re-enactment thereof as amended from time to time, shall apply to the arbitration proceedings under this clause.
- In the event of any dispute or difference relating to the interpretation and application of the provisions of commercial contract (s) between Central Public Sector Enterprises (CPSEs)/ Port Trusts inter se and also between CPSEs and Government Departments/ Organizations (excluding taxation matters), such disputes or difference shall be taken up by either party for resolution through Administrative Mechanism for Resolution of CPSEs Disputes (AMRCD) as mentioned in DPE Office Memorandum No. 4(1)/2013- DPE(GM)/FTS-1835 dated 22.05.2018 issued by Department of Public Enterprises, Ministry of Heavy Industries and Public Enterprises, Government of India and its further clarifications, modifications and amendments, issued from time to time.

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>23</b> of 73

	The aforesaid limit of Rs 25 crore shall not be applicable and matter may be referred to AMRCD irrespective of the amount involved in dispute, if the dispute could not be resolved through Mutual Consultation and IE (if applicable) as brought out at GCC Sub Clause 8.1 and 8.2 above.	
8.6	Notwithstanding any reference to the Independent Engineer or Mediation or Conciliation or Arbitration herein,	
	(a) the parties shall continue to perform their respective obligations under the Contract unless they otherwise agree.	
	(b) the Employer shall pay the Contractor any monies due to the Contractor.	
	Settlement of Dispute clause cannot be invoked by the Contractor, if the Contract has been mutually closed or 'No Demand Certificate' has been furnished by the Contractor or any Settlement Agreement has been signed between the Employer and the Contractor.	
B.	Subject Matter of Contract	
9.	Scope of Contract	
	The Work to be carried out under the Contract shall be as delineated in Bidding Documents and shall, except as otherwise provided in these conditions, include all labour, materials, tools, plant, equipment, and transport which may be required in preparation of and for and in the full and entire execution and completion of the Works.	
10	Notice to Local Bodies	
10.1	The Contractor shall comply with and give all notices required under any Governmental authority, instrument, rule or order made under any Act of Parliament, State Laws or any regulation or bye- laws of any local authority relating to the Works. He shall before making any variation from the Contract necessitated by such compliance give to the Engineer- in-Charge a written notice giving reasons for the proposed variation and obtain the Engineer-in-Charge's instructions thereon, in writing.	
10.2	The Contractor shall pay and indemnify the Employer against any liability in respect of any fees or charges payable under any Act of Parliament, State laws or any Government instrument, rule or order and any regulations or bye-laws of any local authority in respect of the Works.	
11	Human Resources	
11.1	The Contractor for the purpose of the Contract shall engage / employ adequate number of key personnel in all areas such as operation, maintenance, repair, testing, inspection, design / engineering (wherever applicable), planning, scheduling and construction and carrying out of all maintenance of his plant and equipment (as detailed in the SCC) and competent and skilled work force as directed by the Engineer-in-Charge. The Engineer-in-Charge will approve	

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>24</b> of 73

	any proposed replacement of such key personnel including work force only if their qualifications, experience, competence and capabilities are substantially equal to or better than those personnel originally identified and approved by the Engineer- in-Charge.		
The Engineer- in-Charge may require the Contractor to remove from S Works or from any other area of Work related to the Contract, any mem the Contractor personnel or work force who  (i) Persists in any misconduct or lack of care  (ii) Performs his duties incompetently or negligently or otherwise carelessly  (iii) Fails to conform with any provisions of the Contract or  (iv) Persists in any conduct which is prejudicial to the safety health or protection of the Work and environment.  If appropriate, the Contractor shall appoint a suitable replacement wi fourteen (14) days or within such period as may be agreed between Engineer- in-Charge and Contractor.			
11.3	The Contractor shall unless otherwise provided in the Contract, make his own arrangement for engagement of all staff and labour, local or otherwise and for their payment, housing, transport, lodging and welfare as may be required by law and or by industry practice. The Contractor shall provide the Engineer - in-Charge a return in detail in such form and at such intervals as he may reasonably prescribe showing the staff and number of the several classes of labour and other staff from time to time employed by the Contractor at Site or in connection with the Work along with such information as the Engineer- in-Charge may reasonably require.		
11.4	Labour laws and Regulations and compliance thereof		
11.4.1	During the entire period of Contract, the Contractor and his Sub - Contractors shall, at all times abide by all existing labour enactments, rules made therein, regulations, notifications and bye-laws by the appropriate government, local authority or any other labour laws or notification that may be issued under any labour law prevailing as on the date seven (7) days prior to the date set for opening of the bids, published by the State or Central Government or Local Authorities.		
	During the entire period of Contract, the Contractor and his Sub- Contractors shall, at all times abide by the following Acts/Statutes related to Human Resources:		
	<ol> <li>Factories Act, 1948;</li> <li>Contract Labour (Regulation &amp; Abolition) Act, 1970;</li> <li>EPF &amp; MP Act, 1952;</li> <li>Building &amp; Other Construction Workers (         Regulation of Employment &amp; Conditions of Service) Act, 1996;</li> </ol>		

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>25</b> of 73

5. ESI Act, 1948; 6. Minimum Wages Act, 1948; 7. Payment of Wages Act, 1936; 8. Payment of Bonus Act, 1965; 9. Payment of Gratuity Act, 1972; 10. Workmen's Compensation Act, 1923; 11. ID Act, 1947; 12. Maternity Benefit Act, 1961; 13. Inter- State Migrant Workmen (Regulation of Employment & Conditions of Service) Act, 1979; 14. Fatal Accidents Act, 1855 15. Model Welfare Code 16. The Building And Other Construction Workers' Welfare Cess Act, 17. The Carriage by Road Act, 2007. The above will deem to include all relevant/applicable rules made thereunder, regulations, notifications and bye laws of the State or Central Govt. or the local authority and any other labour law (including rules) regulations, bye laws as well as those that may be passed or notification that may be issued under any labour law present and in future either by State or Central Govt. or by local authority. This list is not in any way exhaustive and shall not absolve the Contractor from any of his liabilities or responsibilities in compliance with any other laws, regulations, notifications that may be in force during the tenure of Contract. 11.4.2 The Contractor and his Sub- Contractors shall indemnify the Employer, from any action taken against the Employer by any competent authority in connection with the enforcement of the applicable laws, regulations, notifications, on account of contravention of any of the provisions therein, including amendments thereto. If the Employer is caused to pay or otherwise made liable, such amounts as may be necessary for non- observance of the provisions stipulated in the laws, rules, notifications including amendments, if any on the part of the Contractor and/or his Sub-Contractors, the Engineer- in-Charge / Employer shall have the right to deduct any such money from any amount due to the Contractor including his performance security, under the Contract. The Employer shall also have the right to recover from the Contractor any sum required or estimated as required for making good any loss or damage suffered / likely to be suffered by the Employer, on this account. 11.4.3 If due to an enactment of any new Act or Statute and rules made thereunder or any modification to the Acts/Statute or rules made thereunder, all after seven (7) days prior to the date set for opening of bids and as a consequence thereof, the Contractor has to incur additional cost or expenditure, the same will be reimbursed by the Employer to the Contractor, excepting those due to reasons attributable to the Contractor and those being already compensated by other provisions of the Contract, like Price Adjustment, Taxes and Duties etc. 11.4.4 It is specifically agreed that the Contractor and his Sub-Contractors shall obtain all the necessary registration, licenses, permits, authorisations etc. required under various enactments / Regulations enforced from time to time, specifically registration as employer

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>26</b> of 73

	under Provident Fund Act and Contract Labour Regulation & Abolition Act, and the Employer shall not be liable for any violation by the Contractor in this regard.		
11.4.5	The employees of the Contractor or his Sub-Contractor(s) shall in no case be treated as the employees of the Employer at any point of time.		
11.4.6	The Contractor and his Sub- Contractors shall be liable to make all due payments to all their employees and ensure compliance with labour laws. If the Employer, is held liable as 'PRINCIPAL EMPLOYER' or otherwise to incur any expenditure or to make any contributions under any legislation of the Government or Court decision, in respect of the employees of the Contractor or his Sub- Contractors, then the Contractor would reimburse the amounts of such expenditure/contribution so made by the Employer.		
11.4.7	The Contractor shall employ labour in sufficient numbers to maintain the required rate of progress and of quality to ensure workmanship of the degree specified in the contract and to the satisfaction of the Engineer-in-charge.		
11.4.8	The contractor shall be liable to pay his contribution and the employees contribution to the State Insurance Scheme in respect of all labour employed by him for the execution of the contract, in accordance with the provision of "The Employees State Insurance Act, 1948" as amended from time to time. In case the contractor fails to submit full details of his account of labour employed and the contribution payable, the Engineer- in-charge shall recover from the running bills of Contractor an amount of contribution as assessed by him. The amount so recovered shall be adjusted against the actual contribution payable to Employees State Insurance.		
	However, in case the ESI act is not applicable to the area where the Work is executed, as evidenced by the Certificate/Letter submitted to this effect from the local authorities, the Contractor shall be liable to arrange and pay for the expenses towards the medical treatment in respect of all labour employed by him for the execution of the Contract.		
11.4.9	Staff quarters & labour hutments at Site if available, may be provided to the Contractor on chargeable basis at the discretion of the Engineer -in-Charge on mutually agreed terms and conditions.		
11.4.10	Safety		
	The Employer has formulated Safety Rules for Construction & Erection of Power Plants and can be referred from NTPC tender website: <a href="www.ntpctender.ntpc.co.in">www.ntpctender.ntpc.co.in</a> . These Safety Rules lay down the safety requirements for safe execution of project activities, responsibilities of the Contractor, and all concerned involved in Construction and Erection. The Contractor, including his sub-contractors, while executing the Works, shall strictly comply with these Safety rules and statutory requirements (including amendments thereof), as applicable, in respect of safety of personnel, equipment and materials at site area under execution of the Contractor.		
	In addition to other clauses specified in 'NTPC Safety Rules for Construction and Erection of Power Plants' [as enclosed with GCC/SCC], Contractor shall adhere to the following provisions for payment linked to Safety Compliances as specified in Payment Terms.		
Standard	d Bidding Document for O&M Works SECTION-III (GCC) Page <b>27</b> of 73		

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>27</b> of 73	

i)	Safety Personnel Contractor shall adhere to the requirements of Clause 2.3 (requirement of Safety personnel) of 'NTPC Safety Rules for Construction and Erection of Power Plants'.
ii)	Personal Protective Equipment & Safety Equipment
	Contractor shall adhere to the requirements of Clause 4 (Personal Protective Equipment) of 'NTPC Safety Rules for Construction and Erection of Power Plants' and the provisions of the Bidding Documents with regards to number of Safety Equipment/PPEs to be provided by the Contractor.
	In case Contractor fails to comply with aforesaid requirement, EIC/Safety Officer shall issue a warning letter/Non-compliance Memo to the Contractor regarding the same advising him to take corrective action.
	EIC/NTPC Safety Officer shall maintain written record of all such incidents when Warning letter/Non-compliance Memo is issued to the Contractor for not meeting the requirements of Clause 4.0 (Personal Protective Equipment) and the provisions of the Bidding Documents.
iii)	Safety Induction and Training
	Contractor shall adhere to the requirements of imparting Safety training as per Clause 8.0 (Safety Induction and Training) of 'NTPC Safety Rules for Construction and Erection of Power Plants.
	Contractor shall maintain written record of Safety trainings imparted to its Employees/ workmen for purpose of aforesaid payment. These records shall be available for review of EIC/NTPC Safety Officer all the time.
iv)	Medical and First Aid Amenities Contractor shall adhere to the requirements of Clause 13 (Medical and First Aid Amenities) of 'NTPC Safety Rules for Construction and Erection of Power Plants.
	NTPC Safety Officer/EIC shall maintain written record of incidences when requisite Medical and first aid amenities as per Clause 13 of Safety Rules were not available for purpose of aforesaid payment.
v)	Compliance to Work Permit System
	Contractor shall adhere to the requirements of Clause 17 (Work Permit System) of 'NTPC Safety Rules for Construction and Erection of Power Plants'.
	In case Contractor fails to obtain work permit or fails to comply to any requirements of aforesaid Work permit system, he will be issued a warning letter/Non -compliance Memo by EIC/Safety Officer of NTPC regarding the same advising him to take corrective action.

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>28</b> of 73

	NTPC Safety Officer / EIC shall maintain written record of all such incidents when Warning letter / Non-compliance Memo is issued to Contractor for not complying with the requirements of Work Permit System as per Clause 17 of Safety Rules for purpose of aforesaid payment.		
12	Shift Work		
12.1	To achieve the required rate of p for Completion, the Contractor m per day, as may be necessary. Th with all applicable laws in this reg	ay carry on the work, round the Contractor shall however b	I the clock, in multiple shifts
12.2	No additional payment will be multiple shifts.	made on account of rou	und the clock working in
12.3	Wherever the work is carried out at night adequate lighting of working areas and access routes for pedestrians or vehicles shall be provided by the Contractor at his cost. Sufficient notice should be given by the Contractor to the Engineer - in-Charge regarding the details of works in shifts so that necessary supervision could be provided.		all be provided by the ven by the Contractor to
13.	Cooperation with other Cont	ractors/ Agencies	
13.1	agencies etc. of the Employer	The Contractor shall extend all reasonable cooperation to other Contractors, agencies etc. of the Employer engaged in connection with the Work or any other Work not in the scope of this Work as may be required by the Engineer-in-Charge.	
13.2	The Contractor shall attend at his cost, all the meetings with the Engineer - in Charge, other contractors and the Consultants of the Employer for the purposes of the Contract. The Contractor shall attend such meetings as an when required by the Engineer-in-Charge.		the Employer for the
14	Security Watch and Lightin	g	
	The Contractor shall provide and maintain at his own expense all lights, guards fencing and watching when and where necessary or required by the Engineer-in-Charge for the protection of the Works or for the safety and convenience of those employed on the Works or the public.		equired by the Engineer-
15	Prevention of Pollution		
	The Contractor shall make necessary arrangement to prevent pollution. of the water in any adjacent water bodies including stream, springs, nallah, river ar lakes etc. The Contractor shall be solely responsible and liable for all damage caused by any pollution that may take place during the execution of the Wor		springs, nallah, river and and liable for all damage
16	Training of Apprentices		
	The Contractor shall during the currency of the Contract when called upon by the Engineer-in-Charge engage and also ensure engagement by Sub-		
Standa	rd Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>29</b> of 73

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>29</b> of 73	

17	Contractors employed by the Contractor in connection with the Works, such number of Apprentices in the categories and for such periods as may be reasonably required by the Engineer- in- Charge. The Contractor shall train them as required under the Apprentices Act, 1961 and shall be responsible for all obligations of the Employer under the Act including the liability to make payment to apprentices as required under the Act.  Handing over of Site
17.1	The Employer shall make available the Site to the Contractor as soon as possible after the award of the Contract free of encumbrance. The Contractor shall not be permitted to enter on (other than for inspection purposes) or take possession of the Site until instructed to do so by the Engineer - in-Charge in writing.
17.2	The Employer reserves the right to hand over the Site in parts progressively to the Contractor. The Contractor will be required to take possession of the Site without any undue delay and do Work on the released fronts in parts without any reservation whatsoever.
17.3	However, in case of any delay in handing over of the Site to the Contractor, which delays the performance of the Work, commensurate to the resources mobilised by the Contractor, then the Contractor will be eligible for suitable extension in time for completion of the Works or any other compensation as per the provisions of GCC Sub-Clause 25.6.
17.4	The portion of the Site to be occupied by the Con tractor shall be indicated by the Engineer-in-Charge at Site and the Contractor shall on no account be allowed to extend his operations beyond these areas. Further, the Contractor shall not hinder in any way the working of other contractors on the Site.
17.5	The Contractor shall plan his work as per space available. The Contractor shall make his own arrangement for movement of men, machinery, other equipment etc. required for carrying out the Works included under this Contract.
17.6	The Contractor shall provide, if necessary, all temporary access to the Work Site and shall alter, adapt and maintain the same as required from time to time and shall take up and clear them away as and when no longer required and, as and when ordered by the Engineer-in-Charge and make good all damage done to the Site.
17.7	The Contractor shall be permitted the usage of facilities like staircase, lifts etc. of the Employer for the purposes of the Contract. If any damage is done to the facilities by the Contractor, the same shall be made good by the Contractor at his own cost, but as may be directed by the Engineer-in-Charge.
18	Duties and Powers of Engineer-in- Charge and his representatives
18.1	The Engineer-in-Charge shall have the full powers in respect of all the matters in connection with or arising out of this Contract, excepting those specifically reserved for the Employer. However, the Engineer-in-Charge shall not have any

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>30</b> of 73

	power to relieve the Contractor of any of his obligations and responsibilities under the Contract.
18.2	The duties of the representative of the Engineer- in-Charge are to watch and supervise the Works and to test and examine any materials to be used or workmanship employed in connection with the Works. He shall have no authority to order any work involving any extra payment by the Employer nor to make any variation in the Works, creating a financial liability to the Employer.
18.3	The Engineer-in-Charge may from time to time in writing delegate to his representative any of the powers and authorities vested in the Engineer- in-Charge and shall furnish to the Contractor a copy of all such written delegation of powers and authorities. Any written instruction or written approval given by the representative of the Engineer- in-Charge to the Contractor within the terms of such delegation shall bind the Contractor and the Engineer- in-Charge as though it has been given by the Engineer- in-Charge.
18.4	Failure of the Representative of the Engineer -in Charge to disapprove any work or materials shall not prejudice the power of the Engineer- in- Charge thereafter to disapprove such Work or materials and to order the pulling down, removal or breaking up thereof.
18.5	If the Contractor shall be dissatisfied with any decision of the representative of the Engineer-in-Charge he shall be entitled to refer the matter to the Engineer- in-Charge who shall there- upon confirm, reverse or vary such decision.
C.	Payment
19	Security Deposit
19.1.1	The Contractor shall provide a Security Deposit in the amount equivalent to 10% (ten percent) of the contract value. The Security Deposit shall be held by the Employer as security for the due performance of the Contractor's obligations under the Contract.
19.1.2	The Bid security/Earnest money deposit furnished by the Contractor will be treated as part of the security deposit. However, if the earnest money deposit is in the form of a bank guarantee, the Contractor will be required to replace it with initial security deposit of equivalent value in one of the forms given herein-after, within 30 days of issue of Letter of Award/Service Purchase Order.
	This shall be subject to adjustment while deducting security deposit from the first on account payment.
	This shall be subject to adjustment while deducting security deposit from the

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>31</b> of 73	

	him often married of the of second hand married and often weither the of
	him after receipt of the aforesaid bank guarantee and after verification of aforesaid bank guarantee from the issuing bank.
19.1.3	The Contractor may, at any time and from time to time, during the course of or after completion of the work, with the permission of the Employer, substitute his cash security deposit, including retention money( ies) deducted from his bills and lying with the Employer, by Bank Guarantee(s) in the prescribed proforma from a Bank acceptable to the Employer and withdraw the equivalent cash amount(s), provided the amount covered by any such Bank Guarantee is not less than Rs.1 lakh (Rupees One lakh only).
	If at any time during the course of the work, the gross value of the work, as reflected by the Running Bills submitted by the Contractor has in the opinion of the Employer (which shall be final and binding on the Contractor), exceeded or is likely to exceed the Total Contract Value indicated in the acceptance of Tender, the Contractor shall be bound to pay further Security Deposit as will make up the total Security Deposit to 10% (ten percent) of the then anticipated Contract Value in any of the forms mentioned above failing which the Employer shall be at liberty to make such deductions towards Security Deposit from the Contractor's Running Bills, and will, at all times, ensure that the Security Deposit does not fall below 10% (ten percent) of the gross value of the work, as reflected by the gross payments made to the Contractor, without taking into account any deductions. If the shortfall in Security Deposit is discovered after completion of the work, the shortfall shall be made good by the Contractor on demand from the Employer, failing which, it will be recovered from any money(ies) due to the Contractor from the Employer under this contract or any other contract with the Corporation.
19.1.4	The Contractor, if he so desires, can also furnish a full Security Deposit of 10% (ten percent) of the Total Contract Value towards faithful performance of the Contract, in one or more of the following modes:
	a) By Demand draft/Pay Order/Bankers Cheque drawn in favour of "NTPC Ltd." payable at place mentioned in SCC (Cheques shall not be accepted) or any other mode specified in SCC.
	b) If the Earnest Money Deposit has been made by Demand Draft, the Contractor may be permitted to adjust the same towards part of the Initial Security Deposit and pay the balance in the manner stipulated at (a) above.
	c) By Bank Guarantee(s) in the prescribed form as included in the Tender Documents, from a Bank in India acceptable to the Employer, provided the amount covered by such Bank Guarantee is not less than Rs.1,00,000/- (Rupees One Lakh only). The format of the said bank guarantee shall be in accordance with the format included in the Section VII (Forms and Procedures). This bank guarantee shall have an initial validity upto ninety (90) days beyond the completion of Defect Liability Period of the Contract. However, in case the date of completion of defects liability period gets extended, the validity of the Security Deposit
Standard	Ridding Document for O&M Works SECTION-III (GCC) Page 32 of 73

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>32</b> of 73	

		the period of extension	of completion of defects
l	liability.	if a disable a OCCUED	
	d) Any other mode spec	ified in the SCC/IIB.	
If after completion of the work, the Total Contract Value falls below the Contract Value as indicated in the Letter of Award/Service Proposed Order/Acceptance of tender, such that the total Security Deposit in the of the Employer is in excess of the Total Security Deposit calculated (ten percent) of the reduced contract value, such excess amount, as if form of cash in the hands of the Employer, shall be refunded to the Coalong with the Final Bill.		ward/Service Purchase rity Deposit in the hands eposit calculated at 10% cess amount, as is in the	
	If the Security Deposit furnis of Bank Guarantees, the C Guarantee(s) already subm value of Security Deposit, a	Contractor shall be permit itted, by Bank Guarantee(	ted to replace the Bank
19.1.6	The Contractor shall from time to time at the request of the Employer suitably extend the validity of any Bank Guarantee (whether furnished by way of Initial Security Deposit or Security Deposit) for such period(s) as may from time to time be required by the Employer failing which, without prejudice to any other right or remedy available to the Employer, the Employer shall be entitled to encash the Bank Guarantee.		
19.2	The Engineer- in-Charge shall release/refund one half (50%) of the Security deposit refundable to the Contractor on completion of work. The Contractor shall alongwith his request submit the following:		
	(i) Work completion certificate in terms of GCC clause 4 3 (ii) Reconciliation of free issue material, if any. (iii) Reconciliation of Statutory requirements of PF, ESI etc. as applicable, (iv) Submission of "Certificate Regarding Labour Payments and Statutory Requirements"		
	The Contractor shall have t be submitted.	to provide any other decla	aration forms required to
	The Engineer- in- Charge shall on demand from the Contractor release the balance security deposit on expiry of the Defects Liability Period or on payment of the amount of the Final Bill payable, whichever is later, provided the Engineer-in-Charge is satisfied that there is no demand outstanding against the Contractor, arising out of the Contract. The Contractor shall have to provide necessary declaration forms		
19.3	No interest shall be payab furnished/recovered by way the Contractor, by the Empl	of deductions from running	
20	Payment on Account/Prog	ressive Interim Payment	ts
Standard I	Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>33</b> of 73

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>33</b> of 73	

	Unless otherwise specified in the SCC, payment to the Contractor shall be released as per the provisions made herein below.
20.1	Bills for progressive payments shall be submitted by the Contractor on monthly basis on or before the date fixed by the Engineer- in-Charge for the Work executed during the preceding period. The Engineer- in-Charge shall then arrange to have the bill verified for payment. The Contractors is to submit all related documents with the bill to EIC as applicable like PF deposit receipt, ESI deposit receipt, Labour payment receipts, insurance Cover (as per provisions given elsewhere in the GCC). However, for the first RA bill PF and ESI deposit receipt copy shall not be insisted upon.
20.2	The progressive payment shall be released after certification by Employer's Field Quality Assurance Department (as applicable), that the Works have been performed in accordance with the Technical Specifications and also upon authorisation for the payment by the Engineer-in-Charge. However, the release of first progressive interim payment shall also be subject to submission of documentary evidence by the Contractor towards having taken the insurance policy(ies) in terms of relevant provisions of GCC Clause entitled 'Contractor's Liability and Insurance' and acceptance of the same by Engineer- in-Charge.
20.3	<ul> <li>i. In case of part acceptance of the Work, the Engineer- in-Charge shall have the right to release payment for that part of the Work.</li> <li>ii. Acceptance of the Work without fulfilling all the obligations mentioned under rates and measurement in Technical Specifications shall be considered as part acceptance of Work.</li> </ul>
20.4	The Contractor shall submit his bill, by the date stipulated by the Engineer - in-Charge, in the prescribed proforma, supported with measurements, jointly acknowledged and accepted in the measurement books. Payments of the Contractor's bill shall be paid by the Employer within twenty -one (21) days from the date of submission of bill subject to the authorisation of the Engineer - in-Charge. Alternatively, if so desired by the Contractor, after preliminary scrutiny and certification by the Engineer-in-Charge, 75%of the certified net payable amount shall be made by the Employer within seven (7) days. The amount certified shall account for all deductions, including statutory deductions as for GST ( if applicable), income tax, etc., recoveries for advances and any other amounts due from the Contractor. The balance 25% shall be paid within twenty -one (21) days, from the date of submission of the said bill. Such payments made by the Employer shall not constitute any acceptance of the measurements of items of the Works by the Employer and the Engineer- in-Charge shall have the right to alter, modify, reduce or diminish the quantities or classification entered in the Measurement Books or Bills. The Employer shall have right to recover any amount paid in an earlier bill from any subsequent bill and should the amount to be recovered be more than the amount of the subsequent bill, the Contractor shall on demand from the Engineer -in-Charge or Employer immediately refund the extra amount to the Employer within seven (7) days. Wherever technically feasible, the payments shall be released

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>34</b> of 73	

	electronically only as per details of bank account indicated in the Contract.				
20.4.1	In cases of any discrepancy observed by the Employer in Contractor's clarifications shall be sought in writing by the Employer within ten (10) d from the date of receipt of Contractor's bill/invoice/debit note by the Employer The Contractor shall be required to submit the requisite clarifications within (10) days from the date of issuance of queries by the Employer. In case, mutual agreement is reached between the Employer and the Contractor on part of the bill/invoice, within ten (10) days of submission of clarification by contractor, the Contractor shall issue a revised bill/invoice to avoid misma in GST returns of the Employer and the Contractor. Payment against agr and admissible part shall be processed as per payment procedure within (10) days after receipt of the revised bill/invoice. The bill/invoice for the bala amount under question may be separately submitted for consideration of Employer after resolution of issues of payment by the Employer. In case non-submission of satisfactory clarification by the Contractor within stipulated period, NTPC shall not be liable for the delay in making payment the bill submitted by Contractor is incorrect and has gross discrepancies, bill shall be summarily rejected and returned to the Contractor. In the even dispute, the same shall be settled as per GCC Clause (Settlement of Disput				
20.4.2	The Employer has established a Vendor Payment Portal where Contractor shall submit their digital Bill/Invoice and may track its status. The Contractor's bill, supported with measurements, as mentioned in clause 20.1 above, shall be digitally signed with Class-2/3 Digital Signature and shall be submitted by the Contractor in Employer's Vendor Payment Portal. No hard/physical copy of such documents will be accepted by the Employer unless otherwise asked for in the PO or instructed by Employer.				
	FAQ (Frequently asked questions with answers) regarding Invoice submission in digital mode is attached at Annexure-II to SCC and can be accessed through the following link: <a href="https://pradip.ntpc.co.in/VendorFinal/Login.jsp">https://pradip.ntpc.co.in/VendorFinal/Login.jsp</a> .				
Any interim certificate given relating to Work done or materials de be modified or corrected by any subsequent interim certificate or certificate. No certificate of the Engineer- in-Charge supporting payment shall itself be conclusive evidence that any Work or mater it relates is/are in accordance with the Contract.					
20.6	In case of the delayed Work beyond the scheduled completion period, pending consideration of extension of time of completion if it had been requested by the Contractor, interim payments shall continue to be made as herein above provided.				
20.7	Payment of Amount linked to Safety Aspects/ compliance to Safety Rules				
The amount linked to Safety Aspects/ compliance to Safety Rules shall be paid in two parts, viz,  A. 10% amount (calculated as 0.1 Y of the service portion amount of RA bill) shall be linked to Fatal/Major Accidents, and					
					B. 90% amount (calculated as 0.9 Y of the service portion amount of RA bill) shall
Standard Bi	idding Document for O&M Works SECTION-III (GCC) Page <b>35</b> of 73				

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>35</b> of 73

	belinked to various Safety Aspects specified in Safety Rules of NTPC.	
	NOTES:	
	Amount linked to Safety Aspects/ Compliance to Safety Rules' specified in Price Schedule	
	Y= X 100  Total amount for Service Portion of the Contract	
II	While raising each RA Bill, Contractor shall claim Amount linked to Safety Aspects/ Compliance to Safety Rules in such a manner that amount claimed is equal to Y% of the total works portion (i.e. Amount of works/services other than the amount linked to safety Aspects/Compliance to safety rules) of RA Bill.	
III	This aforesaid amount at para 20.7 (I) shall be withheld from first and second monthly RA bill of the respective quarter/three-month period and shall be released in part or full based on safety compliance duly certified by EIC and Safety-in-charge on quarterly basis. The amount for the entire quarter (i.e. RA bills raised during a 3- month period) shall be paid to the Contractors at the end of that three months period along with 3rd/last RA Bill for the quarter/three months period upon complying the following conditions:	
<b>A</b> )	Amount of RA Bill linked to Fatal/ Major Accidents (0.1Y i.e.10% of amount as elaborated above at para I.A)	
	Aforesaid amount (on quarterly basis) shall be payable to Contractor only in case, there is	
	No fatal injury or accident causing death in that three months period.  and	
	<ul> <li>ii) No Major injury or accident causing 25% or more permanent disablement to workmen or employees in that three month period. Permanent disablement shall have the same meaning as indicated in The Workmen's Compensation Act' 1923.</li> </ul>	
	In case of any fatal injury or accident as elaborated above occurs during that three-month period, the stipulated amount (0.1Y) subject to minimum of <b>Rs 10 Lakh per fatality</b> shall be forfeited and shall not be payable to the Contractor under the contract. In case, the amount to be deducted/forfeited exceeds the amount linked to Fatal/ Major Accidents, the same shall be recovered from remaining Amount (0.9Y) linked to Compliance of Safety Rules and/or any other payments immediately due to the Contractor under the Contract.	
	In case of any Major injury or accident causing 25% or more permanent disablement to workmen or employees occurs during that three month period, Rs 4 lakh per Major injury shall be deducted from the amount (0.1Y) linked to Fatal/ Major Accidents and shall not be payable to the Contractor under the contract. In case, the amount to be deducted/forfeited exceeds the amount	

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>36</b> of 73

	linked to Fatal/ Major Accidents, the same shall be recovered from remaining Amount (0.9Y) linked to Compliance of Safety Rules and/or any other payments immediately due to the Contractor under the Contract.
	Further, in case, Contractor doesn't raise RA Bills in any three-month period/quarter and if any fatal injury and/or major accident takes place in that period, EIC shall deduct the amount [Rs 10 Lakh per fatality and Rs 4 lakh per Major injury] pertaining to this particular quarter from his next RA bill/due payment. In case, the amount to be deducted/forfeited exceeds the amount linked to Safety, the same shall be recovered from any other payments immediately due to the Contractor under the Contract.
	The amount deducted/forfeited as mentioned above shall be in addition to the compensation payable to the workmen / employees under the relevant provisions of the Workmen's Compensation Act' 1923 and rules framed there under or any other applicable laws as applicable from time to time.
В)	Amount of RA Bill linked to Compliance of Safety Rules (0.9Y i.e. 90% of amount as elaborated above at para I.B)
	Aforesaid amount (on quarterly basis) shall be payable to Contractor in five equal parts under five heads as under:
(i)	Amount payable on deployment of required Safety Personnel
	One fifth of the amount specified in para 20.7.III.B (calculated as 0.18Y of Service portion amount of RA Bill), on quarterly basis, shall be paid upon certification by EIC in consultation with Safety dept. that required number of Safety personnel as per Clause 2.3 of 'NTPC Safety Rules for Construction and Erection of Power Plants' (as enclosed with GCC/SCC) have been deployed. The aforesaid amount linked to deployment of requisite safety personnel shall be paid as under:
	a) 50% of the amount referred at 20.7.III.B.(i), for deployment of Safety Supervisors shall be paid on pro-rata basis depending upon the actual no. of Safety Supervisors deployed vis-à-vis actual requirement:
	Amount to be paid = 0.09Y x Works portion of RA bill amount x (a/b)
	Where 'a' is actual no. of Safety supervisors deployed
	and 'b' is required no. of Safety supervisors as per Safety Rules.
	In case, actual no.of Safety supervisors deployed is more than requisite number (i.e. a/b is more than 1), the amount to be paid shall be restricted to 0.09Y.
	b) 50% of the amount referred at 20.7.III.B.(i), for deployment of Safety Officers shall be paid on pro-rata basis depending upon the actual no. of Safety Officers deployed vis-à-vis actual requirement.
	ard Bidding Document for OSM Works SECTION III (GCC) Page 27 of 72

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>37</b> of 73	

	Amount to be paid = 0.09Y x Works portion of RA bill amount x (a/b)	
	Where 'a' is actual no. of Safety Officers deployed	
	and	
	b' is required no. of Safety Officers as per Safety Rules.	
	In case, actual no. of Safety Officers deployed is more than requisite number (i.e. a/b is more than 1), the amount to be paid shall be restricted to 0.09Y.	
	c) In case aforesaid requisite no. of Safety personnel are not deployed by Contractor, amount not to be paid as calculated above for that particular quarter/three-month period shall be forfeited and shall not be payable to the Contractor under the contract.	
(ii)	Amount payable on providing requisite Personal Protective Equipment & Safety Equipment.	
	One fifth of the amount specified in para 20.7.III.B (calculated as 0.18Y of Service portion amount of RA Bill), shall be paid upon certification by EIC in consultation with Safety dept. that Contractor has adhered to the requirements of Clause 4 (Personal Protective Equipment) of 'NTPC Safety Rules for Construction and Erection of Power Plants' and the provisions of the Bidding Documents with regards to number of Safety Equipment/PPEs to be provided by the Contractor.	
	In case of non-compliance by Contractor, warning letter/Non-compliance shall be issued by EIC/Safety Officer of NTPC as per clause 10.4.9 (ii) of GCC. Further, if more than two such warning letters/Non-Compliance Memos are issued in a quarter/three monthly period, above mentioned amount for that particular quarter/three-month period shall be forfeited and shall not be payable to the Contractor under the contract.	
(iii)	Amount payable on providing requisite Safety Induction and Training	
	One fifth of the amount specified in para 20.7.III.B (calculated as 0.18Y of Service portion amount of RA Bill), shall be paid upon certification by EIC in consultation with Safety dept. that Contractor has adhered to the requirements of imparting Safety training ad per Clause 8.0 (Safety Induction and Training) of 'NTPC Safety Rules for Construction and Erection of Power Plants' to at least 90% of its employees/workmen (who have not been previously provided with requisite training) in a quarter/ three months period.	
	with requisite training) in a quarter/ three months period.	
	In case Contractor fails in meeting the aforesaid requirement, above mentioned amount for that particular quarter/three-month period shall be forfeited and shall not be payable to the Contractor under the contract.	
(iv)	In case Contractor fails in meeting the aforesaid requirement, above mentioned amount for that particular quarter/three-month period shall be forfeited and	

	One fifth of the amount specified in para 20.7.III.B (calculated as 0.18Y of Service portion amount of RA Bill), shall be paid upon certification by EIC in consultation with Safety dept. that Contractor has adhered to the requirements of Clause 13 (Medical and First Aid Amenities) of 'NTPC Safety Rules for Construction and Erection of Power Plants'.  In case Contractor fails to provide Medical and first aid amenities as per requirement of aforesaid Clause 13 even on one incidence in any quarter/three-month period, above mentioned amount for that particular quarter/three-month period shall be forfeited and shall not be payable to the Contractor under the contract.
(v)	Amount payable on compliance to Work Permit System
	One fifth of the amount specified in para 20.7.III.B (calculated as 0.18Y of Service portion amount of RA Bill), shall be paid upon certification by EIC in consultation with Safety dept. that Contractor has adhered to the requirements of Clause 17 (Work Permit System) of 'NTPC Safety Rules for Construction and Erection of Power Plants'.
	In case of non-compliance by Contractor, warning letter/Non-compliance shall be issued by EIC/Safety Officer of NTPC as per clause 10.4.9 (v) of GCC. Further, if more than two such warning letters/Non Compliance Memos are issued in a quarter/three monthly period, above mentioned amount for that particular quarter/three month period shall be forfeited and shall not be payable to the Contractor under the contract.
IV	In case 'Amount linked to Safety Aspects / compliance to Safety Rules' is less than % of the total Contract value as specified in SCC, the amount by which it is lower shall be retained proportionately from the other components of the Contract price while releasing payments of each RA bill. No interest shall be payable on the amounts linked to Safety Aspects / Compliance to Safety Rules including aforesaid retained amount. The amounts linked to Safety Aspects / Compliance to Safety Rules including aforesaid retained amount shall be payable in part or full based on safety compliance duly certified by EIC and Safety-in-charge on quarterly basis.
20.8	Alternate Mode of Payment for Micro Small & Medium Enterprises (MSMEs)  Trade Receivables e-Discounting System (TReDS) is a regulatory framework put in place by the Reserve Bank of India under the Payment and Settlement Systems Act 2007 (PSS Act) to facilitate the financing of trade receivables (invoices) of MSMEs through invoice financing by multiple financiers.  The Reserve Bank of India has granted approval to (i) Mynd Solutions Pvt Limited, (ii) A.TReDS
	Ltd. and (iii) Receivables Exchange of India Ltd to set up and operate TReDS platform. The name of respective TReDS platform of the above-mentioned entities are M1xchange, Invoicement and RXIL.  Presently, NTPC Limited is transacting with M1xchange and RXIL TReDS platforms. MSME

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>39</b> of 73	

	Vendors may choose from the aforesaid TReDS platforms as an alternate payment
	mechanism.
	For queries/ details, the vendor may directly contact M1xchange or RXIL at:- (i) M1XCHANGE:- URL: https:\\m1xchange.com Toll free No.: 1800-103-7261 (ii) RXIL:- URL: https:\\www.rxil.in/Home/Index Phone: 022-40771424, 40771426 Toll free No.: 1800 1038 311"
	Note: The aforesaid provision may not be applicable for payments envisaged through "Letter of Credit (LC)" or "Escrow Account" or "A separate account with a Scheduled Bank at Site"
21.	Contract Price
	The Contract price shall remain FIRM throughout the contract period and will be NOT be subject to adjustment for price escalation during the performance of the Contract until unless specified otherwise in the SCC.
22.	GST, Taxes, Duties, Levies etc.
22.1	"Goods and Services Tax" or "GST" means taxes or cess levied under the Central Goods and Services Tax Act, Integrated Goods and Services Tax Act, Goods and Services Tax (Compensation to States) Act and various State/Union Territory Goods and Services Tax Laws and applicable cesses, if any under the laws in force (hereinafter referred to as relevant GST Laws), which shall be fully complied with by the Supplier of Services ie Contractor.
22.2	Except as otherwise specifically provided in the Contract, the Contractor shall be liable and responsible for the payment of all GST and any other taxes, duties, levies and charges imposed on the Contractor, its Sub-Contractors and those imposed on the Contractor's equipment, materials, supplies and services to be used in the performance of the Contract or furnished under the Contract.
22.3	The Contractor shall be responsible for payment of any tax levied on the 'Works Contract' in accordance with the applicable GST Law or Notification(s) by the State or Central Government or other authorities and rules made thereunder including amendments, if any.
	The Contract Price shall be exclusive of GST and all other taxes, duties applicable as per the rates prevailing as on seven (7) days prior to the date of bid opening.
	However, the Contract Price shall be inclusive of any Seigniorage Fee or Royalties or cess or other charges payable on the quarried or mined metal, minerals or minor minerals, as the case may be, at the rate(s) prevailing within seven (7) days prior to the date of bid opening.
	The rate of GST and all other taxes & duties applicable shall be quoted under relevant heading in the MS Excel Bill of Quantity and in case RCM is applicable on any supplies same shall be specified in Attachment 9 of Forms & Procedures (Section VII).

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>40</b> of 73

22.4	Where Employer as a service receiver is liable to pay GST under Reverse Charge Mechanism (RCM) GST applicable shall be paid by Employer.  In case of services covered under Reverse Charge Mechanism, for evaluation the bid of contractor shall be cost compensated as per the GST rate applicable as per GST Law.  Bidder must indicate the value of supplies covered under RCM in his bid in Attachment 9 of Forms & Procedures (Section VII).  In case RCM is applicable on any Supply and the Supply with value has not been specified by the Bidder in Attachment 9 of Forms & Procedures (Section VII), RCM paid by Employer shall be to Bidders account.  In case GST is applicable on free issue material, the Bidder must indicate the same in Attachment 9 of Forms & Procedures (Section VII). In case the same has not been specified by the Bidder in Attachment 9 of Forms & Procedures (Section VII), GST paid by Employer shall be to Bidder's account.  GST component will be deposited with the concerned authorities by the Employer.
22.5	In case of bids received from unregistered dealers, for evaluation their bid shall be cost compensated as per the GST rate applicable in view of Reverse Charge Mechanism (RCM) as per GST Law.  Bidder who does not indicate their GST number in the bid in Attachment 8 shall be considered as unregistered dealer.  GST component will be deposited with the concerned authorities by the Employer.
22.6	Contractor shall obtain a registration certificate as a dealer under the GST Law, if applicable, and other law(s) relating to levy of tax, duty, cess etc. and necessary evidence to this effect shall be furnished by the Contractor to the Employer prior to raising of invoice/bill of supply under GST.  The Contractor shall be required to submit the GSTIN, if applicable and PAN details to the Engineer-in-Charge before the submission of the first bill/ invoice under the Contract.
22.7	Notwithstanding anything to contrary contained in the Contract, the Contractor's right to payment under the Contract is subject to issuance of valid tax invoice/bill of supply as the case may be, payment of applicable GST to the credit of appropriate Government and submission of valid particulars of tax invoice under GST returns in accordance with GST Law.
22.8	Employer shall deduct GST at source at the applicable rates in case transactions under the Contract are liable to GST deduction at source.
Standard B	sidding Document for O&M Works SECTION-III (GCC) Page <b>41</b> of 73

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>41</b> of 73	

22.9	Unless expressly stated otherwise, a common mechanism for reconciliation of input credit mismatch, to be followed by both NTPC and Supplier, shall be mutually agreed so that both parties follow the same procedure for disclosing the transactions in their respective returns. Notwithstanding anything in the Contract, penalty / damages shall be recovered in case the Contractor makes a default in following the agreed procedure.	
22.10	The Contractor shall issue tax invoices/bill of supply as applicable, file appropriate returns, and deposit the applicable GST to the account of appropriate government within the time limit prescribed under the GST Law. In the event of any default, Supplier shall be liable to pay the amount which may be imposed on NTPC due to such default.	
22.11	Provisions of GST law in respect of Related Persons/Parties may appropriately be taken into consideration by Bidders while submitting the bid.	
22.12	If a new tax, duty or levy is imposed under statute or law in India after the date seven (7) days prior to date of bid opening and the Contractor becomes liable there under to pay and actually pays the said new tax, duty or levy for bonafide use on the Works contracted, the same shall be reimbursed to the Contractor against documentary evidence of proof of payment, provided that the amount thus claimed is not paid/payable under price variation provision of the Contract. In case of any variation in the rate of existing taxes & duties, an equitable amount shall be payable to/recoverable from the Contractor to fully take into account any such change on production of satisfactory documentary evidence. In case of variation in the rate of Seigniorage Fee or royalties during the period of contract, an equitable amount shall be payable to/recoverable from the Contractor, upon the submission of satisfactory documentary evidence.	
22.13	The payment/reimbursement of statutory variations in the rates of tax and/or of new tax, duty or levy imposed under statute or law in India as above, would be restricted only to direct transactions between the Employer and the Contractor.	
22.14	The Employer shall make necessary tax deductions under Income Tax Act or any other laws, if applicable.	
22.15	The Contractor shall himself be informed of all the applicable laws, notifications, rules, circulars and other communications of the State or Central or other authorities with regard to levy of any tax, duty, cess, levy or fee etc, which in any manner may impinge upon him in performance of any obligations/responsibilities under or arising out of the Contract.	
22.16	Contractor should comply with the provisions of e-way bill notified by appropriate authorities from time to time. The existing provisions regarding road permit will continue till such time if applicable.	
23	Overpayments and Underpayments	
Standard	Bidding Document for O&M Works SECTION-III (GCC) Page <b>42</b> of 73	

23.1	Wherever any claim for the payment of a sum of money to the Employer arises out of or under this Contract against the Contractor, the Contractor upon demand by the Employer or by the Engineer- in-Charge on behalf of the Employer, with explanation of the reasons for such a sum/ claim becoming due, shall forthwith pay the same to the Employer. If the Contractor fails to do so within twenty - one(21) days of such a claim, then the same may be deducted by the Employer from any sum then due or which at any time thereafter may become due to the Contractor under this Contract or from any other sum due to the Contractor from the Employer which may be available with the Employer or from his security deposit.
23.2	The Employer reserves the right to carry out post payment audit and technical examination of the final bill including all supporting vouchers, abstracts, etc. The Employer further reserves the right to enforce and recover any overpayment when detected, notwithstanding the fact that the amount of the final bill may include any item which is under dispute between the parties and referred to for settlement under GCC Clause entitled 'Settlement of Disputes' and notwithstanding the fact that the amount of the final bill figures in the arbitration decision/award.
22.3	If as a result of such audit and technical examination, any overpayment is discovered in respect of any Work done by the Contractor or alleged to have been done by him under the Contract, it shall be recovered by the Employer from the Contractor by any or all of the methods prescribed above. Similarly, if any underpayment is discovered by the Employer, the amount shall be duly paid to the Contractor by the Employer forthwith.
23.4	Provided that the aforesaid right of the Employer to adjust overpayments against amounts due to the Contractor under any other Contract with the Employer shall not extend beyond the period of two years from the date of payment of the final bill or in case the final bill is a minus bill, from the date the amount payable by the Contractor under the minus final bill is communicated to the Contractor.
23.5	Any amount due to the Contractor under this Contract for underpayment may also be adjusted against any amount then due or which may at any time thereafter become due from the Employer to the Contractor under any other Contract or account whatsoever.
24	Time Limit for submission & payment of Final Bill and waiver of rights of all claims
24.1	The final bill shall be submitted by the Contract or within one (1) month of physical completion of the Works unless otherwise a longer period is agreed to between the Engineer-in-Charge and the Contractor. No further claims shall be made by the Contractor after submission of the final bill and these shall be deemed to have been waived and extinguished. Payment of the final bill will be made within two (2) months of receipt of the same.
24.2	MODE OF PAYMENT
24.2.1	Wherever technically feasible, the payments shall be released electronically only as per details of bank account indicated in the EFT Form by the Contractor duly certified by the Bank alongwith cancelled cheque. The Contractor shall hold the Employer harmless and Employer shall not be liable for direct, indirect or consequential loss or damage sustained by the Contractor on account of any error in the information or

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>43</b> of 73	

	change in bank details provided to the Employer in the prescribed form without intimation to Employer duly acknowledged.	
24.2.2	If the payment due to the Contractor is made by the Employer by crossed account payee cheque, the same shall be forwarded to the address given in the Service Purchase Order/Contract Agreement.	
D)	Execution of Facilities	
25	Work Commencement, Execution & Delays, Time extension, Liquidated Damage (LD)	
25.1	Commencement of Works	
-	The execution of the Works shall commence from the date of award unless specified otherwise in the Contract.	
25.2	Time for completion	
	The entire scope of Work covered under this Contract shall be completed within the time stated in SCC or within such extended time granted to the Contractor by the Employer under the provisions of GCC Sub-Clause 25.4. The time allowed for execution of the Works as specified in the SCC or the extended time in accordance with these Conditions shall be the essence of the Contract.	
25.3	Work Progress	
25.3.1	Unless already incorporated in the Letter of Award/Service Purchase Order, as soon as possible after the Contract is awarded, the Engineer -in-Charge and the Contractor shall agree upon a Work Schedule which will become the Contract Work Schedule. The Work Schedule shall be prepared in direct relation to the time stated in the Contract documents for the completion of the Works. The Work Schedule shall indicate the forecast of the dates of commencement and completion of various trades or sections of work.	
25.3.2	All the Contractor's activities shall be performed and completed strictly in accordance with the agreed Work Schedule and to achieve the targets, the Contractor shall have to plan adequate mobilisation of all resources. The Engineer- in-Charge, shall however, have the right to review the progress and modify the sequence of carrying out the Work suiting the Site conditions and the Contractor shall be required to comply with such modifications and complete his activities in accordance thereof without any extra cost to the Employer.	
25.3.3	Progress Review Meetings	
	The Contractor shall attend all periodic progress review meetings organized by the Engineer-in-Charge or his authorized representative. The deliberations in the meetings shall interalia include the scheduled program, progress of work achieved (including details of manpower, tools and plants deployed by the Contractor visavis agreed Work Schedule), inputs to be provided by Employer, delays, if any and recovery programme, specific hindrances to the Work and work instructions by Engineer-in-Charge. The minutes of such meetings shall be recorded in a register. These recordings shall be jointly signed by the Engineer-in-Charge or his authorized representatives and the Contractor and a copy of the signed records	
Standard	Bidding Document for O&M Works SECTION-III (GCC) Page <b>44</b> of 73	

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>44</b> of 73	

	shall be handed over to the Contractor.		
25.4	Extension of Time for Completion		
25.4.1	The Time for Completion specified shall be extended if the Contractor is delayed or impeded in the performance of any of the obligations under the Contract by reason of any of the following:		
	a. Any occurrence of Force majeure as provided in GCC Clause entitled 'Force Majeure', Or		
	b. Work Schedules for beyond deviation limits & Extra Items as provided in GCC Sub-Clause 45.5, or		
	c. Any default or breach of the Contract by the Employer, or delay on the part of other contractors engaged by the Employer in executing work not forming part of this Contract, or		
	d. Any suspension order given by the Employer under GCC Sub- Clauses 46.1 (ii) and 46.1 (iii), or		
	e. Any other sufficient cause which, in the opinion of the Engineer - in- Charge, is beyond the Contractor's reasonable control;		
	By such period as shall be fair and reasonable in all the circumstances and as shall fairly reflect the delay or impediment sustained by the Contactor.		
25.4.2	Except where otherwise specifically provided in the Contract, the Contractor shall submit to the Employer a notice in writing of a claim for an extension of the Time for Completion, together with particulars of the event(s) or circumstance(s) justifying such extension as soon as reasonably practicable, but no later than fourteen (14) days after the commencement of such event or circumstance. As soon as reasonably practicable, after the receipt of such notice and supporting particulars of the claim, the Employer shall give a fair and reasonable extension of time for completion of Work. Such extension shall be communicated to the Contractor by the Engineer - in- Charge in writing, within thirty (30) days of the date of receipt of such request by the Engineer-in-Charge.		
25.4.3	The Contractor shall at all times use his reasonable efforts to minimise any delay in the performance of his obligations under the Contract.		
25.4.4	The compensations, if any, payable to the Contractor on account of any one or more of the above reasons of delay have been separately dealt with under relevant provisions of the Contract.		
25.5	Liquidated Damages for Delay		
25.5.1	If the Contractor fails to complete the Work on or before the scheduled or extended date of completion as per GCC Sub- Clauses 25.2 and 25.4, he shall, without prejudice to any other right or remedy of the Employer, arising out of the Contract on account of such delay, be liable for payment of liquidated damages@ ½ percent per week, not as penalty, on the Contract Value of the Work for every week that the progress remains below the required progress or that the Work remains		
Clarada	Standard Bidding Document for ORM Works SECTION III (GCC) Page 45 of 72		

Standard Bidding Document for O&M Works SECTION-III (GC	C) Page <b>45</b> of 73

	incomplete subject to a maximum of 5 % of the Contract Value.			
	In case of amendment in the contract value the limiting value of the Liquidated damages shall be 5% of the amended Contract Value.			
	The amount of Compensation may be adjusted or set- off against any sum payable to the Contractor under this or any other contract with the Corporation.			
25.5.2	The following documents shall form the principal basis for consideration of Extension of Time for Completion pursuant to GCC Sub- Clause 25.4 with or without Liquidated Damages and determining the compensation amount pursuant to GCC Sub-Clause 25.5.			
	1. The joint recordings in the periodic meeting register,			
	2. Written notices issued by the Employer and/or the Engineer-in-Charge or his authorized representative to the Contractor in the relevant period.			
	3. Written requests/ notices by the Contractor to Employer / Engineer- in-Charge in the relevant period.			
25.6	Delays by Employer or his Authorised Representative			
25.6.1	In case the Contractor's performance is delayed due to any act of omission on the part of the Employer or his authorised representative, then the Contractor shall be given appropriate extension of time for the completion of the Works, to the extent such omission on the part of the Employer has caused delay in the Contractor's performance of his work. Regarding reasonableness or otherwise of the extension of time, the decision of the Engineer-in-Charge shall be final.			
25.6.2	If such delays by the Employer have resulted in any increase in the cost to the Contractor, the Contractor shall be eligible to claim dem onstrable and reasonable costs supported by full details of such increased costs incurred by him with all documentary evidence. The Employer shall examine the justification for such a request for claim and if satisfied, the extent of compensation shall be mutually agreed depending upon the circumstances at the time of such an occurrence.			
26.	Sub Contracts			
26.1	After the award of the Contract, the Contractor shall not subcontract the Works/ any part of the Works without the prior written consent of the Engineer- in-Charge. Any such consent shall not relieve the Contractor from any liability or obligation under the Contract and he shall be responsible for the acts, defaults and neglects of any Sub- Contractor, his agents, servants or workmen as fully as if they were the acts defaults or neglects of the Contractor.			
	Provided that the Contractor shall not be required to obtain such consent for:  a) The provision of labour.			
	b) The purchase of materials which are in accordance with the standards specified in the Contract, or			
	c) The subcontracting of any part of the Works for which the sub -contractor			
Standard	Bidding Document for O&M Works SECTION-III (GCC) Page <b>46</b> of 73			

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>46</b> of 73	

	is named in the Contract.	
	is named in the Contract.	
	In the event of the Contractor proposing a sub-contractor for any part of the Works after the award of the Contract, he shall be required to take approval from the Engineer-in-Charge. The Contractor will then submit the requisite credentials of the agency (ies) he proposes to engage. The details so furnished by the Contractor shall be reviewed by the Employer. In case the agency(ies) proposed by the Contractor for the subcontracting are not considered acceptable, the Contractor will be required to furnish credentials of alternate agency(ies) for approval of Engineer - in-Charge. Based on the review and assessment, the agency(ies) shall be approved by the Engineer-in-Charge within fifteen (15) days of furnishing of credentials by the Contractor.	
26.2	Where a list of approved agencies for a sub-contracting work is provided in the Contract, the Contractor shall inform the name of the sub-contractor selected by him within a period as agreed with the Engineer-in-Charge, however not later than fourteen (14) days of the date of such selection.	
26.3	The Contractor shall not be allowed to sub-contract works to any sub-contractor/ sub-vendor from a country which shares a land border with India unless such sub-contractor is registered with the competent Authority.	
	The Competent Authority for the purpose of registration shall be as mentioned in the Annexure-I to GCC.	
	However, the said requirement of registration will not apply to sub-contractors from those countries (even if sharing a land border with India) to which the Government of India has extended lines of credit or in which the Government of India is engaged in development projects. The Contractor may apprise itself of the updated lists of such countries available in the website of the Ministry of External Affairs.	
	Procurement of raw material, components, etc. does not constitute sub-contracting.	
26.4	For the purpose of Integrity Pact, "Sub-contractor" shall mean only the approved Subcontractor by the Employer for specific Work(s) at Site.	
	The Contractor shall not be allowed to sub-contract Work(s) to any approved agencies for a sub-contracting work as provided in the Contract or to Contractor for which approval by Employer is required, as per GCC sub-clause 26.1, unless such subcontractor has agreed to abide by and sign the Tripartite Integrity Pact as in the section 'Forms & Procedures' of the bidding document, before start of work by respective subcontractor.	
27	Tripartite Integrity Pact as in the section "Forms and Procedures" of the bidding documents, shall be signed by the Project Manager or his authorized representative, Contractor & Sub-contractor and the original copy of the same shall be submitted by Contractor to NTPC Project Manager, prior to commencement of work by Subcontractor. This Tripartite Integrity Pact shall also form part of the Contract.	
27.	Setting out the Works	
Ctandar	d Bidding Document for O&M Works SECTION-III (GCC) Page <b>47</b> of 73	

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>47</b> of 73	

	The Engineer- in-Charge shall supply Scope of work, technical requirements, dimensional drawings, levels and other information necessary to enable the Contractor to set out the Works and the Contractor shall set out the Works and be responsible for the accuracy of the same. He shall amend at his own cost and to the satisfaction of the Engineer- in-Charge any error found at any stage which may arise through inaccurate setting out. The Contractor shall protect and preserve all benchmarks used in setting out the Works till date of submission of final bill under the Contract, unless the Engineer- in-Charge directs otherwise.
28	Methodology of Execution & Equipment Mobilisation
28.1	Methodology of execution and the work plan adopted by Contractor shall match the methodology/requirements specified in Technical Specifications.
28.2	The suggested minimum plant & equipment and machinery to be deployed by the Contractor for the execution of Work shall be as given in Technical Specifications
28.3	The Contractor shall arrange at his own expense all tools, plant and equipment (hereinafter referred to as T & P) and crane required for execution of the Work, except as otherwise specified in SCC at rates and on terms specified therein
28.4	The Contractor shall arrange at his own expense all tools, plant and equipment including Crane(s) (hereinafter referred to as T&P) required for execution of the work
28.4.1	If the Contractor requires any item of T&P on hire from the Corporation, the corporation will, if such item is available, hire it to the Contractor at an hourly rate to be fixed by the Engineer-in-Charge.
28.4.2	The T&P shall be given to the Contractor on hire by the Corporation for a period of one hour or its multiple thereof. In case the T&P is hired by the Contractor for a period of four hours or less, the hire charges applicable for a minimum period of four hours shall be recovered from the Contractor's bills. In case the T&P is hired by the Contractor for a period exceeding four hours, the hire charges shall be calculated based on the charges applicable as per hourly rate. The hire charges in respect of T&P given on hire to the Contractor by the Corporation shall be recovered from the Contractor's bills.
28.4.3	For accounting purpose, total working hours shall be considered to be the period between time of placement of T&P to the Contractor at the requested location and time of release of the same. This shall be logged in Record Book on daily basis and shall be signed between Contractor/ Subcontractor and the Engineer - incharge or his authorised representative. In case the T&P issued to the Con tractor is not owned by the Corporation but hired from another agency, the authorised representative of the agency providing the T&P will also sign the said Record Book. In case the Contractor contests correctness of any entry and/or fails to sign the Record Book the decision of the Engineer- in-Charge shall be final and binding on him. Hire charges shall be calculated in accordance with the entries in the Record Book.
28.4.4	The Contractor will be exempted from levy of any charges for the number of days
Standard	d Ridding Document for O&M Works SECTION-III (GCC) Page 48 of 73

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>48</b> of 73	

	he is called upon in writing by the Engineer- in-Charge to suspend execution of the work, provided Corporation's T&P/T&P hired by the Corporation in question has, in fact, remained idle with the Contractor because of the suspension, provided the Contractor, in case the period of suspension exceeds 11 days, returns Corporation's T&P/T&P hired by the Corporation to the place from where it was issued.			
28.5.1	T&P owned by Corporation			
	The hire charges shall be as per NTPC guidelines and are to be borne by the Contractor. The Contractor shall permit the Engineer-in-Charge to carry out periodical maintenance of Corporation's T&P in accordance with the provision there for in the aforesaid Schedule, and there will be no deduction in hire charges for the period spent on such maintenance.			
	However, the Contractor shall be allowed to return the tools and plants (issued by the Corporation) for purposes of repairs and for the duration of such repairs no hire charges shall, be levied.			
	The Contractor shall be responsible for care and custody of Corporation's T&P (including employment of chowkidars) during the period Corporation's T&P remain with him and any damage (fair wear and tear excepted) to any of the equipment (except for Excepted Risks provided always the Contract or has taken precautions necessary to protect it from such risks) shall be made good at the Contractor's expense to the satisfaction of the Engineer- in-Charge unless such damage is caused because of negligence of crew provided by the Corporation.			
28.5.2	T&P hired by the Corporation			
	The hourly hiring rate for T&P hired by the Corporation from another agency and issued to Contractor shall be all inclusive rate including the cost of hiring, operation & maintenance charges, fuel charges and other charges.			
28.6	The Corporation gives no guarantee in respect of output of T&P hired to the Contractor and no reduction in rates or any compensation shall be allowed on the ground that out turn or performance of Corporation's T&P/T&P hired by the Corporation was not to the Contractor's expectation.			
28.7	The T&P hired to the Contractor shall be returned at the place of issue by the Contractor to the Engineer- in-Charge (unless otherwise directed) on execution of the work or section of the work at the end of the day. In case the T&P is used by the Contractor in continuation of previous requisition and the crane has not moved out of his work area, then the movement of crane for fresh requisition(s) by the Contractor within his work area shall be to the Contractor's account.			
28.8	The Corporation shall be entitled to terminate the hire without assigning any reason whatsoever and the Contractor shall have no claim to any payment of compensation or otherwise whatsoever on account of termination of hire of T&P issued by the Corporation. On termination of the hire by the Corporation, the Contractor shall return the T&P at the place of issue unless otherwise directed by the Engineer - in- Charge.			
29.	Patent Indemnity			
Standard	Bidding Document for O&M Works SECTION-III (GCC) Page <b>49</b> of 73			

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>49</b> of 73	

29.1	The Contractor shall indemnify and hold harmless the Employ er and its employees and officers from and against any and all suits, actions or administrative proceedings, claims, demands, losses, damages, costs, and expenses of whatsoever nature, including attorney's fees and expenses, which the Employer may suffer a s a result of any infringement or alleged infringement of any patent, utility model, registered design, trademark, copyright or other intellectual property right registered or otherwise existing at the date of the Contract in the performance of the Contract.
29.2	In the event of any claim being made or action being brought against the Employer or its representatives or its employees, in respect of any such matters as aforesaid, the Contractor shall immediately be notified thereof. However, such indemnity s hall not apply when such infringement has taken place in complying with the specific directions issued by the Employer; but the Contractor shall pay any royalties or other charges payable in respect of any such use, the amount so paid being reimbursed to the Contractor only if the use was as a result of any drawings and/or specifications issued after the award of Contract by the Employer, provided further that the Contractor has brought to the notice of the Engineer-in-Charge, of such infringement immediately upon the instructions of the Engineer-in-Charge or upon the Contractor becoming aware of such infringement.
30.	Materials for the performance of the Contract
a)	<ol> <li>Materials to be provided by the Contractor</li> <li>The Contractor shall at his own expense, provide all materials required for the Works other than those which are to be issued by the Employer. Works other than those which are to be issued by the Employer.</li> </ol>
	2. All materials to be provided by the Contractor shall be in conformity with the specifications laid down in the Contract and the Contractor shall. If requested by the Engineer- in-Charge, furnish proof to the satisfaction of Engineer-in-Charge that the materials so comply.
	3. Wherever required by the Engineer- in-Charge, the Contractor shall, at his own expense and without delay, provide samples of materials proposed to be used in the Works. The Engineer- in- Charge shall within seven(7) days thereafter orwithin such further period as he may require, intimate to the Contractor in writing, whether samples are approved by him or not. If samples are not approved, the Contractor shall forthwith arrange for fresh samples complying with the Technical specifications laid down in the Contract, for approval.
	4. The Engineer-in-Charge shall have full powers to require removal of any or all of the materials brought to site by the Contractor which are not in accordance with the Contract specifications or do not conform in character or quality to samples approved by him. In case of default on the part of the Contractor in removing rejected materials, the Engineer- in-Charge shall be at liberty to have them removed by other means. The Engineer-in-Charge shall have full powers to order the Contractor to provide other proper

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>50</b> of 73	

	materials to be substituted for rejected materials and in the event of the Contractor refusing to comply, hemay cause the same to be supplied by other means. All costs, which may attend upon such removal and/or substitution, shall be borne by the Contractor.		
	5. The Engineer-in-Charge shall be entitled to have tests carried out as specified in the Contract for any materials supplied by the Contractor other than thosefor which, as stated above, satisfactory proof has already been furnished, at the cost of the Contractor and the Contractor shall provide at his expense all facilities which the Engineer-in-Charge may reasonably require for the purpose. If no tests are specified in the Contract, and such tests are required by the Engineer- in-Charge, the Contractor shall provide all facilities required for the purpose and the charges for these tests including the cost of materials consumed/used in such tests shall be to the account of Employer, except if the tests disclose that the said materials are not in accordance with the provision of the Contract, then the same shall be to the account of the Contractor.		
	6. All charges on account of GST, other taxes and levies on materials obtained for the Works from any source (excluding materials issued by the Employer) shall be borne by the Employer except Seigniorage Fee or Royalties or cess or other charges payable on the quarried or mined metal, minerals or minor minerals		
(b)	Materials to be issued by the Employer:		
(i)	Materials to be issued by the Employer free of cost		
	The Employer, if so stipulated in SCC, may issue material to the Contractor free of cost for incorporation in the Works as per the terms and conditions specified in the SCC/Technical Specifications.		
(ii)	Materials to be issued by the Employer on chargeable basis  If after the award of the Contract, the Contractor desires the Employer to issue/supply any other materials, for the purposes of the Contract such materials may be issued by the Employer, if available, at rates and terms and conditions to be fixed by the Engineer -in-Charge. The Employer reserves the right not to issue any such materials. The non- issue of such materials will not entitle the Contractor for any compensation whatsoever either in time or in cost.		
(c)	General		
	<ol> <li>Materials required for the Works, whether brought by the Contractor or issued by the Employer, shall be stored by the Contractor only at places approved by the Engineer-in-Charge. Storage and safe custody of material shall be the responsibility of the Contractor.</li> </ol>		
	2. Engineer-in-Charge shall be entitled at any time to inspect and examine any materials intended to be used in or on the Works, either on the Site or at factory or workshop or other place(s) where such materials are assembled, fabricated, manufactured or at any place(s) where these are lying or from which these are being obtained and the Contractor shall give		
Standard	Bidding Document for O&M Works SECTION-III (GCC) Page <b>51</b> of 73		

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>51</b> of 73	

	such facilities as may be reasonably required for such inspection and examination.
	3. All materials brought to the Site shall not be removed off the Site without the prior written approval of the Engineer- in-Charge. But whenever the Works are finally completed and advance, if any, in respect of any such material is fully recovered, the Contractor shall at his own expense forthwith remove from the Site all surplus material originally supplied by him.
	4. The Employer may issue all the materials agreed to be issued to the Contractor under the Contract, at its site stores. All other costs such as loading, unloading, transportation to Contractor's godown, storage etc. till the materials are incorporated in the Works or returned to the Employer shall be to the account of the Contractor.
	5. All materials issued to the Contractor, by the Employer for incorporation or fixing in the Works (including preparatory work) shall, on completion or on termination of the Contract, be returned by the Contractor at his expense, at the Employer's store, after making do allowance for actual consumption, reasonable wear and tear and/or waste. If the Contractor is required to deliver such materials at a place other than the Employer's store, he shall do so and the transportation charges from the Site to such place, less the transportation charges which would have been incurred by the Contractor, had such materials been delivered at the Employer's store, shall be borne by the Employer.
31	Quality Assurance Programme
31.1	Sampling, testing and quality assurance requirements shall be as given in Technical Specifications & Scope of Work.
	reclinical opecinications & ocope of work.
31.2	All costs associated with testing of materials required as per Technical Specifications & Scope of Work shall be deemed to be included in Contract rates/prices in the Bill of Quantity (BOQ).
31.2	All costs associated with testing of materials required as per Technical Specifications & Scope of Work shall be deemed to be included in Contract
	All costs associated with testing of materials required as per Technical Specifications & Scope of Work shall be deemed to be included in Contract rates/prices in the Bill of Quantity (BOQ).
32.	All costs associated with testing of materials required as per Technical Specifications & Scope of Work shall be deemed to be included in Contract rates/prices in the Bill of Quantity (BOQ).  Inspection and Approval  All Works shall be subject to examination and approval at each stage thereof and the Contractor shall give due notice to the Engineer -in-Charge or his authorised representative when each stage is ready. In default of such notice, the Engineer-

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>52</b> of 73

	required by the Engineer-in-Charge, uncover such work at his own expense.		
32.3	The Engineer- in-Charge or his authorised representative shall have powers at any time to inspect and examine any part of the Works and the Contractor shall give such facilities as may be reasonably required for such inspection and examination.		
32.4	The Contractor shall uncover any part of the Works and/or ma ke openings in or through the same as the Engineer- in-Charge may from time to time direct for his verification and shall reinstate and make good such part to the satisfaction of the Engineer-in-Charge.		
32.5	The additional & specific inspection and approval requirements in respect of the Works are detailed further in the Technical Specifications.		
33.	Records and Measurement		
33.1	The Engineer- in-Charge shall, except as otherwise stated, ascertain and determine by measurement the value of the Work done in accordance with the Contract.		
33.2	All items having a financial value shall be entered in Measurement Book, level book, etc. prescribed by the Engineer-in-Charge so that a complete record is obtained of all Work performed under the Contract.		
33.3	Measurements shall be taken jointly by the Engineer-in-Charge or his authorised representative and the Contractor or his authorised representative.		
33.4	Before taking measurements of any Work the Engineer- in- Charge or his authorised representative for the purpose shall give a reasonable notice to the Contractor. If the Contractor fails to attend or send his authorised representative for taking the measurements after such a notice or fails to countersign or to record the objection, if any, within a week from the date of measurement, then in any such event measurements taken by the Engineer-in-Charge or his authorised representative shall be taken to be correct measurements of the Work.		
33.5	The Contractor shall, without extra charge, provide assistance with ever y appliance, labour etc. necessary for taking measurements.		
33.6	Measurements shall be signed and dated by both parties each day on the Site on completion of measurement. If the Contractor objects to any of the measurements recorded, a note to that effect shall be made in the Measurement Book against the item objected to and such note shall be signed and dated by both parties engaged in taking the measurement. The decision of the Engineer - in- Charge on any such dispute or difference or interpretation shall be final and binding on both the parties and shall be beyond the scope of the provisions of settlement of disputes under the Contract.		
33.7	Based on the above measurements, NTPC shall enter the same in SAP. A printout of the SAP records shall be taken for Running bill(s) and Final Bill and jointly signed by Engineer-in-Charge or his authorised representative and the Contractor or his authorised representative for the purpose of performance, payment and records.		
Standar	rd Bidding Document for O&M Works SECTION-III (GCC) Page <b>53</b> of 73		

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>53</b> of 73	

34.	Methods of Measurement		
34.1	Measurement of Contract items of Work shall be taken in accordance with method of Measurement stipulated in the Technical Specifications/ Bill of Quantities (BOQ). In case of extra items, the Engineer- in-Charge shall also specify the method of measurement for such items at the time of his order for execution of such extra items.		
34.2	In case no method of measurement is stipulated in Technical Specifications/ Bill of Quantity (BOQ)/ Order of the Engineer- in-Charge, then the Method of Measurement of such items shall be as per the relevant Standard Method of Measurement issued by Indian Standards Institution or general industry practice/local custom.		
35.	Temporary / Enabling Works		
35.1	Temporary / Enabling Works as specified in the Technical Specifications or as directed by the Engineer-in-charge for the proper execution of the Works shall be carried out by the Contractor. These Works shall be executed by the Contractor at his own cost.		
35.2	All equipment, labour, materials including cement, reinforcement and the structural steel required for the Enabling Works associated with the entire Contract shall have to be arranged by the Contractor only. Nothing extra shall be paid to the Contractor on this account and the unit rates quoted by the Contractor on this account and the unit rates quoted by the Contractor for various items in the Bill of Quantities (BOQ) shall be deemed to include the cost of Enabling Works.		
35.3	The Contractor shall make his own arrangement for movement of men, machinery other requirement etc. required for carrying out the Work included under this Contract.		
36.	Urgent Works		
	If any Urgent Work becomes necessary and the Contractor is unable or unwilling at once to carry it out, the Engineer-in-Charge may by his own or other means, carry it out as he may consider necessary. If the Urgent Work shall be such as the Contractor is liable under the Contract to carry out at his expenses all expenses, incurred on it by the Employer shall be recoverable from the Contractor and be adjusted or set off against any sum payable to him.		
37	Power & Water Supply and boarding and lodging of employees/ labour / staff		
37.1.1	The Contractor shall advise the Engineer- in- Charge, within seven (7) days from the date of acceptance of the Letter of Award/Service Purchase Order, about his exact requirement of space for his office, storage area, preassembly and fabrication areas etc. The above requirement shall be reviewed by the Engineer - in- Charge and space as decided by him will be allotted for his use as well as his Su b- Contractor's use. The Employer does not guarantee uninterrupted power supply.		
37.1.2	The Contractor shall have to make arrangements for boarding and lodging of his employees/labour/staff at his own cost. NTPC shall NOT be providing any facility for the stay of employees/labour/staff. He shall not be entitled to any payment on		
Standard	Bidding Document for O&M Works SECTION-III (GCC) Page <b>54</b> of 73		

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>54</b> of 73	

	account of the expenditure incurred for boarding and lodging of employees/labour/staff. However, NTPC may provide any facility if available on fully chargeable basis.		
37.2	Supply of Unfiltered Water for construction/maintenance/repair work only		
37.2.1	Unless otherwise stated in SCC, the Contractor shall draw water from the water supply mains provided in the project at suitable points to be indicated by the Engineer-in-Charge. All pipe lines, pumps and other accessories required for taking the water from the mains to the site of Work shall be provided by the Contractor at his own cost. He shall not be entitled to any payment on account of the expenditure incurred in providing the pipe lines, pumps, etc. No charges will be levied on the Contractor for the water drawn by him for the purpose of the construction/maintenance/repair work.		
37.2.2	The Employer does not guarantee the maintenance of uninterrupted supply of water and in case of any interruptions of such supply of water; the Contractor shall be responsible for making at his own cost alternative arrangements for water. The Engineer-in-Charge also reserves the right to limit the quantity of water to be allowed to be drawn by the Contractor.		
37.2.3	No claim for damages will be entertained by the Employer on account of interruption of water supply or limitation of quantity of water as aforesaid or on account of the water so supplied being not fit for construction purposes or on any other account in connection with such water supply.		
37.2.4	It will be the responsibility of the Contractor to adequately treat the water at his cost before use for the intended purpose.		
37.2.5	Where the Contractor makes his own arrangements for water required for the Work, nothing extra shall be paid for the same. He should make arrangements for storage of sufficient quantity of water required for at least a day's work.		
38	Site testing equipments and facilities		
38.1	As part of the Contract, the Contractor shall provide and maintain testing equipments and facilities for testing of materials and work executed under the direction and general supervision of the Engineer- in- Charge. The testing equipments should establish meeting of requirements detailed in the Technical specifications and scope of work and should have valid calibration certificate.		
38.2	All equipments shall be provided by the Contractor so as to be compatible with the testing requirements specified. The Contractor shall maintain the equip ment in good working condition for the duration of the Contract.		
38.3	The Contractor shall provide approved qualified personnel to operate and maintain the testing equipments and facilities for testing of materials and work executed for the duration of the Contract. The number of staff and equipment available must at all times be sufficient to keep pace with the sampling and testing programme as required by the Engineer-in-Charge.		
38.4	The Contractor shall re-calibrate all measuring devices whenever so required by the Engineer-in-Charge and shall submit the results of such measurements without delay.		
Standard	Bidding Document for O&M Works SECTION-III (GCC) Page <b>55</b> of 73		

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>55</b> of 73	

39.	Completion Certificate		
39.1	As soon as the Work is completed, the Contractor shall give notice of such completion to the Engineer- in-Charge and within fourteen (14) days of receipt of such notice the Engineer- in- Charge shall inspect the Work and shall furnish the Contractor with a certificate of completion indicating (a) date of completion, (b) defects, if any, in the Work to be rectified by the Contractor and/or (c) items, if any, for which payment shall be made at reduced rates. When separate periods of completion have been specified for items or groups of items, the Engineer - in-Charge shall issue separate completion certificates for such item or groups of items. No certificate of completion shall be issued nor shall the Work be considered to be complete till the Contractor shall have removed from the premises on which the Work has been executed all scaffolding, sheds and surplus materials (except such as are required for rectification of defects), and the like to the satisfaction of Engineer - in-Charge. If the Contractor fails to comply with any of the requirement of the conditions as aforesaid, on or before the date of completion of the Works, the Engineer- in- Charge may, at the expense of the Contractor fulfil such requirements and dispose of the scaffoldings, surplus materials and rubbish etc. as he thinks fit and recover the cost after giving due credit for the realised amount. The term 'completion' used herein means the physical completion of the Work and in no way means to con note the quality or time of performance of the Work.		
	In case of Period Contracts/ Maintenance Contract(s), the Contractor shall give notice of such completion to the Engineer- in-Charge seven (7) days prior to the day of completion. On receipt of such notice the Engineer- in- Charge shall inspect the Work and shall furnish the Contractor with a certificate of completion indicating (a) date of completion, (b) defects, if any, in the Work to be rectified by the Contractor and/or (c) items/ services, if any, for which payment shall be made at reduced rates before the expiry of contract period.		
39.2	If at any time before completion of the entire Work, items or groups of items for which separate periods of completion have been specified, have been completed, the Engineer-in-Charge can take possession of any part or parts of the same (any such part(s) being hereinafter in this Condition referred to as 'the relevant part') notwithstanding anything expressed or implied elsewhere in this Contract.		
39.3	In case of such taking over of possession by Engineer -in Charge of the said item or group of items, the following shall govern:		
39.3.1	Within twenty-eight (28) days of request by the Contractor, the Engineer-in-Charge shall issue completion certificate for the relevant part as in GCC Sub - Clause 39.1 above provided the Contractor fulfils his obligations under that Condition for the relevant part.		
39.3.2	The Defects Liability Period in respect of such items and the relevant part shall be deemed to have commenced from the certified date of completion of such items or the relevant part as the case may be.		
39.3.3	The Contractor may reduce the value insured under GCC Clause entitled 'Contractor's Liability and Insurance' to the extent of the value of the completed		
Standar	d Bidding Document for O&M Works SECTION-III (GCC) Page <b>56</b> of 73		

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>56</b> of 73

39.3.4	items or relevant part as estimated by the Engineer - in- Charge and notified for this purpose. This estimate shall be applicable for this purpose only and for no other.  For the purposes of ascertaining liquidated damages for delay under GCC Sub -	
	Clause 25.5 in respect of any period during which the Works are not complete the relevant part will be deemed to form a separate item or group, with date of completion as given in the Contract or as extended under GCC Sub- Clause 25.2 and actual date of completion as certified by the Engineer - in- Charge under this Clause.	
E.	Defects Liability	
40.	Liability for Damage, Defects or Imperfections and Rectification thereof	
	If the Contractor or his workmen or employees shall damage or destroy any part of the building/structure in which they may be working or any building, road, fence etc. contiguous to the premises on which the Work or any part of it is being executed, or if any damage shall happen to the Work while in progress, the Contractor shall upon receipt of a notice in writing in that behalf make the same good at his own expense. If it shall appear to the Engineer- in-Charge or his representative at any time during construction or re-construction or prior to the expiration of the Defects Liability Period, that any work has been executed with unsound, imperfect or unskilled workmanship or that any materials or articles provided by the Contractor for execution of the Work are unsound or of a quality inferior to that contracted for, or otherwise not in accordance with the Contract, or that any defect, shrinkage or other faults have appeared in the Work arising out of defective or improper materials or workmanship, the Contractor shall, upon receipt of a notice in writing in that behalf from the Engineer- in-Charge, forthwith rectify or remove and re-construct the work so specified in whole or in part, as the case may require or as the case may be, and/or remove the materials or articles so specified and provide other proper and suitable materials or articles at his own expense, notwithstanding that the same may have been inadvertently passed, certified and paid for and in the event of his failing to do so within the period to be specified by the Engineer- in- Charge in his notice aforesaid, the Engineer-in- Charge may rectify or remove and re-execute the work and/or remove and replace with others, the materials or articles complained of, as the case may be, by other means at the risk and expense of the Contractor	
41.	Defects Liability Period	
	Unless otherwise specified in the Technical Specifications and Scope of Work SCC, the Contractor shall be responsible to make good and remedy at his own expense within such period as may be stipulated by the Engineer- in-Charge, and defect which may develop or may be noticed before the expiry of twelve (12 months from the certified date of completion.	
F.	Risk Distribution	
42.	Employer's and Contractor's Risks and Insurance	
42.1	The Employer carries the risks which this Contract states as Employer's risks, and the Contractor carries risks which this Contract states as Contractor's risks, under	
Standar	d Ridding Document for O&M Works SECTION-III (GCC) Page <b>57</b> of 73	

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>57</b> of 73

	this clause.
42.2	Irrespective of the Employer's Risks or Contractor's Risks the Contractor shall execute the Works as per Contract and as directed by Engineer- in-Charge.
42.3	Employer's Risks
42.3.1	The 'Excepted Risks' are
	(1) In so far as they occur in the Union of India and directly affect the execution of the Works:
	(a) war and hostilities (whether war be declared or not), invasion, act of foreign enemies.
	(b) Rebellion, revolution, insurrection or military or usurped power or civil war.
	<ul><li>(c) riot, commotion or disorder, unless solely restricted to employees of the Contractor or of his sub-contractors and arising from the conduct of the Works;</li></ul>
	(d) ionizing radiations, or contamination by radio activity from any nuclear fuel, or from any nuclear waste from the combustion of nuclear fuel, radioactive, toxic, explosive, or other hazardous properties of any explosive, nuclear assembly or nuclear component;
	(e) pressure waves caused by aircraft or other aerial devices traveling at sonic or supersonic speed;
	(f) any operation of the forces of nature, which is unforeseeable or against which an experienced contractor could not reasonably have been expected to have taken adequate precautions or
	(2) A cause due to the design of the Works, other than the Contractor's design.
42.3.2	In the event of any loss or damage to the Works or any part thereof and/or to any materials or articles at the Site from out of any occurrence of Excepted Risks, the following provisions shall have effect:
	a) The Contractor shall, as may be directed in writing by the Engineer -in- Charge, remove from the Site any debris and so much of the Works as shall have been damaged, take the same to the place identified by the Employer, at the Employer's cost.
	b) The Contractor shall, as may be directed in writing by the Engineer-in- Charge, proceed to rectify, repair, reconstruct or replace the damaged articles, materials and the Works under and in accordance with the Conditions of the Contract at the Employer's cost.
42.3.3	The Contractor shall not be entitled to payment under the above provisions in respect of so much loss or damage as has been occasioned by any failure on his part to perform his obligations under the Contract or not taking precautions to
Ctondore	Bidding Document for O&M Works SECTION-III (GCC) Page <b>58</b> of 73

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>58</b> of 73	

	prevent loss or damage or minimize the amount of such loss or damage.		
42.4	Contractor's Risks		
42.4.1	All risks of loss of or damage to the physical property and of personal injury and death, which arise during and in consequence of the performance of the Contract, other than those covered under the Excepted Risks at sub-clause 42.3.1, will be the liability of the Contractor, except as otherwise provided in the Contract.		
42.4.2	From commencement to completion of the Works, the Contractor shall take full responsibility for the care thereof and for taking precautions to prevent loss or damage and to minimize loss or damage to the greatest extent possible and shall be liable for any damage or loss that may happen to the Works or any part thereof from any cause whatsoever ( save and except due to Excepted Risks) and shall at his own cost repair and make good the same so that at completion, the Works shall be in good order and condition and in conformity in every respect with the requirements of the Contract and instructions of the Engineer-in-Charge.		
42.4.3	The Contractor shall indemnify and keep indemnified the Employer against all losses and claims for injuries or damage to any person or any property whatsoever which may arise out of or in consequence of the construction and maintenance of the Works and against all claims, demands, proceedings, damages, costs, charges and expenses whatsoever in respect of or in relation thereto; Provided always that nothing herein contained shall be deemed to render the Contractor liable for or in respect of or to indemnify the Employer against any Compensation or damage caused by any occurrence of the Excepted Risks.		
42.5	Insurance		
42.5.1	Before commencing the execution of the Works, the Contractor shall, without in any way limiting his obligations and responsibilities under this clause, indemnify the Employer against any damage/ loss or injury which may occur to his property and personnel, to any third-party property and third person by or arising out of carrying out of the Contract, except due to reasons of 'Excepted Risks'.		
42.5.2	Towards this end, the Contractor shall arrange adequate insurance coverages the joint names of the Employer and the Contractor and/or Sub-contractor, for the date of commencement of the Work to the end of the Defects Liability Per to the nature and content, amounts and deductibles as further elaborated detailed in the SCC for the following events which interalia will include following:		
	<ul> <li>(i) loss of or damage to the Contractor's T&amp;P</li> <li>(ii) loss of or damage to the property other than Works including those of third parties; and</li> <li>(iii) Injury or death of personnel belonging to the Contractor or any other party.</li> </ul>		
42.5.3	Contractor shall ensure that the insurance coverage of the above policies include any loss or damage to his Staff, Supervisors, Engineers and others who are not covered by Workmen Compensation Act. Alternatively, the Contractor will take suitable additional or separate insurance policies to cover the same.		
Standard	Bidding Document for O&M Works SECTION-III (GCC) Page <b>59</b> of 73		

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>59</b> of 73	

42.5.4	The Contractor shall necessarily take Workmen Compensation Policy and Third Party Liability Policy. The third party liability policy shall be for value specified in the Technical Specifications & Scope of Work/SCC.		
42.5.5	The Policies and certificate for insurance shall be delivered by the Contractor to the Engineer-in-Charge for the Engineer- in-Charge's approval before the date of commencement of the Works.		
42.5.6	The aforesaid insurance policy/policies shall provide that they shall not be materially modified/ cancelled till the Engineer- in-Charge has agreed to such modification or cancellation in writing.		
42.5.7	Upon grant of the time extension by the Engineer- in-Charge, it is understood that the Contractor's liability of indemnity will be extended suitably without any further action by the Employer and the Contractor shall promptly furnish documentary evidence to Engineer-in-Charge towards extension of insurance policies for the period of time extension.		
42.5.8	The Contractor shall ensure that wherever applicable, his Sub-Contractor(s) shall take out and maintain in effect adequate insurance policies for their personnel, vehicles, T&P and property other than Works including those of third parties for the part of the Works executed by them under the Contract, unless such Sub-Contractors are covered by the policies taken out by the Contractor.		
42.5.9	It shall be the responsibility of the Contractor to take the insurance cover for all his liabilities. However, if the circumstances warrant, Employer may, without being bound to, effect and keep in force any such insurance coverage and pay such premium or premiums, as may be necessary for that purpose from time to time and deduct the amount so paid by the Employer from any monies due or which may become due to the Contractor or recover the same as a debt due from the Contractor.		
	The Contractor shall extend support to NTPC for lodging of claims for its ow n material with the insurers for claim against Policies taken by NTPC.		
43.	Force Majeure		
43.1	Definition of Force Majeure		
43.1.1	"Force Majeure" shall mean any event beyond the control of the Employer or of the Contractor, as the case may be, (but excluding 'Excepted Risks', which shall be dealt in accordance with GCC Clause entitled "Employer's Risks") and which they could not foresee or with a reasonable amount of diligence could not have foreseen and which substantially affect the performance of the Contract.		
43.1.2	Notwithstanding the generality of the above, the following events shall be termed as Force Majeure events in respect of the Contract		
	(i) terrorist acts,		
	(ii) confiscation, nationalization, mobilization, commandeering or requisition by or under the order of any government or de jure or de facto authority or ruler or any other act of failure to act of any local state or national government		
Standard	d Bidding Document for O&M Works SECTION-III (GCC) Page <b>60</b> of 73		

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>60</b> of 73	

	authority,
	(iii) national/sectoral/illegal strike, sabotage, lockout, embargo, import restriction, port congestion, lack of usual means of public transportation and communication, industrial dispute, shipwreck, epidemics, quarantine and plague.
43.2	Notice of Force Majeure
43.2.1	If either party is prevented, hindered or delayed from or in performing any of its obligations under the Contract by an event of Force Majeure, then it shall notify the other in writing of the occurrence of such event and the circumstances thereof within fourteen (14) days after the occurrence of such event.
43.2.2	The party who has given such notice shall be excused from the performance or punctual performance of its obligations under the Contract for so long as the relevant event of Force Majeure continues and to the extent that such party's performance is prevented, hindered or delayed. The Time for Completion shall be extended in accordance with GCC Clause 25.4 (Extension of Time for Completion).
43.2.3	Notwithstanding any other provision of the Clause, Force Majeure shall not apply to any obligations of the Employer to make payments to the Contractor herein.
43.3	Duty to Minimize Delay
43.3.1	The party or parties affected by the event of Force Majeure shall use reasonable efforts to mitigate the effect thereof upon its or their performance of the Contract and to fulfill its or their obligations under the Contract, but without prejudice to right to terminate the Contract.
43.4	Consequence of Force Majeure
43.4.1	If the Contractor is prevented from performing its obligations under the Contract by reason of Force Majeure of which notice has been given under Sub-Clause 43.2.1, and suffers delay by reason of such Force Majeure, the Contractor shall be entitled to an extension of time for any such delay, if the Completion is or will be delayed, in accordance with GCC Sub- Clause entitled "Extension of Time for Completion".
43.4.2	No delay or nonperformance by either party hereto caused by the occurrence of any event of Force Majeure shall
	<ul><li>a) constitute a default or breach of the Contract,</li><li>b) give rise to any claim for damages or additional cost or expense occasioned thereby</li></ul>
	If and to the extent that such delay or nonperformance is caused by the occurrence of an event of Force Majeure.
43.5	Termination for reasons due to extended Force Majeure
	Reidding Document for ORM Works SECTION III (GCC) Page 61 of 72

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>61</b> of 73	

43.5.1	for a single period of more that than one hundred and forty (agreed to between the parties during the currency of the Con	If the performance of the Contract is substantially prevented, hindered or delayed for a single period of more than seventy (70) days or an aggregate period of more than one hundred and forty (140) days or any such extended period as may be agreed to between the parties on account of one or more events of Force Majeure during the currency of the Contract, the parties will attempt to develop a mutually satisfactory solution, failing which either party may terminate the Contract by giving a notice to the other.		
43.5.2	In the event of termination pu obligations of the Employer an			
	executed by him (b) The Employer shall facilities/materials or	I have an option to tak	tes for the work already te over the Contractor's t to site, at such rates as -Charge.	
43.5.3	In the event of any disagreemed 42.5.2, the dispute shall be "Settlement of Disputes".			
G	Changes in Contract Elemen	t		
44.	shall be obtained before any ce the Contractor is an individual approval as aforesaid shall like any partnership firm which we undertaken by the Contractor. Contract shall be deemed to he Clause 47.3 hereof and the sar	Changes in Constitution:  Where the Contractor is a partnership firm, prior approval in writing of the Employer shall be obtained before any change is made in the constitution of the firm. Where the Contractor is an individual or a Hindu Undivided Family business concern such approval as aforesaid shall likewise be obtained before the Contractor enters into any partnership firm which would have the right to carry out the Work hereby undertaken by the Contractor. If prior approval as aforesaid is not obtained, the Contract shall be deemed to have been assigned in contravention of GCC Sub-Clause 47.3 hereof and the same action may be taken and the same consequences shall ensue as provided for in the said GCC Sub-Clause 47.3		
45.	Powers of Engineer- in-Char /Substitutions	ge for alterations / omis	sions /additions	
45.1				
45.2	Permissible deviation limit f	or variations in Contract	Items	
Standar	d Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>62</b> of 73	

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>62</b> of 73	

45.2.1	For Contracts Other than overhauling	
70.2.1	In case of items of Work, quantities of which may change due to Site Conditions or any other reasons, the permissible limit of deviations over the original value of each item will be (+)20% for contracts other than those for overhauling. All the quantities of any item actually executed from 0 - 120% of the Contract quantity (0 to 1.2 times the quantity) will be payable at Contract rates for while the rates for the quantities above 120% of Contract quantity (1.2 times the Contract quantity) will be subject to review/revision.	
45.2.1.2	For Contracts for overhauling	
	In case of items of Work, quantities of which may change due to Site Conditions or any other reasons, the permissible limit of deviations over the original value of each item will be (+)50% for contracts for overhauling. All the quantities of any item actually executed from 0 -150% of the Contract quantity (0 to 1.5 times the quantity) will be payable at Contract rates for while the r ates for the quantities above 150% of Contract quantity (1.5 times the Contract quantity) will be subject to review/revision.	
45.2.2	In case the Bill of Quantities (BOQ) contains sub- items of Work under a Main Item, then the above permissible limits of deviation shall be applicable on the value of each such sub-item and not on the entire value of the Main Item.	
45.2.3	The deviations up to the above permissible limits shall be carried out by the Contractor at the same rates and terms as per the Contract.	
45.2.4	Rates of Items of Work derived on the basis as detailed in GCC Sub- Clause 45.2 shall not be eligible for price adjustment.	
45.3	Methodology for Determination of Rates for variations of Contract Items beyond the permissible deviation limits	
45.3.1	For Contract Items which exceed the limits over the original v alue of that item as mentioned in GCC Sub-Clause 45.2.1 above, the Contractor may, within fourteen (14) days of the date of receipt of the order to carry out the said work, inform the Engineer-in-Charge of the rate which he proposes to claim for such item(s) of Work on Market Rate(s) basis, supported by analysis of the rate claimed and the relevant documents to substantiate the same. While working out the rates on the basis of market rate, 10% (Ten percent) of the rate to cover all overheads and profits of the Contractor shall be considered. The Engineer-in- Charge shall, within seventy (70) days thereafter, after giving due consideration to the rate(s) claimed by the Contractor, determine the rate(s), in consultation with the Contractor, on Market Rate(s) basis. In the event of disagreement between the Engineer -in-Charge and Contractor, even after the said seventy (70) days from the date of submission of claims of the rate(s) by the Contractor, the Engineer -in-Charge within a further period of twenty-one (21) days thereafter, shall fix the rate(s)/price(s) as are, in his opinion appropriate. The rate(s)/price(s) so fixed shall be notified to the Contractor and shall be final and binding.	
45.3.2	If the Engineer- in- Charge fails to determine and notify the rate(s)/price(s) even after expiry of the said twenty-one (21) days, then the Contractor will be at liberty to refer the matter for resolution to the Employer within a further period of fourteen	

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>63</b> of 73	

	(14) days after the above said twenty one (21) days. If the Employer does not determine and cause the Engineer-in- Charge to notify the rate(s)/price(s), then the matter would be determined in accordance with the provisions of GCC Clause entitled "Settlement of Disputes". However, in the meanwhile, the Engineer- in-Charge will pay for the items of Work executed beyond the permissible deviation limits, at 75% (seventy five percent) of the rate(s)/price(s) claimed by the Contractor with satisfactory supporting documents or at Contract Rate, whichever is less, purely on adhoc and provisional basis subject to adjustment.		
45.3.3	In the event of the Contractor failing to inform the Engineer - in-Charge, within the stipulated period of fourteen (14) days, time, the rate(s) which he proposes to claim, supported by relevant documents to substantiate the same, the rate(s) for such item(s) shall then be determined by the Engineer- in-Charge in consultation with the Contractor ( if he so desires) on the basis of Market Rate(s) within seventy (70) days thereafter. The rate(s) /price(s) so determined shall be notified to the Contractor and shall be final and binding.		
45.3.4	Rates of Items of Work derived on the basis as detailed in GCC Sub - Clause 45.3 shall not be eligible for price adjustment.		
45.4	Methodology for Determination of Rates for Extra Items (Additional, Altered or Substituted Items) of Work		
45.4.1	Rates for Extra Items of Work (comprising of Additional, Altered or Substituted items of Work), shall be determined by the Engineer- in- Charge in the following order:  (i) If the rate(s)/price(s) for extra items occurring in a particular Bill of Quantities (BOQ) are available in other Bill of Quantities (BOQ) forming part of the Contract, the lowest of such rate(s)/ price(s) will be used, subject to the nature of work being comparable.		
	<ul> <li>(ii) If the rate(s) cannot be derived as per (i) above, then</li> <li>(a) In case of contracts with only one Bill of Quantities (BOQ) forming the part of the Contract, the rate(s)/price(s) for the extra item(s) shall be derived from the lowest of any similar item(s) in that Schedule.</li> </ul>		
	(b) In case of contracts with two or more Schedules of Quantities forming a part of the contract, the rates for the Extra Item(s) will be derived from the nearest similar item appearing in the Schedule in which the extra item is to be executed failing which from any other Schedule in which nearest similar item is available, the rate so derived being the lowest of such derived from nearest similar items in those other Schedules and used.		
45.4.2	If the rate for any additional, altered or substituted item of work cannot be determined in the manner specified in GCC Sub-Clause 45.4.1 (i) & (ii) above, the Contractor shall, within fourteen (14) days of the date of receipt of the order to carry out the said Work, inform the Engineer- in- Charge under advice to the Employer of the rate which he proposes to claim for such item(s) of Work on		
Standard	randard Bidding Document for O&M Works SECTION-III (GCC) Page <b>64</b> of 73		

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>64</b> of 73	

	Market Rate(s) basis, support documents to substantiate the market rate, 10% (Ten percent the Contractor shall be consisted (70) days thereafter, after ging Contractor, determine the range Rate(s) basis. In the event of Contractor, even after the sacclaims of the rate(s) by the period of twenty one (21) day opinion appropriate. The rate and shall be final and binding	ne same. While working ouent) of the rate to cover all dered The Engineer- in-Chaing due consideration to te(s), in consultation with f disagreement between the did seventy (70) days from Contractor, the Engineer-its thereafter shall fix the rate (s)/price(s) so fixed shall be	t the rates on the basis of I overheads and profits of harge shall, within seventy the rate(s) claimed by the the Contractor, on Market e Engineer-in-Charge and the date of submission of in-Charge within a further te(s)/price(s) as are, in his
45.4.3	If the Engineer- in- Charge f after expiry of the said twent to refer the matter for resolut (14) days after the above sa determine and cause the Enthe matter would be determine entitled "Settlement of Disputance will pay for the items limits, at 75% (seventy – fix Contractor with satisfactory sis less, purely on adhoc and	y-one (21) days, then the Country the Employer within a caid twenty one (21) days. It is gineer-in- Charge to notify the country and in accordance with the cutes. However, in the means of Work executed beyond we percent) of the rate(supporting documents or at	Contractor will be at liberty a further period of fourteen If the Employer does not the rate(s)/price(s), then provisions of GCC Clause anwhile, the Engineer- inthe permissible deviation proce(s) claimed by the Contract Rate, whichever
45.4.4	In the event of the Contractor failing to inform the Engineer - in-Charge, within the stipulated period of fourteen (14) day time, the rate(s) which he proposes to claim supported by relevant documents to substantiate the same, the rate(s) for sucl item(s) shall then be determined by the Engineer- in-Charge in consultation with the Contractor (if he so desires) on the basis of Market Rate(s) within seventy (70 days thereafter. The rate(s) /price(s) so determined shall be notified to the Contractor and shall be final and binding.		hich he proposes to claim, same, the rate(s) for such harge in consultation with Rate(s) within seventy (70)
45.4.6	Rates for Extra Items of Work, derived on the basis as detailed in GCC States Clause 45.4 above shall not be eligible for Price Adjustment.		
45.5	Work Schedules for variation	on beyond deviation limit	ts & Extra Items
	The Engineer-in-Charge shall finalise a Work Schedule in consultation with the Contractor for items of Work beyond deviation limits and the Extra Items of Work to be executed and the date(s) specified in this agreed Work Schedule shall be considered as the date for working out the Price adjustment amount. The primary consideration by the Engineer-in-Charge while determining the time required for execution of the altered or substituted i tem(s) of Work, would be quantities of the altered or substituted and not the value of altered or substituted item(s) of Work.		
45.6	6 Provisional payments		
	Pending approval of the Rates for Contract Item(s) of Work beyond the permissible deviation limits as well as for Extra Items (Additional, Altered or Substituted item) of Work, provisional payment at an interim rate (75% of the rate/price determined by the Engineer-in-Charge), shall be made to the Contractor after recoveries as		Itered or Substituted item) the rate/price determined
Standard	d Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>65</b> of 73

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>65</b> of 73	

	per terms and conditions of the Contract, in the interest of progress of Work, which shall be regularized after approval of Competent Authority.	
46.	Suspension of Works	
46.1	The Contractor shall, on receipt of the order in writing of the Engineer - in- Charge, suspend the progress of the Works or any part thereof for such time and in such manner as the Engineer-in-Charge may consider necessary for any of the following reasons:	
	(i) On account of any default on part of the Contractor; or	
	(ii) for proper execution of the Works or part thereof for reasons other than the default on the part of the Contractor; or	
	(iii) For safety of the Works or part thereof, for reasons other than those attributable to the Contractor.	
46.2	The Contractor shall, during such suspension, properly protect and secure the Works to the extent necessary and carry out the instructions given in that behalf by the Engineer-in-Charge.	
46.3	If the suspension is ordered for reasons (ii) & (iii) in Sub -Clause 46.1 above, in so far as it concerns suspension of part of the Works or whole of the balance, the Contractor shall be entitled to an extension of time equivalent to the period of suspension plus 25% thereof. The Contractor shall not be eligible for any other compensation whatsoever for such suspension, except as otherwise provided herein under.	
46.4	If the suspension is ordered for reasons (ii) & (iii) in Sub- Clause 46.1 above, as far as it concerns the entire balance of Works on the date of suspension and if such period of suspension cumulatively exceeds twenty-eight (28) days, then in addition to extension of time as in Sub-Clause 46.3 above, the Contractor shall be eligible for compensation, as the Employer may consider reasonable, in respect of salaries and/ or wages paid by the Contractor to his employees and labour at site, remaining idle during the cumulative period of suspension, adding to the total thereof, a reasonable percentage as determined appropriate by the Engineer- in-Charge, to cover indirect expenses and incidentals of the Contractor, provided the Contractor submits his claim supported by details to establish the reasonableness of his claim to the Engineer-in-Charge under advice to the Employer within fourteen (14) days of the expiry of the said twenty-eight (28) days period.	
If for any reason other than for reasons of Contractor's default as per GC Clause 46.1(i) above, if the Contract remains suspended for a continuous exceeding ninety (90) days, then the Employer and the Contractor shall make discuss and agree for a suitable course of action regarding the recommence reinstatement of the suspended work or alternatively treat the suspense termination / abandonment of the Works by the Employer as per GCC Sub-47.1 herein. If out of above discussion it is determined that the Contract be treated as terminated under the provisions of GCC Sub-Clause 47.1, the Contractor shall be eligible for compensation as envisaged in GCC Sub-Clause 47.1.1 herein.		
Standa	rd Bidding Document for O&M Works SECTION-III (GCC) Page <b>66</b> of 73	

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>66</b> of 73	

47.	Termination	
47.1	Termination by the Employer	
	If at any time after award of Contract, the Employer shall decide to abandon reduce the scope of the Works for any reason whatsoever and hence not required the whole or any part of the Works to be carried out by the Contractor, the Engineer- in- Charge shall give notice in writing to that effect to the Contract and the Contractor except as herein under provided, shall have no claim to a payment of compensation or otherwise whatsoever, on account of any profit advantage which he might have derived from the execution of the Works in full I which he did not derive in consequence of the said termination of the whole or p of the Works.	
47.1.1	The Contractor shall be paid at Contract rates full amount for works executed at Site and, in addition, a reasonable amount as certified by the Engineer-in-Charge for the items hereunder mentioned which could not be utilised on the Work to the full extent because of the said termination:	
	(a) Any cost incurred on preliminary site work, e.g. access roads, labour huts, staff quarters and site offices; storage accommodation and water storage tanks, etc.	
	(b) (i) The Employer shall have the option to take over Contractor's facilities/ materials or any part thereof either brought to Site or of which the Contractor is legally bound to accept delivery from suppliers (for incorporation in or incidental to the Work), provided, however, the Employer shall be bound to take over the materials or such portions thereof as the Contractor does not desire to retain. For materials take n over or to be taken over by the Employer, cost of such materials shall, however, take into account purchase price, cost of transportation and deterioration or damage which may have been caused to materials whilst in the custody of the Contractor.	
	(ii) For Contractor's materials not retained by the Employer, reasonable cost of transporting such materials from Site to Contractor's permanent stores or to his other Works, whichever is less. If materials are not transported to either of the said places, no cost of transportation shall be payable.	
	(c) If any materials issued by the Employer are rendered surplus, the same except normal wastage shall be returned by the Contractor to the Employer at rates not exceeding those at which these were originally issued less allowance for any deterioration or damage which may have been caused whilst the materials were in the custody of the Contractor.	
	(d) Reasonable compensation for transfer of Contractor's T&P from Site to Contractor's permanent stores or to his other Works, whichever is less. If T&P are not transported to either of the said places, no cost of transportation shall be payable.	

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>67</b> of 73	

47.1.2	The Contractor shall, if required by the Engineer, in Charge furnish to him was	
47.1.2	The Contractor shall, if required by the Engineer- in-Charge furnish to him wage books, time sheets and other relevant documents as may be reasonably necessary to enable him to certify the reasonableness of the amount payable under this Clause.	
47.2	Termination on Contractor's Death	
47.2.1	47.2.1  If the Contractor is an individual or a proprietory concern and the individual or to proprietor dies and if the Contractor is a partnership concern and one of the proprietor dies, then unless the Employer is satisfied that the legal representative of the individual Contractor or of the proprietor of the proprietory concern and the case of partnership, the surviving partners, are capable of carrying out a completing the Contract, the Employer shall be entitled to cancel the Contract to its incomplete part without the Employer being liable in any way to payment any compensation to the estate of the deceased Contractor and/or to the surviving partners of the Contractor's firm on account of the cancellation of the Contract The decision of the Employer that the legal representatives of the deceased Contractor or the surviving partners of the Contractor's firm cannot carry out a complete the Contract shall be final and binding on the parties. In the event such cancellation the Employer shall not hold the estate of the deceased Contractor and/or the surviving partners of the Contractor's firm liable for damage for not completing the Contract.	
47.3	Termination for Contractor's Default	
47.3.1 If the Contractor:		
	(a) at any time makes default in proceeding with the Works with due diligence and continues to do so after a notice of seven (7) days in writing from the Engineer- in- Charge; or	
	(b) commits default in complying with any of the terms and conditions of Contract and does not remedy it or take effective steps to remedy it within seven (7) days after a notice in writing is given to him in that behalf by the Engineer- in-Charge; or	
	(c) fails to complete the Works or items of Work with individual dates of completion, on or before the date(s) of completion, and does not complete them within the period specified in a notice given in writing in that behalf by the Engineer- in-Charge; or	
	(d) has engaged in corrupt or fraudulent practices in competing for or in executing the Contract, in the judgement of the Employer.	
	For the purpose of this Sub-Clause:	
	"corrupt practice" means the offering, giving, receiving or soliciting of anything of value to influence the action of a public official in the procurement/tendering process or in contract execution.	
	"fraudulent practice" means a misrepresentation of facts in order to influence a procurement/tendering process or the execution of a contract to	

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>68</b> of 73	

	the detriment of the Employer and includes collusive practice among Bidders (prior to or after bid submission) designed to establish bid prices at artificial non- competitive levels and to deprive the Employer of the benefits of free and open competition; or	
	(e) being an individual, or if a firm, any partner thereof, at any time be adjudged insolvent or have a receiving order or order for administration of his estate made against him or shall take any proceedings for liquidation or composition (other than a voluntary liquidation for the purpose of amalgamation or reconstruction) under any Insolvency Act for the time being in force or make any conveyance or assignment of his affective or composition or arrangement for the benefit of his creditors or purport so to do, or if any application be made under any Insolvency Act for the time being in force, for the sequestration of his estate or if a trust deed be executed by him for benefit of his creditors; or	
	(f) being a company, shall pass a resolution or the Court shall make an order for the liquidation of its affairs, or a receiver or manager on behalf of the debenture holders shall be appointed or circumstances shall arise which entitle the Court or debenture holders to appoint a receiver or manager; or	
	(g) assigns, transfers, sublets (engagement of labour on a piece - work basis or of labour with materials not to be incorporated in the work, shall not be deemed to be subletting) attempts to assign, transfer or sublet the entire Works or any portion thereof without the prior written approval of the Employer;	
	(h) If the Contractor, sub-contracts any part of the works in violation of the provision of GCC Clause 26.3.	
	The Employer may, without prejudice to any other right to remedy which shall hav accrued or shall accrue thereafter to the Employer by written notice, cancel the Contract as a whole or only such items of work in default, from the Contract.	
47.3.2	The Employer shall on such cancellation have rights to:	
	(a) take possession of the Works and any materials, construction plant, implements, stores, etc., thereon; and/or	
	(b) Carry out the incomplete Work by any means at the risk and cost of the Contractor.	
47.3.3	On cancellation of the Contract in full or in part, the Employer shall determine what amount, if any, is recoverable from the Contractor for completion of Works or part of the Works or in case the Works or part of the Works is not completed, the loss or damage suffered by the Employer. In determining the amount, credit shall be given to the Contractor for the value of the work executed by him up to the time of cancellation, the value of Contractor's material taken over as well as incorporated in the work, and use of tools and plants belonging to the Contractor.	
47.3.4	Any excess expenditure incurred or to be incurred by the Employer in completing the Works or part of the Works or the excess loss or damages suffered or may be suffered by the Employer as aforesaid after allowing such credit shall be recovered	
Standard I	Bidding Document for O&M Works SECTION-III (GCC) Page <b>69</b> of 73	

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>69</b> of 73	

	from any money due to the Contractor on any account, and if such money is not sufficient the Contractor shall be called upon in writing to pay the same within twenty- eight (28) days.
47.3.5	If the Contractor fails to pay the required sum within the aforesaid period of twenty-eight (28) days, the Engineer- in-Charge shall have the right to sell any or all of the Contractor's unused materials, construction plant, implements, temporary buildings etc. and apply the proceeds of sale thereof towards the satisfaction of any sums due from the Contractor under the Contract and if thereafter there be any balance outstanding from the Contractor, it shall be recovered from him.
47.3.6	Any sums in excess of the amounts due to the Employer and unsold materials, construction plant etc., shall be returned to the Contractor, provided always that if cost or anticipated cost of completion by the Employer of the Works or part of the Works is less than the amount which the Contractor would have been paid had he completed the Works or part of the Works, such benefit shall not accrue to the Contractor.
48	Possession prior to completion
	The Engineer- In-Charge shall have the right to take possession of or use any completed or partially completed work or part of the work. Such possession or use shall not be deemed to be an acceptance of any completed work in accordance with the contract agreement. If such prior possession or use by the Engineer -In-Charge delays the progress of work, equitable adjustment in the time of completion will be made
49	Adherence to Fraud Prevention Policy  The Contractor along with its Associate / Collaborator / Sub-Contractors / Sub-Vendors / Consultants / Service Providers shall strictly adhere to the Fraud Prevention Policy of Employer displayed on its website http://www.ntpctender.ntpc.co.in.
	The Contractor along with their his associate/ collaborator/ subcontractors/ subvendor/ consultant/ service providers shall observe the highest standards of ethics and shall not indulge or allow anybody else working in their organization to indulge in fraudulent activities during execution of the contract. The Contractor shall immediately apprise the Employer about any fraud or suspected fraud as soon as it comes to his notice.
	If in terms of above policy it is established that the Contractor/his representatives have committed any fraud while executing the contract then the Security Deposit shall be forfeited.
<b>50</b>	Limitation of Liability
50	Except in cases of criminal negligence or willful misconduct,
(a) neither Party shall be liable to the other Party, whether in contract, to otherwise, for any indirect or consequential loss or damage, loss of use of production, or loss of profits or interest costs, which may be suffered the other Party in connection with the Contract, provided that this exclusion shall not apply to any obligation of the Contractor to pay liquidated dam to the Employer and	
Standard	d Bidding Document for O&M Works SECTION-III (GCC) Page <b>70</b> of 73

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>70</b> of 73	

	<ul> <li>(b) The aggregate liability of the Contractor to the Employer, whether under the Contract, in tort or otherwise, shall not exceed the total Contract Price, provided that this limitation shall not apply to any obligation of the Contractor to indemnify the Employer with respect to patent infringement.</li> <li>(c) The aggregate liability of the Employer to the Contractor, whether under the Contract, in tort or otherwise, at any point of time during the execution/performance of the Contract, shall not exceed the 'total Contract Price less payments already released to the Contractor'.</li> </ul>
51	Policy for Debarment from Business Dealings
	The employer has in place a Policy for Debarment from Business Dealings displayed on the website <a href="https://www.ntpc.co.in">www.ntpc.co.in</a> . The version of Policy presently followed by NTPC is mentioned in Special Conditions of Contract (SCC) of the Bidding Documents. Business dealings may be debarred with the <a href="https://www.ntpc.co.in">Bidder/Contractor</a> on account of any Default by the contractor under GCC clause 47.3.1 or any of the grounds as detailed in the said Debarment Policy.
52.	Disposal of Scrap
	The Contractor shall with the agreement of the Employer promptly remove from the site any 'Scrap' generated during performance of any activities at site in pursuance of the Contract. The term 'Scrap' shall refer to scrap/ waste/ remnants arising out of the fabrication of structural steel work and piping work at the project site in the course of execution of the contract and shall also include any wastage of cables during the termination process while installing the cables. GST applicable, if any, shall be to Contractors account.  The ownership of such Scrap shall vest with the Contractor except in cases where the materials for the items have been issued by the Employer from its stores for their installation only without any adjustment to the Contract Price. The removal of scrap shall be subject to the Contractor producing the necessary clearance from the relevant authorities (Custom, GST etc.), if required by the law, in respect of disposal of the scrap. The liability for the payment of the applicable taxes/ duties shall be that of the Contractor  The scrap generated out of Owner issue material without any adjustment to the Contract Price is to be returned to the Employer. Also the scrap generated out of any material, Plant and Equipment specifically stipulated in the Bill of Quantities in the Contract shall be the property of the Employer whether or not incorporated
	in the Work is to be returned to the Employer.
53.	Disposal of surplus material, Plant & Equipment
	Ownership of any material, Plant and Equipment brought by Contractor in excess of the requirements for the Work (i.e. surplus material) shall revert to the Contractor upon Completion of the Work or at such earlier time when the Employer and the Contractor agree that the materials in question are no longer required for the Work. However, any material, Plant and Equipment specifically stipulated in the Bill of Quantities in the Contract shall be the property of the Employer whether or not incorporated in the Work.
Standard	Bidding Document for O&M Works SECTION-III (GCC) Page <b>71</b> of 73

	The Contractor shall remove	from the site such	surplus	material brought by him in
	pursuance of the Contract, some clearance from the relevant a respect of re-export or dispose payment of the applicable to	pursuance of the Contract, subject to the Contractor producing the necessary clearance from the relevant authorities (Customs, GST etc.), if required by law, in respect of re-export or disposal of the surplus material locally. The liability for the payment of the applicable taxes/duties, if any, on the surplus material so re-exported and/or disposed locally shall be that of the Contractor.		
	The Contractor shall also indemnify to keep the Employer harmless from any act of omission or negligence on the part of the Contractor in following the statutory requirements with regard to removal /disposal of surplus material. The indemnity Bond shall be furnished by Contractor as per proforma enclosed. Further, in case the laws require the Employer to take prior permission of the relevant Authorities before handing over the surplus material to the Contractor, the same shall be obtained by the Contractor on behalf of the Employer.			
	The surplus generated out of Contract Price is to be return of any material, Plant and Equin the Contract shall is the prin the Work.	ed to the Employe uipment specifically	r. Also a ⁄ stipula	any surplus generated out ted in the Bill of Quantities
54.	No Claim for interest or dar	nage		
54.1	Interest on money due to th	e contractor:		
	the part of the Employer to Contract or otherwise. Contra guarantee/ security/ retention	Contractor shall not be entitled to any interest or damage in case of any delay on the part of the Employer to pay the amount due upon measurement or as per Contract or otherwise. Contractor shall also not be entitled to interest upon any guarantee/ security/ retention money or payments in arrears or upon any balance which may on the final settlement of his account be due to him.		
54.2	No claim for interest or dam	No claim for interest or damage:		
	No claim for interest or damage will be entertained or be payable by the Employer in respect of any amount or balance which may be lying with the Employer or may become due upon settlement/adjudication of any dispute, difference or misunderstanding between the parties by way of arbitration or court proceedings or otherwise or in respect of any delay or omission on the part of the Employer in making intermediate or final payment or in respect of any amount/damage which may be claimed through arbitration or court proceedings or in any other respect whatsoever.			
55	Procedure for Contract Clos			
55.1	The closing of Contract shall be effected after completion of the defect liability period and return / refund of CPG / Security Deposit.			
55.2		The following thirteen (13) certificates shall be issued by the concerned departments and submitted to Engineer-in-Charge for closing of contract.		
	Certificate No.   Certificate D	Description	Respons	sibility
Standar	d Bidding Document for O&M Works	SECTION-III (GC	:C)	Page <b>72</b> of 73

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>72</b> of 73	

	CCP-01	Certificate of Final Amendment to the Contract	USSC C&M dept.
	CCP-02	Drawing Receipt Certificate	Executing Dept./EIC
	CCP-03	QA Documents Receipt Certificate	FQA
	CCP-04	O&M Manual Receipt Certificate	Executing Dept./EIC
	CCP-05	Scope Completion Certificate	Executing Dept./EIC
	CCP-06	Liquidated Damages for Delay Certificate	Executing Dept./EIC
	CCP-07	Shortfall in Equipment Performance Certificate	Executing Dept./EIC
	CCP-08	"Material Reconciliation" Certificate	Executing Dept./EIC & Site Materials Mgmt.
	CCP-09	"Payment Reconciliation" Certificate	Finance
	CCP-10	Certificate regarding Labour Payments and Statutory Requirements to be furnished by Contractor.	Contractor
	CCP-11	"No Demand Certificate" by Contractor	Contractor
	CCP-12	Certificate of Completion of Warranty Period	Executing Dept./EIC
	CCP-13	Certificate for Return of BGs/Security Deposit/Indemnity Bonds etc.	Finance
55.3	Both the Contractor and the Employer will make necessary efforts to complete the Contract Closing activities as per the timelines.  It shall be the responsibility of the contractor to submit the drawings along with the reproducibles, QA documents, O&M Manuals, List of Spares, As Built drawings, deliverables, etc., as applicable, in a timely and sequential manner so that the contract closing activities are not delayed/impeded.		
	The Employer shall also use its best endeavors to expedite all activities leading to successful closure of the contract. The Employer will review and approve the documents submitted by the Contractor in a timely and expeditious manner and the approvals shall not be unreasonably withheld		
56.	Contractor's Lab	oor Information Management Syste	m:
	<ol> <li>The contractor has to necessarily get registered in CLIMS (Contractor's Labor Information Management System) which is in place in the project.</li> <li>The entry and exit of all contract labour to the plant premises will be through Gate Access Control System of CLIMS.</li> <li>It will be the responsibility of the contractor to ensure timely exit of all labours from the plant premises after completion of job of that day.</li> </ol>		
	The contractor has to abide with all statutory compliance applicable to his workers and employees and update in CLIMS.		
57.	Independent Ext	ernal Monitors (IEMs):	
	In respect of this	package, the Independent External M	onitors (IEMs) would be monitoring the

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>73</b> of 73

bidding process and execution of contract to oversee implementation and effectiveness of the Integrity Pact Program.

The Independent External Monitor(s) (IEMs) have been appointed by NTPC, in terms of Integrity Pact (IP) which forms part of the NTPC Tenders/Contracts and details of the IEMs are available on NTPC tender website: <a href="www.ntpctender.ntpc.co.in">www.ntpctender.ntpc.co.in</a> (under the tab "Integrity Pact").

This panel is authorized to examine/consider all references made to it under this tender. The bidder(s), in case of any dispute(s)/complaint(s) pertaining to this package may raise the issue either with the designed 'Nodal Officer' in NTPC or directly with the IEMs.

The Independent External Monitors (IEMs) has the right to access without restriction to all Project documentations of the Employer including that provided by the Contractor. The Contractor will also grant the Monitor, upon his request and demonstration of a valid interest, unrestricted and unconditional access to his Project Documentations. The same is applicable to Subcontractors. The Monitor is under contractual obligation to treat the information and documents of the Bidder/Contractor/Sub-Contractors/JV Partners/Consortium member with confidentiality.

The Nodal officer for necessary coordination in this regard shall be as under:

(i)	Concerned Group Head in CC&M:	if the issue pertains to awarding of contract by
	·	CC&M
(ii)	Concerned Group Head of C&M	if the issue pertains to awarding of Contract by
	under respective CPG of USSC	USSC
(iii)	Concerned Head of Department	if the issue pertains to other departments
(iv)	Head of Project/ Station	if the issue pertains to post award execution or award of Contract by Project/ Station

#### 58. Anti-Bribery and Anti-Corruption (ABAC) Policy:

The Contractor and its employees along with its Associate/ Collaborator/ Sub-Contractors / Sub-Vendors / Consultants / Service Providers and all other persons associated with Employer in the performance of Contract shall strictly adhere to Employer's Anti-Bribery and Anti-Corruption (ABAC) Policy displayed on website https://ntpctender.ntpc.co.in/ under section 'policy docs'.

The Contractor and its employees along with its Associate/ Collaborator/ Sub-Contractors / Sub-Vendors / Consultants / Service Providers and all other persons associated with Employer in the performance of Contract shall comply with all applicable laws and regulations relating to anti-corruption and anti-bribery and the ABAC Policy of Employer.

#### **Enclosures to GCC:**

1. Annexure-I: Competent Authority for the purpose of registration of sub-contractor/ sub-vendor from a country which shares a land border with India

Standard Bidding Document for O&M Works	SECTION-III (GCC)	Page <b>74</b> of 73

# NTPC LIMITED (A Government of India Enterprise)



SECTION - IV

## SPECIAL CONDITIONS OF CONTRACT (SCC) FOR O&M WORKS

#### **SECTION - IV**

#### SPECIAL CONDITIONS OF CONTRACT

The following Special Conditions of Contract (SCC), Section-IV, shall supplement/amend the General Conditions of Contract (GCC), Section-III. Wherever there is a conflict, the provisions in SCC shall prevail over those in the GCC. The corresponding clause number of the GCC is indicated in parentheses.

Further, clauses mentioned herein with respect to Section-II, Instructions to Bidders shall supplement/amend the Instructions to Bidders (ITB), Section-II.

NIT / TENDER ENQUIRY NO. Tender Ref: NTPC/USSC-CPG1/9900300609 GEM Bid: GEM/2025/B/6096594

NAME OF PACKAGE: HIRING OF MMU & MCH SERVICES FOR NTPC TTPS FOR A PERIOD OF 4 YEARS

Bidding for the package is open to bidders from within the Employer's country only, subject to fulfilment of conditions specified in ITB Clause "Restrictions on procurement from a Bidder of a country which shares a land border with India".

S. No.	Clause Ref, in any	Special Conditions
1.	EMPLOYER	Name and address of Employer: NTPC Limited, Unified Shared Service Centre, Central Procurement Group-1, Western Region-II Head Quarter, Plot No87, Sector-24, Atal Nagar Nava Raipur, Raipur, Chhattisgarh, Pin Code-492101 Tel. No.: 0771-2515438/0771-2515485  Registered Office Address: "NTPC Bhawan" Core No. 7, Scope Complex, Institutional Area, Lodhi Road, New Delhi – 110003, India
2.	JOINT VENTURE/ CONSORTIUM	Not Applicable
3.	PRE-BID CONFERENCE (ITB clause 7.0)	Pre Bid Conference: Applicable/Not Applicable. (If applicable, details (date, place, etc.) of Pre Bid Conference to be mentioned.)
4.	DOCUMENTS COMPRISING THE BID (ITB 11.3.1 (k))	Attachment-11 Declaration on Local Content- Applicable/ Not Applicable  a) Class-I local suppliers'/ 'Class-I local suppliers and Class-II local suppliers'' only are eligible to participate in this tender, as defined in the bidding documents/ Public Procurement (Preference to Make in India),

NIT / TENDER ENQUIRY NO.:	SECTION-IV (SCC)	Page <b>1</b> of <b>12</b>

S. No.	Clause Ref, in any	Special Conditions
		Order 2017 and its subsequent amendments/ revisions issued by DPIIT. The bidders may apprise themselves of the relevant provisions of bidding documents in this regard before submission of their bids. For this purpose, bidders who are meeting the stipulated requirements of Minimum Local Content are required to accept the following condition through undertaking as per Attachment-13 for submission of bid.
		"Confirm that you are a LOCAL SUPPLIER, and the LOCAL CONTENT included in the PACKAGE FOR COMPLETE SCOPE OF WORK meets the MINIMUM LOCAL CONTENT requirements of the Tender."
		Acceptance of aforementioned condition shall be considered as Bidder's confirmation that Bidder is meeting the requirement of fulfil the requirements of <b>Local content for Class-I Local Supplier</b> .
		b) Declaration regarding local content as per the Employer's format, for granting of purchase preference.
		In case a bidder does not submit the aforesaid declaration or statement/any declaration like 'later', 'to be furnished later', 'NA' etc. are indicated by the bidder, then the Bidder is liable not to be considered as a local supplier and may not be eligible for any purchase preference"/"its bid is liable to be considered non-responsive and may be rejected".
		In case aforesaid Confirmation/Certificate furnished by Contractor/Vendor is not in line with the declaration in respect of Local content in their bid, same shall be treated as false declaration and will be dealt in line with the Fraud Prevention Policy of NTPC.
5.	DOCUMENTS COMPRISING	Certificate prior to submission of last bill for payment- Applicable/ Not Applicable
	THE BID (ITB 11.3.1 (k))	Further, Bidder shall be required to submit a certificate from the statutory auditor or cost auditor (in the case the bidder is a company) or from a practicing cost accountant or practicing chartered accountant (in respect of bidders other than companies) giving the percentage of local content during execution prior to submission of last bill for payment.
		In case aforesaid Certificate furnished by Contractor/Vendor is not in line with the declaration in respect of Local content in their bid, same shall be treated as false declaration and will be dealt in line with the Fraud Prevention Policy of NTPC.
6.	DOCUMENTS COMPRISING THE BID	Attachment-11(A) Declaration for exemption from meeting the Minimum Local Content- Applicable/ Not Applicable
	(ITB 11.3.1 (k))	Declaration regarding exemption from meeting the Minimum Local Content, as per the Employer's format.
		In case a bidder does not submit the aforesaid declaration or statement/any declaration like 'later', 'to be furnished later', 'NA' etc. are indicated by the

S. No.	Clause Ref, in any	Sį	pecial Conditions	
		bidder, then the bidder may remeeting the Minimum Local C		gible for exemption from
7.	DOCUMENTS COMPRISING THE BID	Attachment	Applicable (YES/NO)	Mode of Submission (Physical/Online/ Both)
	(ITB clause 11.0)	Attachment 1: Bid Security	YES	Offline
		Attachment 2: Authority to Sign the bid	YES	Online
		Attachment 3: Bidder's Qualifications	YES	Online
		Attachment 4: Subcontractors Proposed by the Bidder	NO	
		Attachment 5: Equipment/ Machinery deployment Schedule	YES	Online
		Attachment 6: General Declaration of Bidder	YES	Online
		Attachment 7: Electronic Fund Transfer (EFT) Authorisation Form	YES	Online
		Attachment 8: Details of PF, ESI, PAN and GSTIN Regn	YES	Online
		Attachment 9: Declaration Regarding GST	YES	Online
		Attachment 10: Technical Compliance	NO	
		Attachment 11: Declaration of Local Content	NO	
		Attachment 12: Integrity Pact	NO	
		Attachment 12A: Details of Foreign Principals of Indian Bidders	YES	Online (if applicable)
		Attachment 13: Undertaking for compliance of Important Conditions of Tender	Yes	Online

NIT / TENDER ENQUIRY NO.:	SECTION-IV (SCC)	Page <b>3</b> of <b>12</b>	

S. No.	Clause Ref, in any	Special Conditions	
8.	CURRENCY (ITB Sub-Clause 12.2)	Indian Rupee	
9.	BID PRICE AND PRICE BASIS	Amount linked to Safety Applicable/Not Applicable	Aspects/ compliance to Safety Rules-
	(ITB Clause 12.3)	Minimum percentage: Y= 2%	
10.	BID VALIDITY (ITB Sub-clause 13.1)	120 days	
11.	CONFIRMATION OF BGS THROUGH STRUCTURED FINANCIAL MESSAGING	,	
	SYSTEM	i Bank Name	ICICI BANK LIMITED
	(SFMS)/SWIFT	ii Branch	9A, Phelps, Connaught Place, New Delhi- 110001
		iii IFSC Code	ICIC0000007
		iv BG Advising Message	IFN 760COV/ IFN 767COV via SFMS
		v Field Number	7037
		vi Particulars (to be mentioned in Row 1)	NTPCBG
		Bidders are advised to ensure	that the message is sent by their Bankers.
12.	WORK SCHEDULE	Time for Completion: M	onths.
	(ITB Clause 15.0)	Contract Period- 12 Mont	<del>hs</del>
		Period contract: 48 Month	s S
		Further, elaborated in Sect	tion-V-Technical Specification.
13.	ADDRESS FOR CORRESPONDEN CE	SM/AGM (CPG1/Contracts & Materials) NTPC Limited, Unified Shared Service Centre, Central Procurement Group-1, Western Region-II Head Quarter, Plot No87, Sector-24, Atal Nagar	
	(ITB clause 17)	Nava Raipur, Raipur, Chhattiso Tel. No.: 0771-2515537/0771-2 Email: ilaanand@ntpc.co.in / a	garh, Pin Code-492101 2515402

NIT / TENDER ENQUIRY NO.:	SECTION-IV (SCC)	Page <b>4</b> of <b>12</b>	1

S. No.	Clause Ref, in any	Special Conditions
14.	LOCATION OF BID OPENING (ITB clause 21.0)	C&M Department NTPC Limited, Unified Shared Service Centre, Central Procurement Group-1, Western Region-II Head Quarter, Plot No87, Sector-24, Atal Nagar Nava Raipur, Raipur, Chhattisgarh, Pin Code-492101
15.	EVALUATION CRITERIA (ITB clause 23)	Nava Raipur, Raipur, Chriatusgarn, Pili Code-492101 Tel. No.: 0771-2515438/0771-2515485  Add the ITB Clause 23.3.1 'EVALUATION AND COMPARISON OF BIDS':  1. Quantity: Splitable or Not splitable.  2. Evaluation: Lump sum or item wise.  3. The bidder has to quote for Total Contract Price (Inclusive of all taxes & duties and GST) on lumpsum basis on GeM portal.  The Bidder is required to quote Lumpsum Price (Including GST) in GeM Bid for each BOQ item.  Quantity Mentioned "1" in Gem Bid for each item represents Lumpsum-price (i.e., ((Quantity x Unit Rate) + Quoted GST) for individual line item.  4. The Bidder shall indicate the GST rate as applicable seven (7) days prior to last date of Bid Submission in Attachment-9. The GST rate mentioned in the Attachment-9 shall be used only for arriving basic Contract price (exclusive of GST) at the time of award.  5. Treatment of Tie condition (with respect to Evaluated Price):  (i) In case where in a tender two or more bidders have quoted the same price, preference shall be given as per follows:  a) 1st preference to SC/ST- Women MSE  b) 2nd preference to SC/ST-Women MSE  c) 3rd preference to SC/ST-MSE  c) 3rd preference to Other MSE Bidder  e) Last preference to the Non-MSE Bidder  (ii) In case of tie condition amongst the same category Bidders (i.e. tie
		among SC/ST Women MSE at same position or tie among SC/ST MSE at same position or tie among women MSE at same position or tie among Other Bidders at same position etc.) as mentioned above (at any Positions) in respect of their Evaluated Bid Price (EBP), the ranking of bidders shall be determined as per GeM which is run L1 through GEM Algorithm.

NIT / TENDER ENQUIRY NO.:	SECTION-IV (SCC)	Page <b>5</b> of <b>12</b>

S. No.	Clause Ref, in any	Special Conditions
16.	Policy for Debarment from Business Dealings (ITB Clause 30.0)	The version of Policy for Debarment from Business Dealings presently followed by NTPC is Rev-4.
17.	BENEFITS TO MSES	MSE Benefits (Applicable/Not Applicable) for this work  Bidders may ascertain their eligibility for availing benefits as per Public Procurement Policy (PPP) 2012 before submission of Bids.
	(ITB Clause 31.0)	MSEs shall be exempted from paying Earnest Money Deposit.
		The benefits to the participating Service Providers under PPP 2012 shall be applicable irrespective of product (Goods / Services) categories for which bidder is registered as MSE.
		MSEs seeking exemption for EMD and Purchase Preference shall select appropriate option on GeM portal (separately for each i.e. EMD & purchase preference) and should enclose a attested/self-certified copy of UDYAM registration certificate, failing which they run the risk of their bid being passed over as ineligible for the benefits applicable to MSEs.
18.	PREFERENCE TO MAKE IN INDIA AND GRANTING	Preference to Make in India and Eligibility for participation/ granting of purchase preference to Class-I local suppliers
	OF PURCHASE PREFERENCE TO	Applicable / Not Applicable.
	LOCAL SUPPLIERS (ITB Clause 32.0)	<b>22.1 Class-I local suppliers</b> '/ 'Class-I local suppliers and Class-II local suppliers" only are eligible to participate in this tender, as defined in the bidding documents/ Public Procurement (Preference to Make in India), Order 2017 and its subsequent amendments/ revisions issued by DPIIT. The bidders may apprise themselves of the relevant provisions of bidding documents in this regard before submission of their bids."
		OR
		Bids from 'Class I local suppliers' as defined in the bidding documents/ Public Procurement (Preference to Make in India), Order 2017 and its subsequent amendments/ revisions issued by DPIIT shall be eligible for purchase preference. The bidders may apprise themselves of the relevant provisions of bidding documents in this regard before submission of their bids."  22.2 Procedure for order preference, MSE guidelines mentioned at Clause 31.0 of ITB read in conjunction with clause 32.0 of ITB "Preference to Make"
		in India and granting of purchase preference to local suppliers" as

NIT / TENDER ENQUIRY NO.:	SECTION-IV (SCC)	Page <b>6</b> of <b>12</b>	ı

mentioned in <b>Annexure-I</b> (Rev 1.0) to SCC shall be applicable.  Only Class-I local suppliers are eligible to Bid. Bids received (if any) from Class-II Local Supplier / Non-Local Supplier shall be out rightly rejected.
Class-II Local Supplier / Non-Local Supplier shall be out rightly rejected.
The Class-I local suppliers shall be required to accept the following condition through undertaking as per Attachment-13 for submission of bid.
"Confirm that you are a LOCAL SUPPLIER, and the LOCAL CONTENT included in the PACKAGE FOR COMPLETE SCOPE OF WORK meets the MINIMUM LOCAL CONTENT requirements of the Tender."
Acceptance of above condition shall be considered as Bidder's confirmation that
(i) The Bidder fulfill the requirements of local content for Class-I Local Supplier and all provisions specified in <b>Annexure-I</b> ( <b>Rev 1.0</b> ) to <b>SCC</b>
(ii) Presently, the Bidder is not debarred / banned by any other procuring entity for violation of 'Public Procurement (Preference to Make In India), Order 2017' (PPP-MII Order) dated 15.06.2017 and its subsequent revisions / amendments issued by Department of Industrial Policy and Promotion (DIPP).
Bidders may note that in case they do not accept the above condition, their bids shall not be considered and shall be rejected.
Further, Bidder shall be required to submit a certificate from the statutory auditor or cost auditor (in the case the bidder is a company) or from a practicing cost accountant or practicing chartered accountant (in respect of bidders other than companies) giving the percentage of local content during execution prior to submission of last bill for payment.
In case aforesaid Certificate furnished by Contractor/Vendor is not in line with the declaration in respect of Local content in their bid, same shall be treated as false declaration and will be dealt in line with the Fraud Prevention Policy of NTPC.
The bidders may apprise themselves of the relevant provisions of bidding documents in this regard before submission of their bids.
Criteria for application of MSE Preference:
i) If L-1 ranked bidder is a MSE bidder, then no further MSE preference will be applicable.
ii) If L-1 ranked bidder is non-MSE bidder then MSE preference will be applied to eligible MSE bidders (those MSE bidders which are falling in the range of L1+15%) in the "Order of Preference in Ranking to MSE Bidders" (as defined at (#)) as under:
# If L1 is Non-MSE Bidder and MSE Bidders are falling in the range

S. No.	Clause	Special Conditions
	Ref, in any	-
		of L1+15% then the <b>Order of Preference in Ranking to MSE Bidders</b> shall be given as follows subject to matching of L1 price:
		a) First Preference to SC/ST & Women MSEs i.e. Women
		SC /ST MSE.
		b) Second preference to SC/ST -MSE Only
		c) Third Preference to Women- MSE only.
		d) Others MSEs.
		The above category/classification of MSE Bidder shall be verified through their submitted Udyam Certificate. No other document will be referred for the same.
		Evaluation Criteria In case of Tie-condition
		In case where in a tender two or more bidders have quoted the same price, preference shall be given as per follows:
		a) 1st preference to SC/ST- Women MSE
		b) 2nd preference to SC/ST-MSE
		c) 3rd preference to Women-MSE
		d) 4th preference to Other MSE Bidder
		e) Last preference to the Non-MSE Bidder
19.	LAWS GOVERNING THE CONTRACT	The courts at <b>Raipur</b> shall have jurisdiction in all matters.
	(GCC Clause 7.0)	
20.	ENGINEER-IN- CHARGE	For the purpose of the sub-clause entitled Engineer-In-Charge/ Officer-In-Charge under clause "Settlement of Disputes" appearing in the GCC, the
	(GCC Clause 8)	Head of Project/Station/Region shall act as Engineer-In-Charge/ Officer-In-Charge.
	GCC Sub-Clause 8.1)	
21.	SETTLEMENT OF DISPUTES	The place of arbitration shall be <b>Delhi</b> .
	(GCC Clause 8)	
	GCC Sub-Clause 8.3.3.3	

NIT / TENDER ENQUIRY NO.:	SECTION-IV (SCC)	Page <b>8</b> of <b>12</b>	1

S. No.	Clause Ref, in any	Special Conditions
22.	GCC Clause 8.2	Not Applicable (Applicable only for Corporate packages of Hydro Projects)
23.	GCC Clause 8.3	Applicable/Not Applicable (Applicable only for tenders having Integrity Pact provisions)
24.	GCC 8.2.I.	(Appointment, Selection and Removal of IEs/Experts)  The Panel of Experts for appointment as Independent Engineer is enclosed as Annexure-IV.
25.	GCC 8.2.II.(iii)	(Standard Operating Procedure (SOPs) for Independent Engineer (IE))  Rs. 5,000/ per day shall be imposed on either party for failure to provide necessary information sought by IE during the course of investigation in time bound manner and the share of expenses of other party on IE shall be correspondingly reduced by above amount.
26.	GCC 8.2.III	(Terms and Conditions for Payments to 'Independent Engineer') Retainer fee shall be Rs* per month fixed for FY*  Site Visit Fee shall be Rs** per day fixed for FY 2022-23. For tenders issued in subsequent financial years, the retainer fee with an increment of 10% (i.e. Rs 1,21,000 for FY 2023-24, Rs 1,32,000 for FY 2024-25 and so on).  **Site Visit Fee shall be Rs 22,000/- per day fixed for FY 22-23. For tenders issued in subsequent financial years, the Site visit fee with an increment of 10% (i.e. Rs 24,200 for FY 2023-24, Rs 26,620 for FY 2024-25 and so on).
27.	GCC 8.3	(Mediation through Independent External Monitors (IEMs) (Applicable only for tenders having Integrity Pact provisions)  The fees payable to each IEM for mediation proceedings shall be Rs. 25,000/- per sitting and same shall stand revised as and when revised by Central Vigilance Commission.
28.	GCC 8.4.2.2	(Conciliation Committees of Independent Experts)  The Panel of Conciliation Committees of Independent Experts (CCIE) is enclosed as Annexure-V.
29.	HUMAN RESOURCES (GCC Clause 11.1)	As per Section-V-Technical Specifications.

NIT / TENDER ENQUIRY NO.:	SECTION-IV (SCC)	Page <b>9</b> of <b>12</b>

S.	Clause	Special Conditions
No.	Ref, in any	opecial conditions
30.	SECURITY DEPOSIT	Replace the existing clause with the following
	GCC CI. 19.0	Security Deposit  19.1.1 The Contractor shall provide a Security Deposit in the amount equivalent to 5% (Five percent) or (2.5% in case of award issued to MSE-SC-ST or MSE-Women Agencies) of the contract value. The Security Deposit shall be held by the Employer as security for the due performance of the Contractor's obligations under the Contract.
		19.1.2 The Employer at the time of making payment deduct security deposit at the rate of <b>5%</b> ( <b>Five percent</b> ) of gross amount of each on account payment until the security deposit so deducted reaches the values mentioned above. The deductions for the retention of money(ies) will be stopped after the security deposit limit of <b>5%</b> ( <b>Five percent</b> ) or <b>2.5%</b> in case of award issued to MSE-SC-ST or MSE-Women Agencies of the Total Contract Value is reached, unless otherwise required in terms of clause 19.1.3.
		19.1.3 The Contractor may, at any time and from time to time, during the course of or after completion of the work, with the permission of the Employer, substitute his cash security deposit, including retention money(ies) deducted from his bills and lying with the Employer, by Bank Guarantee(s) in the prescribed proforma from a Bank acceptable to the Employer and withdraw the equivalent cash amount(s), provided the amount covered by any such Bank Guarantee is not less than Rs.1 lakh (Rupees One lakh only).
		If at any time during the course of the work, the gross value of the work, as reflected by the Running Bills submitted by the Contractor has in the opinion of the Employer (which shall be final and binding on the Contractor), exceeded or is likely to exceed the Total Contract Value indicated in the acceptance of Tender, the Contractor shall be bound to pay further Security Deposit as will make up the total Security Deposit to 5% (Five percent) or 2.5% in case of award issued to MSE-SC-ST or MSE-Women Agencies of the then anticipated Contract Value in any of the forms mentioned above failing which the Employer shall be at liberty to make such deductions towards Security Deposit from the Contractor's Running Bills, and will, at all times, ensure that the Security Deposit does not fall below 5% (Five percent) of the gross value of the work, as reflected by the gross payments made to the Contractor, without taking into account any deductions. If the shortfall in Security Deposit is discovered after completion of the work, the shortfall shall be made good by the Contractor on demand from the Employer, failing which, it will be recovered from any money( ies) due to the Contractor from the Employer under this contract or any other contract with the Corporation.
		19.1.4 The Contractor, if he so desires, can also furnish a full Security Deposit of 5% (Five percent) or 2.5% in case of award issued to MSE-

S. No.	Clause Ref, in any	Special Conditions
		SC-ST or MSE-Women Agencies of the Total Contract Value towards faithful performance of the Contract, in one or more of the following modes:
		a) by Demand draft /Pay Order /Bankers Cheque drawn in favour of "NTPC Ltd." payable at place mentioned in SCC (Cheques shall not be accepted) or any other mode specified in SCC. b) Deleted c) By Bank Guarantee(s) in the prescribed form as included in the Tender Documents, from a Bank in India acceptable to the Employer, provided the amount covered by such Bank Guarantee is not less than Rs.1,00,000/ - (Rupees One Lakh only). The format of the said bank guarantee shall be in accordance with the format included in the Section VII (Forms and Procedures). This bank guarantee shall have an initial validity upto ninety (90) days beyond the completion of Defect Liability Period of the Contract. However, in case the date of completion of defects liability period gets extended, the validity of the Security Deposit shall be extended by the period of extension of completion of defects liability. d) Any other mode specified in the SCC/ITB.
		19.1.5 If after completion of the work, the Total Contract Value falls below the Total Contract Value as indicated in the Letter of Award/Service Purchase Order /Acceptance of tender, such that the total Security Deposit in the hands of the Employer is in excess of the Total Security Deposit calculated at 5% (Five percent) or 2.5% in case of award issued to MSE-SC-ST or MSE-Women Agencies of the reduced contract value, such excess amount, as is in the form of cash in the hands of the Employer, shall be refunded to the Contractor along with the Final Bill.
		If the Security Deposit furnished by the Contractor to the Employer in the form of Bank Guarantees, the Contractor shall be permitted to replace the Bank Guarantee(s) already submitted, by Bank Guarantee(s) to cover the reduced value of Security Deposit, at the time of final bill.
		19.1.6 The Contractor shall from time to time at the request of the Employer suitably extend the validity of any Bank Guarantee (whether furnished by way of Initial Security Deposit or Security Deposit) for such period(s) as may from time to time be required by the Employer failing which, without prejudice to any other right or remedy available to the Employer, the Employer shall be entitled to encash the Bank Guarantee.
		19.1.7 All BGs except BG issued by a Bank outside India and all Insurance Surety Bonds except those issued by an Indian Insurance company outside India, shall be received from issuing Bank directly through post/ courier, by Unified Treasury, Dadri at below mentioned address:
		Unified Treasury (BG Group) Administrative Building, NCPS, Dadri

S. No.	Clause Ref, in any	Special Conditions
		NTPC Limited, PO. Vidyut Nagar Distt: Gautam Budh Nagar, Uttar Pradesh- 201008
		A BG issued by a Bank outside India and Insurance Surety Bond issued by Indian Insurance company outside India needs to be submitted by the Bidder directly to the employer as defined in SCC. The BG/Insurance Surety Bond also needs to bear stamp duty of appropriate value applicable to the place in NTPC where BG/Insurance Surety Bond is to be submitted. The BG/Insurance Surety Bond may be got adjudicated by the employer from Collector of Stamps, within 3 months of arrival of BG/Insurance Surety Bond in India. Expenses incurred in this regard shall be adjusted from the payment due to the contractor.
		19.1.8 A soft copy of the BG <mark>/Insurance Surety Bond</mark> is mandatorily required to be mailed to Unified Treasury Group at ubg@ntpc.co.in by the issuing Bank <mark>/Insurance company</mark> .
		19.1.9 Confirmation of BGs through Structured Financial Messaging System (SFMS)/SWIFT
		While issuing the physical BGs, the Bidder's Bank shall also send electronic message through secure SFMS (in case of BGs issued from within India) or SWIFT (in case of BGs issued from outside India) to Employer's Beneficiary Bank whose details are provided herein below:
		(i) Bank Name: ICICI Bank Limited (ii) Branch: CONNAUGHT PLACE BRANCH (iii) Bank Address: 9A, PHELPS BUILDING, INNER CIRCLE, NEW DELHI- 110001 (iv) IFSC Code: ICIC0000007
		BG issuing/amending bank must send the BG advice in the form of message format via SFMS (Structured Financial Messaging System) as provided by RBI. The format of the message for confirmation of the BG shall be as below:
		BG advising message: IFN 760COV/ IFN 767COV via SFMS
		Field Number: Particulars (to be mentioned in Row 1)
		7037: NTPCBG (unique identifier)
		19.1.10 All Bank Guarantees should be enforceable for minimum ninety (90 days) after expiry of its validity.
		19.1.11 Extension of all BGs/Insurance Surety Bond should be on Stamp paper of same value as that of the original BG/Insurance Surety Bond.

S. No.	Clause Ref, in any	Special Conditions
		Minimum extension of any BG/Insurance Surety Bond should be three months.
31.	PAYMENT SCHEDULE	Unless otherwise specified in Section-V, Technical Specification, it shall be as per GCC.
	GCC Sub-Clause 20.1	
32.	PRICE BASIS	Prices are FIRM/VARIABLE
	(GCC clause 21)	Please refer Section-V-Technical specification for price adjustment formula.
33.	TIME FOR COMPLETION (GCC Sub-Clause 25.2)	Time for Completion: Months.  Contract Period- 12 Months  Period contract: 48 Months  As specified in Section-V-Technical Specification.
34.	METHODOLOGY OF EXECUTION & EQUIPMENT MOBILISATION (GCC Clause 28)	Unless otherwise specified in Section-V, Technical Specification, it shall be as per GCC.
	GCC Sub-Clause 28.3	
35.	MATERIALS FOR THE PERFORMANCE OF THE CONTRACT	The following materials shall be issued by the Employer free of cost for incorporation in the Works as per the terms and conditions detailed in the Technical Specifications:  S. No. Material  1.
	(GCC Clause 30)	2 As specified in Section-V, Technical Specification. 3
	GC Clause 30(b) (i)	

NIT / TENDER ENQUIRY NO.:	SECTION-IV (SCC)	Page <b>13</b> of <b>12</b>

S. No.	Clause Ref, in any	Special Conditions	
36.	TOTAL VALUE OF OWNER ISSUE MATERIAL	The value of owner issue Material is as specified in Section-V, Technical Specification, if any.	
	(GCC Clause 30) GCC Sub-Clause 30(b)(i)		
37.	POWER & WATER SUPPLY AND BOARDING AND LODGING OF EMPLOYEES/ LABOUR / STAFF (GCC Clause 37)  GCC Sub-Clause	Unless otherwise specified in Section-V, Technical Specification, it shall be as per GCC.	
	37.2.1		
38.	SAFETY EQUIPMENT	Details Safety equipments & safety Personal Protective Equipment as required for execution of work shall be as per Section-V, Technical Specification.	
39.	DEFECTS LIABILITY PERIOD (GCC Clause 41)	Unless otherwise specified in Section-V, Technical Specification, it shall be NIL.	
40.	EMPLOYER'S	Insurance Cover: Amounts and Deductibles:	
40.	AND CONTRACTOR'S RISKS AND INSURANCE (GCC Clause 42)  GCC Sub-Clause	Insurance Amount insured Deductible Conditions	
	42.5.2	The contractor shall necessarily take Workmen Compensation Policy and Third Liability Policy.	
	THIRD PARTY INSURANCE POLICY	Total/Aggregate amount during the currency of the Contract: Rs. 50.00 Lakhs or '110% of Contract Value (Excluding GST)' whichever is lower.  For any one occurrence: 50% of Total Aggregate Amount	
		1 of any one occurrence. 30% of Total Aggregate Amount	

NIT / TENDER ENQUIRY NO.:	SECTION-IV (SCC)	Page <b>14</b> of <b>12</b>
THIT TENDER ENGOIRT NO.:	(323 HOIV IV (333)	l ago 14 oi

S. No.	Clause Ref, in any	Special Conditions
	GCC Sub-Clause 42.5.4	
41.	CONTRACT CATEGORY	OVERHAULING/OTHER THAN OVERHAULING
	GCC Sub-Clause 45.2	
42.	Policy for Debarment from Business Dealings (GCC Clause 51.0)	The version of Policy for Debarment from Business Dealings presently followed by NTPC is Rev-4.
43.	Matching of IP Addresses	Recently, IP address functionality introduced in GeM portal. The primary objective of this new feature is to identify collusion activities between sellers by capturing their IP addresses.
		During the technical evaluation stage, in case of common IP address (either for Financial Bid IP Address or Technical Bid IP address or both IP address) of a seller with any other seller as popped up in a tender by GeM portal, all such bids shall be liable for rejection.

#### **Enclosures to SCC:**

- 1. Annexure-I: Preference to Make in India and Eligibility for Participation/ granting of Purchase Preference to Class-I local suppliers- regarding
- 2. Annexure-II: FAQs of Vendor Payment Portal for Vendors
- 3. Annexure-III: An undertaking from the issuing Bank for BG
- 4. Annexure-IV: Panel of Experts for appointment as Independent Engineer
- 5. Annexure-V: Panel of Conciliation Committees of Independent Experts (CCIE)
- 6. Annexure-VI: List of Banks for BG

## NTPC Limited

(A GOVT OF INDIA ENTERPRISES)



## **Enclosure-1**

Technical Specification &
Scope of work
For

"Hiring of Mobile Health Clinic (MHC) services along with Maternal & Child Health Care (MCH) services for a period of Four years at NTPC Talcher Thermal."

#### **SCOPE OF WORK**

Index No.	Description
1.0	Overall Scope of Services to be provided by the
	MHC operator
2.0	Modalities of Operation
3.0	Technical Specification for Mobile Health Clinic
4.0	Service Levels
5.0	Warranty / Guaranty / Maintenance
6.0	ESI
7.0	Insurance
8.0	Payment Terms
9.0	List Of Documents To Be Provided Along With Invoice
10.0	Indemnification
11.0	Compliance with laws and regulations
12.0	Assignment / sub-letting of services
13.0	Contract Period
14.0	Visibility to NTPC
15.0	Officer-in-Charge
16.0	Non-performance and penalties
17.0	Termination of Contract
18.0	Defects Liability Period
19.0	Contract Period extension
20.0	Pre-Closure
Annexure	
I	List of target villages
II	Medical Services to be provided
III	List of Generic Medicines to be issued free of cost
IV	Medical Equipment to be provided
V	Medical and Para-medical staff to be provided
VI	Standard Reporting Formats
VII	Technical Specifications of Mobile Medical Clinic
VIII	Logo to be displayed on the vehicle
IX	Makes and models of vehicle chassis, key equipment /
	furniture to be submitted as part of technical offer
X	Checklist to be submitted as part of technical offer
XI	Scope of work of MCH
XII	Special Terms and Conditions

#### **Abbreviations:**

MHC: Mobile Health Clinic, MCH: Maternal and Child Healthcare, MMU: Mobile Medical Unit

NTPC: NTPC Limited, EIC: Officer-in-Charge

BASE CAMP: Accommodation arranged by the MHC Operator for MHC Staff

Note: In this document, MHC, MMU, MCH, MMU-MCH terms will be used interchangeably and will mean the same i.e. Mobile Medical Unit & Maternal & Child Healthcare Services.

#### 1.0 Overall Scope of Services to be provided by the MHC Operators

- **1.1** To deploy a Mobile Health Clinic on a Build, Own and Operate basis.
- **1.2** To provide quality services as envisaged in operational aspect of the MHCs & MCH services.
- **1.3** To deploy medical / paramedical and other staff for operating the MHC & MCH services and providing the specified services.
- **1.4** To provide health care services (preventive, curative, diagnostic and counselling, free medicines) in the target villages around NTPC Talcher Thermal Project.
- **1.5** To support the District and Local Administration in the management of any outbreak or epidemic or disaster in the area of operation.
- **1.6** To run Behaviour, Change, Communication (BCC) and Information, Education and Communication (IEC) campaigns.
- **1.7** The mobile medical unit may as per instruction by EIC be deployed at any other site like Labor camp at NTPC-TTPS if necessary.
- **1.8** To handle any task assigned by CMO/EIC as per requirements.
- **1.9** To handle all equipment and MHC in accordance with the user manuals and ensure the safety and security of the MHC and equipment.
- **1.10** To keep the MHC and its equipment covered under comprehensive maintenance contracts for the entire contract period.
- **1.11** To maintain the MHC in a clean and safe condition.
- **1.12** To implement reporting, monitoring, and evaluation plan.
- **1.13** Annexure-I ... NTPC Talcher Thermal Project with Target Villages.
- **1.14** Annexure-II ... Medical Services to be provided.
- **1.15** Annexure-III ... The list of generic medicines to be issued free of cost.
- **1.16 Annexure-IV** ... Medical Equipment to be provided in the MHC and their specifications.
- **1.17 Annexure-V...** Medical and Paramedical Staff to be provided with the MMU & MCH with their qualifications and responsibilities.
- **1.18 Annexure-VI.** Standard Reporting Formats.
- 1.19 To provide maternal and child healthcare antenatal/ prenatal & postnatal preventive healthcare to expectant & new mothers and newborn babies & infants to effect reduction in Maternal Mortality Rate (MMR) and Neonatal Mortality Rate (NMR)/ Infant Mortality Rate (IMR) in project affected villages (PAVs) of NTPC Talcher Thermal. Refer to Annexure-XII for detailed scope of work of MCH.

#### 2.0 Modalities of operation

#### 2.1 Communication / Publicity

In consultation with the stakeholders and the EIC.

- An advance monthly schedule of MHC operation is to be prepared in consultation with EIC (atleast one week before start of the month).
- For each village, an operating location will be identified for the MHC by the MHC team in consultation with Local Representative/ASHA/Anganwadi Worker.
- The MHC Operator will display the monthly schedule, operating location, range of services offered bythe MHC at various strategic locations in the villages, through posters, wall writing and paintings, communication to Link Workers etc. to communicate these properly to the target villagers.
- On arrival at a village, the MHC Staff will also make announcements on PA system to motivate and remind people to utilize MHC services.

#### 2.2 MHU Operating Duration

The MHC shall operate on an 8-hour basis (excluding travel time and lunch break). Specific timings of operation at NTPC Talcher Thermal project will be as decided by CMO/EIC.

#### 2.3 Accommodation

The MHC Operator will have to arrange accommodation for his staff at his own cost. However, NTPC may, subject to availability, provide accommodation on a chargeable basis.

#### 2.4 Parking Place

At night the MHC shall be parked by the MHC Operator at the location specified by CMO NTPC Talcher Thermal. Subject to availability of space, NTPC Talcher Thermal shall provide the parking space at the Project free of charge. However, at the project site if no parking space is available with NTPC, the same has to be arranged by the MHC Operator.

#### 2.5 Transportation of Staff

Transportation of staff from base camp to villages and back to base camp shall be done by the MHC operator, either in the MHC itself or in a separate vehicle. If a separate vehicle is used, this shall be provided by the MHC operator at no extra cost.

#### 2.6 Logbook Maintenance

The MHC Operator shall maintain a logbook for the MHC and record the entries correctly, on a day-to-day basis. The logbook must indicate the opening and closing meter reading with the time and date and places visited. The logbook shall be as per the proforma approved by NTPC Talcher Thermal and as per instructions of EIC from time to time. All the journeys should be verified/countersigned by the EIC.

#### 2.7 Reporting and monitoring

Meticulous record-keeping must be maintained throughout the MHC operation period. This is essential for monitoring, gauging impact and identifying areas for further improvement. Throughout the operational period, the MHC staff need to maintain tracking data for a comprehensive set of indicators on the number and profile of people utilizing services, as well as the type of services provided. On a periodic basis, the MHC staff need to report data on these specific indicators to the EIC. Monthly reports sent to EIC may also include any implementation issues requiring resolutions.

#### 3.0 Technical Specifications for Mobile Health Clinic

#### 3.1 Vehicle Chassis & Body

The MHC provided by the MHC Operator shall be brand new and not refurbished. The vehicle chassis, fabrication of body and inside design / layout should be as per specifications given in **Annexure-VII**. The MHC Operator shall submit inside Layout / Design of the cabins along with their bids. These shallbe reviewed by NTPC, and suggested changes will be incorporated.

**3.2** MHC Operator shall provide the Make, Model, catalogue and literature for the Vehicle Chassis and all the equipment's etc. along with the technical bid.

#### **3.3** Deployment of Manpower

Agency shall provide the following manpower for smooth functioning of Mobile Medical Unit:

- i. 2 Doctors, one of whom is necessarily a lady doctor. Doctors should have minimum qualification of MBBS degree.
- ii. One Trained Female Nurse/ANM
- iii. One Pharmacist
- iv. One Attendant or Multi-Purpose Worker
- v. One Trained Driver having Valid commercial driving license.

#### 4.0 Service Levels

- **4.1** Delivery of Mobile Medical Health Clinics and start of Operations: The MHC will be delivered in the NTPC Talcher Thermal project and operationalized within 3 (three) months of the award of the contract.
- **4.2** Date of Start, Working Hours, Days of Operation, Holidays, Leave for Staff:
- a) The date of starting of the work shall be the date fixed by the CMO/Engineer-in-Charge after the MHC with all the specified equipment have been received at site, and inspected, and NTPC Talcher Thermal is satisfied that the unit is ready for operation as per the scope of Work.
- b) The MHC shall be operational in the field for a minimum of 24 days in a month and 1 day for reporting, record updating, stock taking etc. The balance calendar days in the month will be nonoperational days.
- c) However, in case of emergency, as specified by EIC/CMO, the operator will operate the MHC of those days for which no extra cost will be payable.
- d) The MHC shall be operational for 8 hours per day (excluding lunch break and travel time) on all operational days.
- e) Planned leave of Staff and planned maintenance of vehicles should be scheduled on days the MHCis not operating.

f) Weekly offs and Holidays applicable for NTPC Talcher Thermal Project shall be off days for the MHCs and willbe counted as non-operational days.

#### 5.0 Warranty / Guaranty / Maintenance

The MHU vehicle and all its equipment should be brand new and be covered under Comprehensive Warranty / Maintenance Contracts for the entire period of the contract. The warranty / maintenance agreement shall include preventive maintenance, repairs, assured supply of spares / replacements. All equipment shall be covered under Annual Maintenance Contract (AMC)/ Comprehensive Maintenance Contract (CMC) for the entire contract period.

#### 6.0 ESI

**6.1** The MHC Operator shall cover all the eligible manpower under ESI wherever ESI is applicable. Wherever ESI is not applicable (Salary more than Rs 21000 per month cannot avail ESI benefits), the MHC Operator shall cover the manpower under Group Personal Accident Insurance Policy.

#### 7.0 Insurance

- **7.1** The MHC Operator will be responsible for taking out appropriate insurance coverage at their owncost as may be required for successful completion of the job.
- **7.2** This will include, but not limited to, in-transit insurance for transportation of chassis from depot of chassis manufacturer to the works of the MHC body fabricator, and from there to the NTPC Talcher Thermal project, comprehensive and third-party insurance of the Mobile Health Clinic during the currency of the contract.
- 7.3 MHC personnel shall also be insured against any claims under the Consumer Protection Act.

#### 8.0 Payment Terms

- **8.1** The payment shall be processed on monthly basis for the work executed during preceding month including reimbursement for Fuel as per actual as details in Sow. The payment shall be made within 30 days (as per GCC of NTPC) after acceptance of bill by EIC/his representative with all supporting documents.
- **8.2** Pharmacists will be engaged at High Skilled Wage Rates. Female Nurse/ANM & Driver will be deployed at Skilled Wage Rates. Attendant/multi-Purpose Worker will be deployed at Un-skilled Wage Rates.
- **8.3** The agency should ensure payment of salary to the deployed staff, the salary includes the Statutory Minimum Wages and Benefits like EL, NH & PH, EPF loading, Retrenchment Benefit, Employer Share of ESI /Workman Compensation Act 1923 wherever applicable, Bonus, Safety, Special Compensation (Rs. 22 per day for TTPS Project), PMJJBY, PMSBY, etc. as applicable which is part of hiring charges of MMU/MHC, no extra payment shall be paid by NTPC towards salary of deployed staff.

#### 8.4 Reimbursement of Fuel Cost

Fuel Cost: The fuel cost shall be reimbursed as per actual distance covered by the MMU during a billing month @ 8km/litre of HSD as per prevailing market rate of HSD, as on 15th of the month billed for. The vehicle running logbook has to be countersigned by the EIC on a daily basis.

#### 8.5 Statutory deductions

All payments are subject to statutory deductions.

**8.6 Safety Non-compliance**: In case of any discrepancy in Safety Compliance for not following safety rules properly as prescribed by NTPC safety rules in the workplace, 2% (As per revised policy) of monthly RA bills shall be kept on hold. The holding amount will be settled quarterly based on certification from Sub-EIC/EIC of full safety compliance by executing agency.

#### 9.0 LIST OF DOCUMENTS TO BE PROVIDED ALONG WITH INVOICE

Contractor must provide & maintain the following records and get these verified by the CMO/ Medical Officer in-charge at regular intervals:

SI No	Document Description
1	Invoice
2	Documentary evidence for reimbursement/ Bank statement
3	Indemnity Bond
4	Labour Licences
5	Measurement Sheets
6	EPF Compliance Certificate & Challan
7	Wage Sheet
8	Register of wages
9	Workman Compensation Policy/ Comprehensive insurance of
	workmen
10	CCP-10/11 for Services
11	Attendance Registers
12	Register of Fines
13	Register of Deductions for damage or loss
14	Employment Card
15	Any other records as per NTPC norms/statutory requirement

#### 10.0 Indemnification

The MHC Operator agrees to indemnify and keep indemnified and hold harmless NTPC and their respective directors, employees, representatives against all liabilities, demands and / or claims whatsoever, including claims for not being in compliance with the provisions of applicable laws, rules, regulations and guidelines, and also against any losses, damages or expenses suffered or incurred or that may be suffered or incurred by NTPC Talcher Thermal for any reason whatsoever in relation to the operation of the MHC including medic-legal cases. The MHC operator shall also indemnify NTPC Talcher Thermal and its employees from any eventualities including but not limited to compensation out of loss, damage or unforeseen circumstances etc.

The MHC operator shall indemnify and keep indemnified NTPC Talcher Thermal and their respective directors, employees, representatives from any liability financial or otherwise that may arise from third party as a result of the services covered under the scope of work.

All staff for operation of the MHC shall be employed / engaged by the MHC Operator and the MHC Operator shall be solely responsible for any matter concerning their employment / engagement in the project. The MHC operator shall keep NTPC Talcher Thermal and their respective directors, employees, representatives indemnified against any claims and legal expenses arising out of any employment dispute raised by those engaged in relation to the operation of the MHC.

An indemnity bond on an appropriate value of non-judicial stamp paper is to be submitted by the agency on award of the contract.

#### 11.0 Compliance with laws & regulations

The MHC Operator shall comply with the laws, codes, and regulations applicable to the operation of mobile health clinics during the entire period of operation, and on NTPC Talcher Thermal's request, shall make available all the documents pertaining to the compliance with the relevant laws. Necessary approval for the operation of the MHC from District Health authority shall be obtained by the operator.

#### 12.0 Assignment / sub-letting of services

The work is being assigned to the MHC Operator based on their experience and reputation in providing MHC services. The MHC Operator shall not assign, sub-contract or sub-let the whole or any part of the work in any manner except for procurement of equipment / consumables.

#### 13.0 Contract Period

The contract period will be 04 years from the start of services at the NTPC Talcher Thermal project.

#### 14.0 Visibility to NTPC

The MHC operator shall ensure that the brand image of NTPC and NTPC Talcher Thermal as a responsible Corporate Citizen is enhanced as a result of the operation of the MHC, and that this service is a Corporate Social Service initiative of NTPC Talcher Thermal. The specially designed NTPC logo given in **Annexure-VIII** should be displayed on the MHC vehicle and on every information, communication and educational material.

#### 15.0 Officer-in-Charge (EIC)

CMO or his authorized representative shall be Officer-in-Charge, to act on NTPC Talcher Thermal's behalf in relation to this Agreement and who will liaise with the MHC Operator, in relation to this Agreement.

#### 16.0 Non-performance and penalties

#### 16.1 Penalty for delay in providing the Mobile Medical Health Clinics.

The time specified in **Clause 4.1** above for starting the services shall be deemed to be the essence ofthe contract.

- a. If there is a delay in the delivery of the MHC beyond three months, a deduction of Rs 10, 000/-(TenThousand only) for each week's delay shall be made from the payments due to the MHC Operator.
- b. If the MHC Operator fails to deliver the MHC within 6 months of the award of contract, NTPC may terminate the contract for that station / project.

#### 16.2 Penalty for non-operation of Mobile Medical Health Clinics

a. If the MHC operates for less than 24 days in a calendar month, then recovery will be made as given below:

Recovery amount = [monthly charges/24 days) x (24days – operated days)].

- b. However, if the MHC has operated for more than 22 days in a month, the shortfall of one or two days in that month may be compensated in the next 2 months, in which case the deductions made as above, will be released.
- c. Days on which the service of the MHC is not available because of the absence of any staff, or due to the breakdown of the MHC / equipment etc. will be considered as non-operational day.
- d. If the MHC remains out of operation for a continuous period of 30 calendar days, NTPC Talcher Thermal may terminate the contract.
- e. If the no. of operational days in a continuous period of 180 calendar days falls below 120 days, NTPC Talcher Thermal may terminate the contract for that station/project.

#### 16.3 Other Penalties

- i. In case Driver is absent, the MHC will be declared Non-Operational.
- ii. In case Both Doctors are absent, the MHC will be declared Non-Operational.
- iii. In case Both Nurse & Pharmacist are absent, the MHC will be declared Non-Operational.
- iv. In case Both Female Doctor and Female Nurse are absent, the MHC will be declared Non-Operational.
- v. Absence of one Doctor will result in deduction of Rs 3000.00 (Rupees Three Thousand Only) per Doctor per Day.
- vi. Absence of Pharmacist will result in deduction of Rs 1500.00 (Rupees One Thousand Five Hundred Only) per Person per Day.
- vii. Absence of Female Nurse/ANM will result in deduction of Rs 1300.00 (Rupees One Thousand Three Hundred Only) per Person per Day.
- viii. Absence of Attendant/Multi-Purpose Worker will result in deduction of Rs 1000.00 (Rupees One Thousand Only) per Person per Day.

ix. Other penalties have been listed in **Annexure XII** (Special Terms and Conditions).

#### 17.0 Termination of Contract

On termination of contract:

- **17.1** The MHU Operator will be entitled to payment for the actual number of days of operation of the MHC (on pro-rata basis) subject to adjustment of all advances and penalties.
- **17.2** Bank Guarantees provided against the contract may be encashed to recover any dues from the MHU Operator.
- **17.3** The work may be re-awarded at the risk and cost of the MHU Operator.

#### 18.0 Defects Liability Period

There will be no defects liability period for this contract. Accordingly, security deposit will be released upon successful completion of the contract as certified by EIC.

#### 19.0 CONTRACT PERIOD EXTENSION

The contract may be extended for a period up to 03 Months on same rates, terms and conditions of the contract at the discretion of NTPC on mutual consent.

#### **20.0 PRE-CLOSURE**

Engineer-In-Charge (EIC) reserves the right to foreclose the contract before completion of extended time period with a notice period of 03 months.

21.0 Defect Liability Period: NIL.

#### Annexure-I

#### **List of Target Villages**


Note- The list of villages mentioned is indicative. Actual execution may vary as per discretion of management.

## Medical services to be provided by Mobile Medical Health Clinics

Type of Service	Details
PRIMARY	1. Provide treatment for minor ailments.
HEALTH	a. Provide treatment for all minor ailments like Fever, Diarrhoea, URI,
CARE	Worminfestation etc.
(Preventive,	b. Provision of first aid and minor dressings.
Diagnostic &	c. Early clinical diagnosis of communicable diseases and non-communicable
Curative)	diseases such as TB, Malaria, Diabetes, Hypertension and other locally endemicdiseases etc.
	2. <b>Maternal Health</b> A) Antenatal Care:
	a. Adequate counselling and early diagnosis of pregnancy and ensure the
	registration of all pregnancies with the state authority ideally within the first trimester (before the 12 <sup>th</sup> week of Pregnancy).
	b. Antenatal check-ups - General examination such as height, weight, bloodpressure, anaemia etc.
	c. Iron & Folic Acid Supplementation from 12 weeks and advice for tetanus immunization.
	d. Identification of high-risk pregnancies and recommendation for referral.
	B) Intra-natal care:
	a. Promotion of institutional deliveries.
	b. Recommend prompt referral.
	C)Postnatal care:
	a. Counselling for early breast-feeding.
	b. Counselling on diet & rest, hygiene, contraception, essential newborn
	care, weaning infant and young child feeding; birth registration.
	3. Child Health
	a. Essential newborn care.
	b. Promotion of exclusive breast-feeding for 6 months and provide
	awarenessabout immunization scheduled.
	c. Prevention and control of childhood diseases like malnutrition, ARI,
	diarrhoea,etc.
Diagnostic	LAB TESTS: Basic lab tests to be conducted on the spot.
Services	<ol> <li>Blood Sugar by Glucometer</li> <li>Hb Level by Digital Hemoglobinometer</li> </ol>
	The Level by Digital Hemoglobinometer     The Sugar and Protein by Urine Dipsticks
	4. Urine Pregnancy Kit Test
	Considering local requirements, Diagnostic Tests may be reviewed by CMO

	Project / Station in consultation with doctor working on MHC.	
Family	Education, motivation, and counselling to adopt appropriate	
Planning	familyplanning methods.	
Services	Suggestion of contraceptive methods such as condoms, oral pills,	
Jei vides	emergencycontraceptives, IUD insertions (by trained doctor).	
	Follow up activities for couples that undertook permanent family	
	planningmethods (tubectomy / vasectomy).	
Epidemic	• The MHC will support the District and Local Administration in the	
Managemen	management of any outbreak or epidemic or disaster in the area of operation.	
t Services	managementor any outbreak or epidemic or disaster in the area of operation.	
Counselling	Proper counselling for quick referral, regular intake of medicines, village	
Counselling	sanitation including garbage disposal and promote family level hygiene	
	campaign.	
Adolescent	RTI /STI Preventive Counselling.	
and	Promoting Healthy Sexual Behaviour.	
Reproductive	Menstrual hygiene.	
Health	Promoting marriage at proper age.	
	Importance of spacing.	
	Nutritional counselling.	
Community	• The operator will promote widespread awareness of services on offer and	
Mobilization	frequency of visits by associating with Panchayati Raj Institutions, Schools,	
and IEC/BCC	Village Health and Sanitation Committees and other institutions besides using	
activities	banners, posters, wall paintings and local newspaper.	
	• Identify a person from the village as a Link Worker, preferably ASHA. This Link	
	Worker will be the contact point for the village who will mobilize the villagers	
	for uptake of services. The Link Worker will be provided with schedule of	
	operation of the MHU.	
	• Involve voluntary workers (such as local ASHA workers) to support the MHUs	
	during their visits and to create awareness and mobilize the community for	
	uptakeof services.	
	Undertake continuous and effective communication with the local health	
	authorities.	
	Besides offering medical care, it should also be the endeavour to gradually	
	build health awareness among the local population. The message of healthy	
	living should be taken to the village populace.	
	• Simple lifestyle changes with tips on hygiene - for example, the washing of	
	handsbefore eating or keeping food covered. Information on how people can	
	protect themselves against diseases is also to be made available. Encourage	
	women to have institutional/assisted deliveries.	
	Various communication strategies like Health Camps, Health Meals, Health	
	Awareness Campaigns, Community Meetings, Healthy Baby Show.	
Bio-Medical	Operator shall have to ensure proper Biomedical Waste Disposal	
Waste Mgmt.	Management asper statutory and legal norms. NTPC shall not be liable to	
	Biomedical Waste	
	Disposal Management.	

#### List of Medicines to be issued free of cost

- CMO ASHALOK HOSPITAL, NTPC-TTPS will provide the necessary Medicines and Glucostrips, Haemoglobin Strips and Urine Protein/Sugar Strips and Urine Pregnancy Test Kits.
- Medicine and Supplements like Iron Folic Acid Tablet & Calcium tablets will be procured/arranged by CMO, NTPC.
- The procurement of protein powder for distribution to pregnant women/new mothers will be the responsibility of the CSR/R&R nodal officer. He/ She shall also maintain the records for the drawl and distribution, based on certification of the MCH.
- MHU Operator shall indent the medicines from Hospital Main Store, NTPC TTPS Hospital, keep stock of at least one-month requirement of medicines and issue the medicines free of cost to the patients.
- List of the medicines may be reviewed from time to time by CMO NTPC in consultation with the Doctors working on the mobile van considering local requirements.

## Medical Equipment to be provided (For MHC & MCH service)

SI.	Equipment Name	Qty
<b>No.</b> 01	Portable ECG with Accessories of Phillips, GE, Schiller	1
02	<b>Bowl</b> - Made of Stainless steel : Grade 202, thickness 0.5mm, size 8 inches	1
03	Dressing Drum Small	2
04	BP apparatus – Digital Desk Model, 300 mm/Hg, complete	3
04	inflationsystem, in an aluminum /PVC case.	5
05	ENT & Eye examination set	1
06	Stethoscope	3
07	Knee Hammer for neurological examination	1
08	Measuring Tape - Tape Vinyl Coated Fiber. Black Marking. Length: 1.5	2
	meter / 60 inches	_
09	Fetal Doppler	1
10	Weighing Machine with digital display	2
	Oval shaped, Capacity: 150 Kg x 0.5 Kg. Size: 32cm (diameter) x 6.2cm	
	(height). Net Weight: approx 2.90 Kg.	
11	Vaginal Speculum & Sponge Holding Forceps	2 each
12	Needle Destroyer & Hub Cutter	1
13	Digital Hemoglobinometer	1
14	Snellen's Box	1
15	Instrument Tray - Seamless stainless steel so as to provide minimum	2 set
	surface for the germ growth.	
16	Oxygen cylinder (small) with accessories - (B -Type) like Oxygen	1
	Flowmeter with Humidifier, Oxygen Mask & Double Bore Nasal Cannula	
	Colour coded oxygen cylinder for providing oxygen therapy of total	
	capacityof 1500 Ltr. mounted with <b>pressure reducer and flow meter</b> of	
	capacity up to 15 liters per minute and outlet for secretion aspiration.	
	Refillable and complete test certificate as required. To be mounted on the	
	brackets provided in the box container.	
17	Stretcher (folding type)	1
18	Pulse Oximeter	03
19	Torch Light	03
20	Portable Glucometer (Blood Sugar Test Meter) for virtually pain free Blood	1
	Glucose monitoring, supplied with 100 strips (availability of strips must be	
	ensured)	
21	AMBU bag with attachment	2

22	NEBULIZER - Equipped with complete set of accessories.	1
	Nebulization rate: ca. 0.55 ml/min, Nebulizer air flow 3.30 l/min,	
	Compressor Air flow 7.50 I/min, Compressor max. pressure 2.50 bar,	
	Nebulizer capacity: 15 ml (max)	
23	Automated External Defibrillator (AED) of BPL, PHILIPS, GE, L&T,SCHILLER	1
	make	
24	Thermometer	3
25	Fixed Stadiometer	1
26	Linen & rubber sheets/Mackintosh Rubber Sheets	2 sets
	Cotton 100 % - Plain / Printed. Cotton Pillow covers	
27	Baby Weighing Machine	2
28	Portable ECG Machine with accessories	1

All the listed equipment must be brand new. Warranty certificates and Purchase and AMC documents must be handed over to the EIC before commencement of contract. Non-Functioning ECG machine, Hemoglobinometer, Nebulizer more than three days shall beconsidered as non-operation of services.

### Medical and Paramedical staff to be provided

Staff	Minimum Qualification	Responsibilities
Male Doctor	MBBS registered in State Medical Council/ MCI  Basic Computer Skills include navigating the internet, using email, understanding file management, Microsoft Word, Microsoft Excel, Microsoft PowerPoint.	<ul> <li>Effective functioning of MMU &amp; MCH Services, Overall supervision of other staffs</li> <li>Functions and acts as overall team leader / coordinator.</li> <li>Provide preventive, promotive, and curative care.</li> <li>Appropriate referrals of complicated cases and follow-up.</li> <li>Support district authorities during disease and epidemicoutbreak and inform all concerned.</li> <li>Take appropriate action for Bio Medical WasteManagement with other staff.</li> <li>Any other duty as deemed necessary</li> </ul>
Female Doctor	MBBS registered in State medicalcouncil/ MCI  Basic Computer Skills include navigating the internet, using email, understanding file management, Microsoft Word, Microsoft Excel, Microsoft PowerPoint.	<ul> <li>by CMO/EIC of NTPC.</li> <li>Effective functioning of MMU &amp; MCH Services, Overall supervision of other staffs.</li> <li>Provide preventive, promotive, and curative care.</li> <li>Appropriate referrals of complicated cases and follow-up.</li> <li>Support district authorities during disease and enidemicouthreak and inform all concerned.</li> </ul>
Female Nurse	BSc Nursing Degree, registered in Nursing Council) / Diploma in General Nursing & Midwifery (GNM)/ Diploma in Auxiliary Nurse and Midwife (ANM) from a recognized Nursing Institute / an Institute recognized for Nursing teaching and training by AICTE.	<ul> <li>To carry out all kinds of nursing services as per instruction of CMO/EIC/Doctors.</li> <li>Ensure Immunization of mothers &amp; children and maintain their records.</li> <li>Conduct Ante Natal Checkup of Pregnant Women</li> <li>Collect samples and conduct tests as required on the spot <ul> <li>Urine, Haemoglobin, Blood sugar and pregnancy tests.</li> <li>Under the supervision of doctor render preventive, promotive and curative health care services.</li> <li>Health education &amp; counselling</li> <li>Register pregnant women and conduct ANC/PNC.</li> </ul> </li> </ul>

	T	
	Must have registered in Odisha Nurses and Midwives' Registration Council.  Basic Computer Skills include navigating the internet, using email, understanding file management, Microsoft Word, Microsoft Excel, Microsoft PowerPoint.	<ul> <li>Immunization of pregnant women and children.</li> <li>Child Health</li> <li>Assist the Pharmacist in data entry/record keeping.</li> <li>Female Nurse will be responsible for maintaining 5S compliance of the workplace.</li> <li>In the absence of Pharmacist, she has to do record keeping of Stock Ledger, Online Stock Management, Indenting Medicines, Segregate Near Expiry Medicines and other assignments as advised by EIC.</li> </ul>
Pharm	B-Pharma / D- Pharma	Dispensing Drugs as per doctor's prescription
acist	from a recognized institute approved by AICTE and Pharmacy Council of India.  Registered in Pharmacy Council.  Basic Computer Skills include paying the	<ul> <li>•Maintain adequate stock of medicines, consumables &amp; non consumables.</li> <li>•Maintain stock registers with regular updation</li> <li>•Assists the doctor in procuring the drugs and equipment'sfrom a good reputed company.</li> <li>•Assist in data entry/record keeping of Stock Ledger, Online Stock Management, Indenting Medicines, Segregate Near Expiry Medicines and other assignments as advised by EIC.</li> <li>•Tender First aid treatment.</li> <li>•Pharmacist will be responsible for safe keeping of all assets &amp; consumables in the workplace.</li> </ul>
Attend	(10th pass)	<ul> <li>Shall be required to carry out any petty jobs</li> </ul>
ant/		assigned by CMO/EIC/Doctors/Pharmacist/Nurse
Multi-		as required in the MMU & MCH.  To do proper housekeeping, cleaning and
Purpos		<ul> <li>To do proper housekeeping, cleaning and disinfection of the MMU interiors and Equipment.</li> </ul>
e Worke		<ul> <li>To assist driver in regular cleaning and washing of</li> </ul>
r		the MMU vehicle exterior body.
•		<ul> <li>To assist pharmacist in carrying patients in stretchers</li> </ul>
		<ul> <li>stretchers.</li> <li>Carrying files, physical movement/relocation of equipment, material, documents from one place to another.</li> <li>Registering/receiving complaints/feedback for the services.</li> <li>Upkeeping of MMU vehicle interior furniture and equipment.</li> <li>Locking and Unlocking of Vehicle Doors for services delivery.</li> <li>Help others in ensuring 5 S compliance in the MMU.</li> </ul>

		<ul> <li>Maintain Log Books/Complaint Registers etc.</li> <li>Any other job/task not exclusively mentioned above can be assigned by the CMO/EIC from time to time as per requirement.</li> </ul>
Driver	With Commercial / Transport License	<ul> <li>Ensure full tank of HSD in the vehicle at all times.</li> <li>Maintain Log Book of Vehicle properly, and get is signed from EIC daily.</li> </ul>

Nurse and Pharmacist should have multi-functional skills and be able to assist one another in case of requirement. All manpower shall preferably be sourced from Target villages.

### **Standard Reporting Guidelines**

Patients will be registered on computer-based Hospital Management Software (HMS) with name, age, sex, marital status, BPL status, SC / ST / OBC / General Category status, address, father's / husband's name.

Each registered patient will be allotted a **Unique Registration ID**. Registration slip will be issued with Unique Registration ID.

Diagnostic Tests will be prescribed by the doctor and performed by the Staff Nurse/Pharmacist and the same will be maintained in a register along with the unique registration id of the patient for whom the tests have been conducted.

Medicines prescribed by the doctor and issued by the pharmacist will be maintained in a registeralong with the unique registration id of the patient for whom the medicines were issued.

As soon as possible, diagnosis, diagnostic tests performed, and medicines issued will be entered in the HMS with the unique registration id as the key.

The MHC Operator will maintain the database as far as possible with codified list of diseases, diagnostic tests and medicines for ease of entry in HMS.

As and when medicines are issued by NTPC/Hospital, the detailed list of medicines along with quantity received will be entered in the HMS/Stock Register and the list to be countersigned by EIC or his nominated person.

In addition, the MHC staff will provide the EIC, the list of medicines issued daily, weekly, and monthly. It should be possible to prepare customized reports with the HMS software.

### **Standard Reporting Format**

SI.	Reporting	
No.	Parameter	
1	Name of Village Visited	
2	No. of patients registered	
3	No. of female patients	
4	No. of infants (below 5 years)	
5	No. of infants with low birth weight	
6	No. of BPL / SC / ST/ OBC patients	
7	No. of patients who availed any of the diagnostic services	
8	No. of patients who were referred to higher centers	
9	No. of women who availed ANC services	
10	No. of BPL / SC/ ST/ OBC women who availed ANC service	
11	No. of women for ANC checkups who availed diagnostic services	
12	No. of women for ANC checkups who have taken TT injections	

14 No. of women who availed PNC services 15 No. of PNC referred to higher centers 16 No. of persons who were counseled for FP 17 No. of patients 1 With fever 18 Diarrhea 19 Upper respiratory tract infection 19 Upper respiratory tract infection 20 Worm infestations 21 V Worm infestations 22 V Worm infestations 23 Anemia (Hb % 6gm & below) 24 Eye cataract 25 Uiii Eye infection / injury 26 Ix Ear discharge 27 CSOM 28 Ix Ear discharge 28 Ix CSOM 39 Ix Ear discharge 30 Ix	13	No. of ANC with high risk (examined / referred)	
16 No. of persons who were counseled for FP 17 No. of patients 1 With fever 1 Diarrhea 2 Upper respiratory tract infection 3 V Worm infestations 4 Nemia (Hb % 6gm & below) 5 Eye Cataract 6 Viii Eye infection / injury 7 iix Ear discharge 8 X CSOM 9 Xi Dental and gum disease 9 Xii Skin diseases – Leprosy suspected 9 Xiii Skin diseases – Pyoderma and others 9 Xiii High Blood Pressure 1 V Diabetes Type 1 and Type 2 1 VIII Schemic Heart Disease (Known or ECG Evidence) 1 Xiii Any Congenital Heart Disease 1 Xiii Any Congenital Anomaly 1 Xiix Any Neurological Disease 1 XX Osteoarthritis 1 XX Pelvic infections - Cervicitis 1 XXII Sexually transmitted diseases 1 XXIII Fluorosis 1 XXIII Hemorrhoids/Anal fissure	14	No. of women who availed PNC services	
17 No. of patients i With fever ii Diarrhea iii Upper respiratory tract infection iiv Suspected Tuberculosis v Worm infestations vi Anemia (Hb % 6gm & below) vii Eye Cataract viii Eye infection / injury ix Ear discharge x CSOM xi Dental and gum disease xii Skin diseases – Leprosy suspected xiii Skin diseases – Pyoderma and others xiv High Blood Pressure iv Diabetes Type 1 and Type 2 xvi Ischemic Heart Disease (Known or ECG Evidence) xviii Any Congenital Anomaly xix Any Neurological Disease x Osteoarthritis xxi Pelvic infections - Cervicitis xxiii Sexually transmitted diseases xxvi Hypothyroidism, Hyperthyroidism xxvi Hypothyroidism, Hyperthyroidism xxviii Hemorrhoids/Anal fissure	15	No. of PNC referred to higher centers	
ii With fever iii Diarrhea iii Upper respiratory tract infection iv Suspected Tuberculosis v Worm infestations vi Anemia (Hb % 6gm & below) vii Eye Cataract viii Eye infection / injury ix Ear discharge x CSOM xi Dental and gum disease xii Skin diseases – Leprosy suspected xiii Skin diseases – Leprosy suspected xiiii Skin diseases – Pyoderma and others xiv High Blood Pressure iv Diabetes Type 1 and Type 2 xvi Ischemic Heart Disease (Known or ECG Evidence) xviii Congenital Heart Disease xxiii Any Congenital Anomaly xix Any Neurological Disease xx Osteoarthritis xxi Pelvic infections - Cervicitis xxiii Pelvic infections - Salpingitis xxiii Sexually transmitted diseases xx Hypothyroidism, Hyperthyroidism xxvi Hypothyroidism, Hyperthyroidism xxvi Fluorosis xxviii Asthma/COPD/Bronchitis xxviii Hemorrhoids/Anal fissure	16	No. of persons who were counseled for FP	
iii Diarrhea iii Upper respiratory tract infection iv Suspected Tuberculosis v Worm infestations vi Anemia (Hb % 6gm & below) vii Eye Cataract viii Eye infection / injury ix Ear discharge x CSOM xi Dental and gum disease xii Skin diseases – Leprosy suspected xiii Skin diseases – Pyoderma and others xiv High Blood Pressure iv Diabetes Type 1 and Type 2 xvi Ischemic Heart Disease (Known or ECG Evidence) xvii Congenital Heart Disease xx Osteoarthritis xxi Pelvic infections - Cervicitis xxii Pelvic infections - Salpingitis xxiii Sexually transmitted diseases xx Hypothyroidism, Hyperthyroidism xxvi Hypothyroidism, Hyperthyroidism xxviii Asthma/COPD/Bronchitis xxviii Hemorrhoids/Anal fissure	17	No. of patients	
iii Upper respiratory tract infection iv Suspected Tuberculosis v Worm infestations vi Anemia (Hb % 6gm & below) vii Eye Cataract viii Eye infection / injury ix Ear discharge x CSOM xi Dental and gum disease xii Skin diseases – Leprosy suspected xiii Skin diseases – Pyoderma and others xiv High Blood Pressure iv Diabetes Type 1 and Type 2 xvi Ischemic Heart Disease (Known or ECG Evidence) xvii Congenital Heart Disease xviii Any Congenital Anomaly xix Any Neurological Disease xx Osteoarthritis xxi Pelvic infections - Cervicitis xxii Pelvic infections - Salpingitis xxiii Sexually transmitted diseases xx Hypothyroidism, Hyperthyroidism xxvi Fluorosis xxvii Asthma/COPD/Bronchitis xxviii Hemorrhoids/Anal fissure	i		
iv Suspected Tuberculosis v Worm infestations vi Anemia (Hb % 6gm & below) vii Eye Cataract viii Eye infection / injury ix Ear discharge x CSOM xi Dental and gum disease xii Skin diseases – Leprosy suspected xiii Skin diseases – Pyoderma and others xiv High Blood Pressure iv Diabetes Type 1 and Type 2 xvi Ischemic Heart Disease (Known or ECG Evidence) xvii Congenital Heart Disease xviii Any Congenital Anomaly xix Any Neurological Disease xx Osteoarthritis xxi Pelvic infections - Cervicitis xxii Pelvic infections - Salpingitis xxiii Sexually transmitted diseases xx Hypothyroidism, Hyperthyroidism xxvi Fluorosis xxviii Asthma/COPD/Bronchitis xxviii Hemorrhoids/Anal fissure	ii	Diarrhea	
v Worm infestations vi Anemia (Hb % 6gm & below) vii Eye Cataract viii Eye infection / injury ix Ear discharge x CSOM xi Dental and gum disease xii Skin diseases – Leprosy suspected xiii Skin diseases – Pyoderma and others xiv High Blood Pressure iv Diabetes Type 1 and Type 2 xvi Ischemic Heart Disease (Known or ECG Evidence) xvii Congenital Heart Disease xviii Any Congenital Anomaly xix Any Neurological Disease xx Osteoarthritis xxi Pelvic infections - Cervicitis xxii Pelvic infections - Salpingitis xxiii Sexually transmitted diseases xxv Hypothyroidism, Hyperthyroidism xxvi Fluorosis xxvii Asthma/COPD/Bronchitis xxviii Hemorrhoids/Anal fissure	iii		
vi       Anemia (Hb % 6gm & below)         vii       Eye Cataract         viii       Eye infection / injury         ix       Ear discharge         x       CSOM         xi       Dental and gum disease         xii       Skin diseases – Leprosy suspected         xiii       Skin diseases – Pyoderma and others         xiv       High Blood Pressure         iv       Diabetes Type 1 and Type 2         xvi       Ischemic Heart Disease (Known or ECG Evidence)         xvii       Congenital Heart Disease         xviii       Any Congenital Anomaly         xix       Any Neurological Disease         xx       Osteoarthritis         xxi       Pelvic infections - Cervicitis         xxii       Pelvic infections - Salpingitis         xxiii       Sexually transmitted diseases         xxiv       Goiter         xxv       Hypothyroidism, Hyperthyroidism         xxvi       Fluorosis         xxviii       Asthma/COPD/Bronchitis         xxviii       Hemorrhoids/Anal fissure	iv	•	
viii       Eye infection / injury         ix       Ear discharge         x       CSOM         xi       Dental and gum disease         xii       Skin diseases – Leprosy suspected         xiii       Skin diseases – Pyoderma and others         xiv       High Blood Pressure         iv       Diabetes Type 1 and Type 2         xvi       Ischemic Heart Disease (Known or ECG Evidence)         xvii       Congenital Heart Disease         xviii       Any Congenital Anomaly         xix       Any Neurological Disease         xx       Osteoarthritis         xxi       Pelvic infections - Cervicitis         xxii       Pelvic infections - Salpingitis         xxiii       Sexually transmitted diseases         xxiv       Goiter         xxv       Hypothyroidism, Hyperthyroidism         xxvi       Fluorosis         xxviii       Asthma/COPD/Bronchitis         xxviiii       Hemorrhoids/Anal fissure	V		
viii       Eye infection / injury         ix       Ear discharge         x       CSOM         xi       Dental and gum disease         xii       Skin diseases – Leprosy suspected         xiii       Skin diseases – Pyoderma and others         xiv       High Blood Pressure         iv       Diabetes Type 1 and Type 2         xvi       Ischemic Heart Disease (Known or ECG Evidence)         xviii       Any Congenital Heart Disease         xviiii       Any Neurological Disease         xx       Osteoarthritis         xxi       Pelvic infections - Cervicitis         xxii       Pelvic infections - Salpingitis         xxiii       Sexually transmitted diseases         xxiv       Goiter         xxv       Hypothyroidism, Hyperthyroidism         xxvi       Fluorosis         xxviii       Asthma/COPD/Bronchitis         xxviiii       Hemorrhoids/Anal fissure			
ix Ear discharge x CSOM xi Dental and gum disease xii Skin diseases – Leprosy suspected xiii Skin diseases – Pyoderma and others xiv High Blood Pressure iv Diabetes Type 1 and Type 2 xvi Ischemic Heart Disease (Known or ECG Evidence) xvii Congenital Heart Disease xviii Any Congenital Anomaly xix Any Neurological Disease xx Osteoarthritis xxi Pelvic infections - Cervicitis xxii Pelvic infections - Salpingitis xxiii Sexually transmitted diseases xxvi Goiter xxv Hypothyroidism, Hyperthyroidism xxvi Fluorosis xxvii Asthma/COPD/Bronchitis xxviiii Hemorrhoids/Anal fissure		•	
x CSOM xi Dental and gum disease xii Skin diseases – Leprosy suspected xiii Skin diseases – Pyoderma and others xiv High Blood Pressure iv Diabetes Type 1 and Type 2 xvi Ischemic Heart Disease (Known or ECG Evidence) xvii Congenital Heart Disease xviii Any Congenital Anomaly xix Any Neurological Disease xx Osteoarthritis xxi Pelvic infections - Cervicitis xxii Pelvic infections - Salpingitis xxiii Sexually transmitted diseases xxv Hypothyroidism, Hyperthyroidism xxvi Fluorosis xxvii Asthma/COPD/Bronchitis xxviii Hemorrhoids/Anal fissure	viii	, , ,	
xi Dental and gum disease xii Skin diseases – Leprosy suspected xiii Skin diseases – Pyoderma and others xiv High Blood Pressure iv Diabetes Type 1 and Type 2 xvi Ischemic Heart Disease (Known or ECG Evidence) xvii Congenital Heart Disease xviii Any Congenital Anomaly xix Any Neurological Disease xx Osteoarthritis xxi Pelvic infections - Cervicitis xxii Pelvic infections - Salpingitis xxiii Sexually transmitted diseases xx Usyotic Hypothyroidism, Hyperthyroidism xxvi Fluorosis xxvii Asthma/COPD/Bronchitis xxviii Hemorrhoids/Anal fissure	ix		
xii Skin diseases – Leprosy suspected xiii Skin diseases – Pyoderma and others xiv High Blood Pressure iv Diabetes Type 1 and Type 2 xvi Ischemic Heart Disease (Known or ECG Evidence) xvii Congenital Heart Disease xviii Any Congenital Anomaly xix Any Neurological Disease xx Osteoarthritis xxi Pelvic infections - Cervicitis xxii Pelvic infections - Salpingitis xxiii Sexually transmitted diseases xxiv Goiter xxv Hypothyroidism, Hyperthyroidism xxvi Fluorosis xxvii Asthma/COPD/Bronchitis xxviii Hemorrhoids/Anal fissure			
xiii Skin diseases – Pyoderma and others xiv High Blood Pressure iv Diabetes Type 1 and Type 2 xvi Ischemic Heart Disease (Known or ECG Evidence) xvii Congenital Heart Disease xviii Any Congenital Anomaly xix Any Neurological Disease xx Osteoarthritis xxi Pelvic infections - Cervicitis xxii Pelvic infections - Salpingitis xxiii Sexually transmitted diseases xxiv Goiter xxv Hypothyroidism, Hyperthyroidism xxvii Fluorosis xxviii Asthma/COPD/Bronchitis xxviiii Hemorrhoids/Anal fissure			
xiv High Blood Pressure iv Diabetes Type 1 and Type 2 xvi Ischemic Heart Disease (Known or ECG Evidence) xvii Congenital Heart Disease xviii Any Congenital Anomaly xix Any Neurological Disease xx Osteoarthritis xxi Pelvic infections - Cervicitis xxii Pelvic infections - Salpingitis xxiii Sexually transmitted diseases xxiv Goiter xxv Hypothyroidism, Hyperthyroidism xxvii Fluorosis xxvii Asthma/COPD/Bronchitis xxviii Hemorrhoids/Anal fissure			
iv Diabetes Type 1 and Type 2  xvi Ischemic Heart Disease (Known or ECG Evidence)  xvii Congenital Heart Disease  xviii Any Congenital Anomaly  xix Any Neurological Disease  xx Osteoarthritis  xxi Pelvic infections - Cervicitis  xxii Pelvic infections - Salpingitis  xxiii Sexually transmitted diseases  xxiv Goiter  xxv Hypothyroidism, Hyperthyroidism  xxvii Fluorosis  xxvii Asthma/COPD/Bronchitis  xxviii Hemorrhoids/Anal fissure	xiii	·	
xvi Ischemic Heart Disease (Known or ECG Evidence) xvii Congenital Heart Disease xviii Any Congenital Anomaly xix Any Neurological Disease xx Osteoarthritis xxi Pelvic infections - Cervicitis xxii Pelvic infections - Salpingitis xxiii Sexually transmitted diseases xxiv Goiter xxv Hypothyroidism, Hyperthyroidism xxvi Fluorosis xxvii Asthma/COPD/Bronchitis xxviii Hemorrhoids/Anal fissure		<b>G</b>	
xviii Congenital Heart Disease xviiii Any Congenital Anomaly xix Any Neurological Disease xx Osteoarthritis xxi Pelvic infections - Cervicitis xxii Pelvic infections - Salpingitis xxiii Sexually transmitted diseases xxiv Goiter xxv Hypothyroidism, Hyperthyroidism xxvi Fluorosis xxviii Asthma/COPD/Bronchitis xxviiii Hemorrhoids/Anal fissure	iv		
xviii Any Congenital Anomaly xix Any Neurological Disease xx Osteoarthritis xxi Pelvic infections - Cervicitis xxiii Pelvic infections - Salpingitis xxiii Sexually transmitted diseases xxiv Goiter xxv Hypothyroidism, Hyperthyroidism xxvi Fluorosis xxvii Asthma/COPD/Bronchitis xxviii Hemorrhoids/Anal fissure		· · · · · · · · · · · · · · · · · · ·	
xix Any Neurological Disease xx Osteoarthritis xxi Pelvic infections - Cervicitis xxii Pelvic infections - Salpingitis xxiii Sexually transmitted diseases xxiv Goiter xxv Hypothyroidism, Hyperthyroidism xxvi Fluorosis xxvii Asthma/COPD/Bronchitis xxviii Hemorrhoids/Anal fissure		•	
xx Osteoarthritis xxi Pelvic infections - Cervicitis xxii Pelvic infections - Salpingitis xxiii Sexually transmitted diseases xxiv Goiter xxv Hypothyroidism, Hyperthyroidism xxvi Fluorosis xxvii Asthma/COPD/Bronchitis xxviii Hemorrhoids/Anal fissure		, ,	
xxi Pelvic infections - Cervicitis xxii Pelvic infections - Salpingitis  xxiii Sexually transmitted diseases xxiv Goiter xxv Hypothyroidism, Hyperthyroidism xxvi Fluorosis xxvii Asthma/COPD/Bronchitis xxviii Hemorrhoids/Anal fissure	xix		
xxii Pelvic infections - Salpingitis xxiii Sexually transmitted diseases xxiv Goiter xxv Hypothyroidism, Hyperthyroidism xxvi Fluorosis xxvii Asthma/COPD/Bronchitis xxviii Hemorrhoids/Anal fissure	XX		
xxiii Sexually transmitted diseases xxiv Goiter xxv Hypothyroidism, Hyperthyroidism xxvi Fluorosis xxvii Asthma/COPD/Bronchitis xxviii Hemorrhoids/Anal fissure			
xxiv Goiter xxv Hypothyroidism, Hyperthyroidism xxvi Fluorosis xxvii Asthma/COPD/Bronchitis xxviii Hemorrhoids/Anal fissure			
xxv Hypothyroidism, Hyperthyroidism xxvi Fluorosis xxvii Asthma/COPD/Bronchitis xxviii Hemorrhoids/Anal fissure		•	
xxvi Fluorosis xxvii Asthma/COPD/Bronchitis xxviii Hemorrhoids/Anal fissure	xxiv		
xxvii Asthma/COPD/Bronchitis xxviii Hemorrhoids/Anal fissure	XXV	71 7	
xxviii Hemorrhoids/Anal fissure	xxvi	Fluorosis	
•	xxvii	Asthma/COPD/Bronchitis	
xxix Urinary Tract Infection	xxviii	Hemorrhoids/Anal fissure	
	xxix	Urinary Tract Infection	

The same summarized reporting format will be followed daily, weekly and monthly.


### **Technical Specifications for Mobile Medical Clinic Vehicle**


SI. No.	MHU fitted with	Qty
1	Concealed air draft ducted air conditioning	Of appropriate capacity
2	Laptop of reputed Make with Hospital Management Software	1
3	Internet Connectivity by Smartphone with 5G Sim Card	1
4	Pendrive 32 GB for data transfer	1
5	Audio-visual system with 32 Inch LED TV with Pen drive Compatibility, with Display towards Exterior through Glass/ Fibre Window for dissemination of Information, Education and Communication Activities.	
6	Inverter with Battery of Suitable Capacity for running TV	01 set
7	Retractable Awning with fire retardant and waterproof polyester fabric and steel frame, which can put up and down very quickly and suitable for providing shade for about 20 people.	
8	GPS System	1
9	1 kg Fire Extinguisher	2
Descri	ption of Furnishing	
1	Medical Examination Bed	1
2	Steps for Medical Examination Bed	1
3	Curtains for Medical Examination Bed	1 set
4	Appropriate Cushioned Modular Seating Arrangement with Storage Space Below (one each for 2 Doctors, Nurse, Pharmacist, Multi-Purpose Worker)	5
5	Modular Storage System for Medicines, Equipment, Registers and Consumables.	As required
6	Folding wall mounted writing table (one each for 2 Doctors, Nurse, Pharmacist)	4
7	Folding Table for Doctor and Pharmacist for seeing Patients outside.	2
8	Folding Chairs/ Plastic Chairs for Doctors, Nurse, Pharmacist, Attendant, Patient	6
9	Color Coded Waste Bins (as per CPCB Guidelines)	2

### Chassis

The vehicle chassis should be of Tata, Eicher, Ashok Leyland, Mahindra & Mahindra, SML Izuzu (Swaraj Mazda), Force Motors make with suitable engine and gear box. Vehicle should confirm to BS/VI or later specifications. The chassis should have a wheelbase of approx. 3800 mm and minimum permissible Gross Vehicle Weight (GVW) of 7000 kgs. The vehicle shall be complete with the operating accessories as specified herein and furnished with such modifications and attachments asmay be necessary or specified to enable the vehicle to function reliably and efficiently in sustained operation.


The design of the vehicle and the specified equipment shall permit accessibility for servicing, replacement, and adjustment of component parts and accessories with minimum disturbance to other components and systems.





### **MHC** Design

- 1. The MHC should be a state-of-art unit equipped with air conditioning, auxiliary power unit and all quality patient care equipment for primary healthcare.
- 2. The MHC shall be having a driver compartment and the medical compartment.
- 3. The medical compartment should be having minimum dimensions of 5000 mm (L) x 2200 mm (W) and 2100 mm (H) with separate areas for (a) Patient Registration, (b) Doctor Work Area, (c) NurseWork Area, (d) Pathology Lab, (e) Pharmacy, (f) Patient Examination Bed and (g) Patient Waiting Area.
- 4. The suggested layout of the MHC is given below. Bidders will have to prepare their own layoutsand submit the same for review and approval of NTPC.



All access areas are equipped with air and watertight seals to assure a sterile environment forsafe medical procedures.

The MHU should have aerodynamic design for operating in rural areas.

### **Super Structure:**

**Flooring:** The floor should be vinyl flooring with thickness not be less than 4 mm fitted over fire retardant marine board of 12 mm thickness. Drain-out arrangements with plug in at floor.

**Insulation:** Thermo-insulated walls with flame retardant polyurethane of minimum density 40kg/m3. Insulation barrier will be 60mm sides, top and floor. The insulation shall be fire retardant, non-settling, non-hydroscopic, and mildew and vermin proof.

**Interior Panelling:** Complete interior panelling should have made from long life superior quality Fiber Reinforced Polymer (FRP).

**Air-conditioning**: Concealed air draft ducted air conditioning, capable of maintaining the inside at thedesired temperature (between 19 to 26 deg. C) under full thermal load conditions. The air conditioningsystem should not take more than 25 minutes to attain 19 C° under all ambient conditions.

**Inverter with Battery and Solar Panel:** Inverter of minimum 600VA Pure Sine Wave Inverter of reputed make along with Tall Tubular Battery 150Ah having 48 months warranty along with Solar Panel 160 Watt for charging the battery. The inverter and battery should be mounted in a manufacturer approved enclosure specifically designed for this inverter and battery. The compartment shall be color coded with the body and include a latching door with adequate ventilation and be side body mounted flush with the exterior with charging facility from external source and also by the solar panel when vehicle is in the villages.

**Wiring:** All wires shall be PVC insulated wires, of sufficient size to carry the required load, concealedproperly in channels provided in the vehicle. Wires must be grouped or harnessed where practical. Metal edges through which cables pass shall be protected with non-metallic bushings or grommets. All wiringshall be clipped or otherwise attached at suitable intervals to prevent rubbing or chafing due to wire movement, vibration, etc. All the main components like AC, internal lightings, external lightings, powering sockets should have separate circuit. All the electrical circuitries should be in modular form withoverload and a short circuit isolator should be provided of reputed make.

Adequate number of AC / DC sockets in the locations necessary.

**Lighting System:** Vehicular lighting system should be as per CMVR requirements.

**Painting:** Vehicle should be treated for anticorrosion, rusting. Vehicle must be painted with automobile grade paint of Asian, Nerolac, Berger, ICI, and Shalimar make only. PU paint will be used for corrosion resistance and a better finish.

The vehicle is to be painted with suitable logos and inscriptions on the exteriors as per NTPC specifications.

**Fire Extinguisher** of 1 kg capacity should be installed at appropriate location in both the driver's compartment and medical compartment. It should be clearly visible and have easy access for use. Fireextinguisher should meet BIS 13849-1993 or the latest.

**Doors:** There will be one Pneumatic Inward Gilding Door in the middle of the medical area on the co-driver side of the MHU and one rear door. All doors shall be provided with Vision panels.

**Modular Cabinets**: Elegantly designed modular cabinets to be provided throughout the mobile for convenient storage of medicines, linen & consumables.

**Canopy-Awning system:** MHU shall have a sturdy and retractable awning for providing cover / shade to the users of the MHU.





**Modular Cabinets:** Elegantly designed modular cabinets to be provided throughout the mobile for convenient storage of medicines, linen, consumables tenting and outdoor covering.

**Windows:** Toughened permanent tinted glass window having 70% visibility and appropriate size and nos. may be provided to serve following two purposes:

- Provide enough day light inside the doctor cabin
- In case of emergency this will be used as emergency exit.
- Windows counter in Pharmacy Area for dispensing of medicines.
- Window for fixing of 32 inch LED Tv for outside view.

**Equipment Mounting:** The mounting of all equipment is to be done in such a way so as to ensure that the equipment remains fixed and absorbs all shocks during the movement of the vehicle. The mountingshould also be easily undone for maintenance purposes.

**Bar Lights and Siren:** The MHU should be provided with Bar Lights and Siren (Wailing System) of reputed make and brand.

**Audio-Visual Aids:** The MHC shall be equipped with an LED TV of minimum 32" size with Pen Drive function compatibility, of a reputed make and with speakers and amplifier of suitable capacity, for showing videos / presentations on public health education / awareness and NTPC related programs.

The TV should be fixed in the MHU in such a way that the programme displayed on TV can be watchedfrom outside.

It should also be possible to set up the TV outside the MHU in appropriate tents where villagers can congregate and view the audio-visual programs.

### **Laptop & Health Management software:**

To capture patient data, the MHC shall be provided with a brand-new Laptop (Intel Core i3, 16

GB RAM, 500GB Internal Hard Disk, 3 USB Ports, latest Windows Operating System). Health Management software shall be installed on this laptop, to capture patient's name, age, sex, Aadhaar details, father's / husband's name, village name, address, BPL status and other relevant data, doctor's diagnosis, medicines prescribed / issued; the tests suggested / conducted etc. The software should make availablepatient history during consultation, analyze population served, types and pattern of diseases, trends ina particular location, plan requirements, generate various reports and to see the effectiveness of MHC'sfunctioning. NTPC should be provided access to the software and database.

**GPS:** The MHU should be equipped with Global Positioning System (GPS) and tie up with GPS service provider for tracking of vehicle in real time. Login for this shall be provided to the Officer-in-Charge of the respective project station.

**Internet Connectivity:** Internet connectivity shall be provided for transmission of data, reports etc.

### **Driver Compartment**

Driver's compartment to be provided with

- Glove box in front of co-driver seat, to house vehicular documentation, emergency medical kit and small tools.
- Maintenance tools firmly secured and vibration free with necessary Lock and Keyarrangement.
- PA system
- Branded Music System with Amplifier, Speakers of reputed make.
- Mobile Charging plug.






The medical examination bed should have a length of 1930 mm (6 ft 4 inches), height of 686 mm (2 ft 3 inches) and width of 610mm (2 ft). The medical examination bed should have storage in the base allowing the doctor and staff to have immediate access to frequently used supplies and small equipment. A curtain rod with curtain to be provided on ceiling surrounding patient examination bed.

### **Medical Compartment**



**Medical Examination** 



Two steps to be provided



One folding wall mounted writing table of appropriate size (suggested 305 mm X 410mm (1 ft X 1ft 6 inches) to be provided.



Four nos. of waste bin of different colors (in compliance with BioMedical Waste Rule) and Hands-Free Operation are to be provided in the near vicinity of wash basin. These should be durable, hygienic, nontoxic, and convenient to use.



A fixed stadiometer (wall-mounted height measurement device) to be installed in the doctor's work area.

### Pharmacy



A modular pharmacy desk is to be provided equipped with all specified equipment. Necessarystorage space for medicines, syringes, needles, glass slides & other laboratory accessories should be provided.

**Folding Chairs/ Plastic Chairs for Doctors** 



Doctor's Table for Working Outside





Folding Table for Doctors for seeing Patients outside.

### Logo to be provided on MHC Vehicle



# MHC Operator to specify makes and models of vehicle chassis and key equipment / furniture (to be submitted with technical offer)

S. No.	Description	Make	Model (specific model to be given)
1	Vehicle Chassis		
2	Portable ECG		
3	Digital Hemoglobinometer		
4	AED Machine		
5	Nebulizer		
6	Inverter with Battery with solar panel		
7	Fire extinguisher		
8	Laptop		
9	Smartphone with 5G Sim		
10	Led TV		
11	Fetal Doppler Machine		
12	BP Machine		

### Checklist

MHC Operator to submit the details as specified in column (B) below, in separate and clearly marked annexures and submit the same along with the technical offer. The MHC Operator will then fill up the checklist, specifying whether he has submitted the required details - Y/N in column (C) and in which annexure - Column (D).

S. No.	Details to be provided by MHC Operator as part of Technical Offer	Y/N	In which annexure
(A)	(B)	(C)	(D)
1	Details of vehicle make, model and specifications.		
2	Layout drawing of MHC with all equipment and facilities.		
3	Makes and models of vehicle chassis, key equipment / furniture.		
4	Proposed approach for project management.		
5	Roll Out Plan.		
6	Approach to quality assurance.		
6	Innovative ideas for improving service delivery and uptakeof health services.		
7	Approach to reporting (Health Management Software tobe adopted for data capture, MIS formats (daily, weekly, monthly, quarterly, yearly) and monitoring ofperformance.		
8	Management Structure.		
9	Recruitment plan for staff (including Link Worker)		
10	Methodology to ensure 100% availability of staff at all times (taking into account leave etc.).		
11	Strategy for staff retention.		
12	Approach to community mobilization for uptake ofservices.		
13	Strategy for estimating requirement, procurement, stockkeeping, and accounting of medicines.		
14	Strategy for bio-medical waste management.		

### Name & Addresses of the Project/Station

SI. No	Project Name	Project Address
1	NTPC TALCHER THERMAL POWER PROJECT	NTPC TTPP, TALCHER THERMAL, DISTRICT- ANGUL, ODISHA, PIN-759101

### Scope of Work of MCH

To provide 650 days of antenatal/prenatal & postnatal preventive healthcare to expectant & new mothers and newborn babies & infants to effect reduction in Maternal Mortality Ratio (MMR), Neo-natal Mortality (NNM) and Infant Mortality Ratio (IMR) in project affected villages (PAVs) of NTPC Talcher Thermal.

Scope of Services to be provided by MCH Team:

- 1. The MCH Team shall ideally comprise one lady MBBS doctor with a female nurse/ANM or One male MBBS doctor with a female nurse/ANM. The MCH team will move to these designated villages along with the MMU once every operational day and thereafter move on their own to the locations where pregnancy/infancy is reported in that village.
- 2. The MCH Team will take the support of ASHA/ Anganwadi functionary/ Govt. ANM and get the details of pregnant women and new-born & infants (up to 370 days of age) of all villages to be covered under the Policy. Thereafter, a schedule of the visits will be prepared and intimated to the concerned family, in advance. During each day of visit, the MCH Team will ensure visiting at least seven (7) families or all such reported cases in the village, whichever is less. Before starting the work under this policy for lowering Maternal Mortality Ratio, Neo-natal Mortality, and Infant Mortality Ratio, the MCH Team will fill up the necessary details in an appropriate format.
- 3. On the day of the visit, the MCH Team will make a rendezvous with the ASHA/Anganwadi worker and then proceed for the pre-natal/post-natal checkup/assessment. For empowering the MCH Team, the site CSR/R&R nodal officer will make necessary liaising with the CDMO/SDO/BDO/Panchayat officials for smooth inter-face of State-run mechanism with this initiative of NTPC.
- 4. The antenatal/prenatal care days shall be counted from the date of registration by MCH team of the expectant mother to the date of childbirth or 280 days, whichever is less, and postnatal care from the date the child is born to 370 days after the childbirth.

### (A) Antenatal Care of expectant mother

- 1. The lady member of MCH Team shall carry out the first antenatal assessment at the time of registration which will include History taking, physical & abdominal palpation/examination and advice essential screening & investigations like Haemoglobin, screening for Gestational Diabetes Mellitus & protein urea and other desirable investigations like Blood grouping & Rhesus factor, Thyroid disorders, HIV/Syphilis, Hepatitis-B, as per requirement. The details shall be recorded in the register or medical book of the expectant/new mother.
- 2.The MCH Team shall ensure 8 contacts during gestation preferably once in a month with the pregnant women for maternal and foetal assessment, which will be reduced on pro-rata from the day of registration as it may so happen that the first visit takes place later in the pregnancy cycle.

- 3. The MCH Team shall advise immunization and Iron & Folic Acid (IFA) supplement to the expectant mother and ensure the same during the subsequent visit.
- 4. The MCH team shall distribute 18-20 grams of protein per day to each pregnant and lactating mother as a supplement, in addition to nutrition being provided by the state Government, from the date of registration by the MCH Team until childbirth and a further period of 370 days after the childbirth. The cost of the same will be booked under CSR/CD of the NTPC Talcher Thermal.
- 5. The MCH Team shall counsel pregnant women about eating healthy & nutritious diet i.e. diet rich in proteins, minerals, vitamins & fibre. The MCH Team shall also counsel on importance of personal hygiene, dental care, postnatal exercises, importance of breastfeeding, benefits and importance of Institutional delivery/delivery with a skilled birth attendant, family planning, awareness on key danger signs during pregnancy, Kangaroo Mother Care, labour & child birth and various Government schemes for maternal & child healthcare such as Pradhan Mantri Surakshit Matritva Abhiyan, Pradhan Mantri Matru Vandana Yojana, Janani Suraksha Yojana (JSY), Janani Shishu Suraksha Karyakaram (JSSK), Integrated child development services (ICDS), POSHAN Abhiyaan, Pradhan Mantri Jan Arogya Yojana (PM-JAY) etc. at each antenatal contact. The MCH team will facilitate completion of registration formalities so that theexpectant mother can avail the benefits of various schemes of the Government such as "PradhanMantri Matru Vandana Yojana" wherein an expectant mother gets cash benefit only if she registers her pregnancy within 150 days of Last Menstrual Period (LMP).
- 6. Ultra-sound of the pregnant women shall be done at least once in six months wherever ultra-sound facilities are available and operational at NTPC hospital, and the cost shall be booked to CSR account of NTPC Talcher Thermal station. However, no reimbursement shall be made for Ultrasound done in private hospitals/other locations.

#### (B) Childbirth & Postnatal care of the New mother & newborn baby/infant

- 1. The MCH Team shall ensure for 100% institutional delivery and make sure that the mother andnewborn receive first postnatal care within 24-48 hours after childbirth. For effecting time, they will coordinate with nearby Govt. hospital in advance. It is pertinent to mention that as a part of Janani Suraksha Yojna any childbirth taking place in Government Health Centers such as SCs/PHCs/CHCs/district hospitals/State hospitals are eligible for cash assistance. Thereafter, at least three additional postnatal contacts to all new mothers and new-born, on day 3 (48—72 hours), between day 7-14,and 6 weeks after birth shall be made by MCH Team.
- 2. The details of the newborn babies like Height, weight, head circumference, blood group & Rhesus factor, etc. to be entered in the register/medical book of the new mother.
- 3. MCH team to ensure that all newborns & infants up to the age 370 days must receive their immunization doze as per Universal Immunization Program of NRHM, Government of India. This duration of the 370 days will cover the MMR vaccination (Scheduled between 9 to 12 months) which is the last in its essential cycle of vaccination.

#### SPECIAL TERMS AND CONDITIONS:

- 1. Vendor must deploy one "MMU & MCH Vehicle" as specified, Fuel (HSD), Consumables and Manpower as per scope of work, Manufacturer Fabricated Only, Brand New (not operated earlier), 2023 onward model: Air Conditioned, GPS Compliant, White Color Vehicle, Power Steering, 4-cyl, 16 V, DOHC, VGT, Dual Mass Fly Wheel, BS-VI Compliant (or the latest Bharat Stage Emission Norms), Tubeless Tyres Model with 3-way siren light, mike and operating system.
- 2. Vendor must provide 2 sets of uniform per year to the deployed manpower.

Uniform colour to be decided in consultation with CMO/EIC.

Male & Female Doctor: 2 Sets of White Apron each.

Pharmacist: 2 sets of Shirts & Full Pants.

Female nurse/ANM: 2 sets of Dress with White Apron.

Attendant/MPW: 2 sets of shirts & Full Pants.

Driver: 2 sets of Shirts & Full Pants.

Penalty Rs.50/- per person per day shall be imposed for non-compliance which shall be deducted from RA bill/s of the vendor.

- 3. Deployment of qualified and professionally trained manpower on MHC during working hours. All the Manpower involved should be well behaved, disciplined and report at duty place in uniform provided by the vendor before 15 minutes as per their duty schedule.
- 4. The Driver of the MMU Vehicle should have a minimum of one-year experience of heavy motor vehicle/ambulance driving and valid HMV (commercial) driving license, which should be renewed from time to time. Drivers must have full knowledge of Hindi/local language. They should also be literate to read the traffic signs and rules. They should be fully capable of filling the vehicle logbook in the proper way without cutting and overwriting.
- 5. The deployed manpower should be medically fit, healthy, and free from any communicable diseases. The Vendor must get their medical examination once in a year during the contract period at their own cost.
- 6. Any other job assigned to the Doctors and Paramedics shall also be done on the instructions of the CMO/in- charge/ officer-in-charge.
- 7. CMO/Medical Officer in-charge is the final authority to remove any manpower without any notice to the vendor if behaviour of particular manpower is found un-satisfactory. Vendor must replace such manpower immediately. Non-compliance of the same shall be treated as MMU absent in that day. In that case Rs.5000/- shall be deducted from RA Bill/s of the vendor on account of each manpower.
- 8. Vendor must keep reserve work force for MHC & MCH services for maintaining leave of deployed staffs and prior intimation in writing/e-mail regarding any replacement of staff with staff detail must be produced by the vendor/coordinator to the EIC for approval.

- i. In case Driver is absent, the MHC will be declared Non-Operational.
- ii. In case Both Doctors are absent, the MHC will be declared Non-Operational.
- iii. In case Both Nurse & Pharmacist are absent, the MHC will be declared Non-Operational.
- iv. In case Both Female Doctor and Female Nurse are absent, the MHC will be declared Non-Operational.
- v. Absence of Doctor will result in deduction of Rs 3000.00 (Rupees Three Thousand Only) per Doctor per Day.
- vi. Absence of Pharmacist will result in deduction of Rs 1500.00 (Rupees One Thousand Five Hundred Only) per Person per Day.
- vii. Absence of Female Nurse/ANM will result in deduction of Rs 1300.00 (Rupees One Thousand Three Hundred Only) per Person per Day.
- viii. Absence of Attendant/Multi-Purpose Worker will result in a deduction of Rs 1000.00 (Rupees One Thousand Only) per Person per Day.
- 9. Following expenses shall have to be arranged and borne by the vendor:
  - a) Operational expenses towards uniform, medical expenses of manpower, deployed manpower insurance, room rent/accommodation cost.
  - b) Vehicle registration, insurance, road tax, approvals, licenses, permits, toll taxes or any other taxes including parking charges, vehicle fitness etc.
  - c) Transportation of manpower from base camp to the villages and back to the base camp
  - d) Consumables including First Aid Kit, Lubricants, Tyres wear & tear.
  - e) Repair and Maintenance of Vehicle, Repair of damages due to accident
  - f) Consumables required for providing medical services, medical equipment including but not limited to gloves, cotton, syringes, reagents, chemicals, Floor disinfectants, liquid soaps, Mops, Oxygen refilling for oxygen cylinder.
  - g) Cost towards Housekeeping of Vehicle & Cleaning of Linens
  - h) All Insurance Coverages required for Vehicle, Equipment/Furniture, Manpower.
  - i) AMC/CMC/Warranty of all Equipment
  - i) IEC/BCC Printed Materials
  - k) Mobile phone regular recharge
  - I) Any legal compliances etc.
  - m) All Taxes & Duties including GST, Income Tax etc. not mentioned herein.
- 10. Looking into road safety, vehicle headlights and fog lights bulbs, siren light bulbs, indicators lights bulbs shall be replaced immediately if found defective. MMU vehicle tyres shall also be changed immediately, if the rubber grip of either single or all tyres become smooth, on the instructions of the Officer-In-Charge. Noncompliance shall be treated as the MMU vehicle absent till replacement and an amount Rs. 5000/- shall be deducted from the RA bill/s of the vendor.
- 11. The MHC must be maintained properly throughout the contract period with decent upholstery like curtains, seats, leather seat covers etc. Curtains and seat covers are to be washed regularly at an interval of 15 days or earlier if dirty whereas the same may be replaced

immediately if found rotten. Noncompliance shall be deducted Rs. 100/- per day till replacement from the R.A. Bill/s of the agency.

- 12. It is the sole responsibility of the vendor to keep a full tank of fuel (HSD) every time.
- 13. All the relevant documents pertaining to statutory compliance shall be submitted to the Medical Officer In-charge/CMO. Any penalty imposed by any authority on this account shall be borne by the agency.
- 14. The vehicle should comply strictly with the provision of pollution control in line with the decisions of supreme Court/NGT from time to time and should comply with statutory regulations issued from time to time in this regard. Non-compliance shall be deducted from the R.A. Bill/s of the agency @ Rs. 500/- per day.
- 15. It is compulsory to provide pre/postpaid cell phone (mobile) on the MMU vehicle. Mobile no. to be informed to the MOIC/ Medical Officer/In-charge. Vendor must provide the same on their own cost & risk. Rs. 100/- per day shall be deducted from the R.A. Bill/s of the vendor against non-compliance.
- 16. The vendor will provide vehicle tracker software to the medical officer in charge/ CMO for live tracking of the vehicle.
- 17. The vendor should own the MMU Vehicle deployed.

No vehicle shall be allowed to be sold/mortgaged or sub-let during the entire contract period. NTPC shall have full right to short- close the contract without notice by forfeiting the entire EMD/SD etc. of the vendor in such a case.

SD/EMD shall be as per standard practice of general condition of contract (GCC) of NTPC Ltd.

18. Periodic maintenance at an interval of every three months with prior approval of the EIC is essential for which 12-16 hours leave may be given and the vendor must provide a substitute vehicle for the same period.

Maintenance certificate from vehicle's authorized service station must be submitted after each service/maintenance.

No payment shall be made to the agency for this activity by NTPC. Penalty @Rs.10000/- shall be imposed for non-compliance of each service.

However, grace period for 15 days will be allowed for any unforeseen circumstances.

- 19. AMC/ CMC/Warranty of the medical equipment & instruments installed in MMU Vehicle is mandatory for the durations of the contract. Repair in case of breakdown must be ensured within 36 hours and Noncompliance shall be penalized @ Rs. 1000/- per day per equipment/instrument after 36 hours and shall be deducted from the R.A. Bill/s of the vendor. Similarly, consumables shall be re-filled within 24 hours otherwise Rs. 500/- per day per consumable shall be deducted from the R.A. Bill/s of the vendor after 24 hours.
- 20. Vendor must pay min wages (Central) to deployed work force (as per Central Govt. Notification from time to time) latest by 7th day through bank of each month. Non-compliance shall be imposed Rs.100/- per person per day after the 7th day of the month.

- Pharmacists will be engaged at High Skilled Wage Rates.
- Female Nurse/ANM & Driver will be deployed at Skilled Wage Rates.
- Attendant/multi-Purpose Worker will be deployed at Un-skilled Wage Rates.
- 21. Vendor must provide copies of pay slips, bank deposit slips, PF deposit slips/ challans for HR clearance along with the bills for release of payment to the vendor through measurement book.
- 22. Vendor shall compulsorily follow the rules of PF Act and deposit the PF against each deployed work force. Rs.1000/- shall be imposed per man per month against non-compliance which shall be deducted from the RA bills of the vendor.
- 23. Prior to deployment of work force, vendor should take group insurance/ESI of their work force as per norms at their own cost per year basis or for entire contract period. For noncompliance of ESI amount deposition by due date, Rs. 5000/- per month shall be deducted from the RA bill/s of the vendor.
- 24. Vendor must keep Rs.5000/- cash with supervisor/coordinator from the first day of the date of start of the contract until complete execution of the contract for ambulance minor maintenance/fuel (HSD) requirement/toll and parking etc. in emergencies. Non-compliance shall be imposed Rs. 100/- per day which shall be deducted from R.A. Bill/s of the vendor. The same will be refunded after completion of the contract.
- 25. In case failure to complete the contract and performance of the vehicle and compliance to the contractual provision is/are found unsatisfactory, the contract may be terminated by short closure by NTPC without any notice forthwith and security deposit/CPG, EMD, pending bill/s etc. shall be forfeited. No compensation shall be paid for the un-utilized portion of the contract period.
- 26. All payment shall be released on completion within a month after receiving proper bill/s from the contractor in the prescribed proforma along with supporting documents as may be needed from time to time.
- 27. In case of non-availability of the vehicle for minor/major breakdown, an alternative vehicle shall be arranged immediately. However, the deployment of alternative vehicles shall be allowed subject to fitness, road worthiness and proper documents of vehicle as agreed in contract.
- 28. NTPC shall not be liable to provide either accommodation facilities to the vendor or their employees.
- 29. Vendor must provide the details of all persons deployed including name, age, sex, and address with Police Verification Certificate (PVC) of each and every person along with photograph duly verified by the village/town authority within a month of deployment of the person.

- 30. The vendor must arrange medical facilities to all their deployed workers at their own cost. NTPC shall not be held responsible for providing such facilities. Also, no reimbursement shall be applicable in this account.
- 31. Vendor and their employees shall not at any time cause or permit any nuisance or damage to properties on the site and township and/ or do anything which shall cause unnecessary disturbance or inconvenience to the patients, hospital, residents or anyone. Doing so, they shall be penalized on the discretion of the NTPC hospital and HR authorities.
- 32. If the performance of any worker shall be found unsatisfactory, the vendor shall change the same within a period of 2 days of notice by EIC/CMO.
- 33. It is the responsibility of the vendor or his designated staff to indent the medicines from Hospital Main Store, NTPC TTPS Hospital and make the medicines and the medical items available for distribution on all working days. Any shortfall must be filled by the next working day by indenting from the Hospital Main Store. Rs. 100/- per day shall be deducted against each item through R.A. Bills of the vendor in case of failure to replace within the said period.
- 34. Route plan of the MHC is very important and shall be provided by the vendor/coordinator on the last working day of the month for the succeeding month in the office of the officer-incharge. Rs. 100/- per day shall be deducted through R.A. Bill/s of the vendor against non-compliance.
- 35. The date of start of the work shall be the date fixed by the CMO/Engineer-in-Charge after the MHC with all the specified equipment have been received at site, and inspected, and NTPC Talcher Thermal is satisfied that the unit is ready for operation as per the scope of Work. However, successful bidders must be ready to deploy their vehicle within 60 days from the date of receipt of LOI/award letter, whichever earlier. Delay in deployment of vehicle and shall be penalized @ 10000/-per week, which will be deducted from R.A. Bill/s or SD/EMD.

## BILL OF QUANTITY HIRING OF MMU & MCH SERVICES FOR NTPC TTPS FOR A PERIOD OF 4 YEARS

	BILL OF QUANTITY						
SL NO	DESCRIPTION	UNIT	RATE( inclusive of GST@0%)	QUANTITY	AN	OUNT(inclusive of GST@0%)	
10.0	Providing MMU with MCH Services						
10.10	Deployment of MMU and MCH Services	PER MONTH	₹ 3,80,000.00	48	₹	1,82,40,000.00	
	GRAND TOTAL				₹	1,82,40,000.00	

Bidder has to quote the total package cost (incl. of GST ) in GEM Price Bid for HIRING OF MMU & MCH SERVICES FOR NTPC TTPS as per Scope of Work for 48 months.

Bidder must check the total package cost wrto to the estimated amount before the Bid submission on GFM

As the subject work pertains to deployment of Ambulance which comes under GST Exemption thus the GST % considered is NIL. However, Bidders are requested to indicate the applicable GST% in Attachment 09.

### Annexure-II(Rev.04) to BDS

### Sub: <u>Preference to Make In India and Eligibility for Participation/ granting of Purchase</u> Preference to Class-I local suppliers- regarding

It is the policy of the Government of India to encourage 'Make in India' and promote manufacturing and production of Goods and Services in India with a view to enhancing income and employment. In this regard, the following guidelines, concerning the procedure to be adopted for granting Eligibility for Participation/purchase preference to local suppliers, are hereby issued:

### 1.0 Definitions:

- a) 'Local content' means the amount of value added in India which shall, unless otherwise prescribed by the Nodal Ministry, be the total value of the goods, services or works procured (excluding net domestic indirect taxes) minus the value of imported content in the goods, services or works (including all customs duties) as a proportion of the total value, in percent.
- b) **'Class-I local supplier'** means a supplier or service provider, whose goods, services or works offered for procurement, meets the minimum local content as prescribed.
  - 'Class-II local supplier' means a supplier or service provider, whose goods, services or works offered for procurement, meets the minimum local content as prescribed for 'Class-II local supplier' but less than that prescribed for 'Class-I local supplier'.
  - 'Non-Local supplier' means a supplier or service provider, whose goods, services or works offered for procurement, has local content less than that prescribed for 'Class-II local supplier'.
- c) **'L1'** means the lowest tender or lowest bid or the lowest quotation received in a tender, bidding process or other procurement solicitation as adjudged in the evaluation process as per the tender or other procurement solicitation.
- d) 'Margin of purchase preference' means the maximum extent to which the evaluated bid price of a 'Class-I local supplier' may be above the L1 for the purpose of purchase preference.
- e) **Fraud Prevention Policy** shall mean the policy related to prevention of fraud displayed on NTPC tender website <a href="http://www.ntpctender.ntpc.co.in/">http://www.ntpctender.ntpc.co.in/</a>
- f) **Policy & Procedure for Debarment from Business Dealings** shall mean the policy related to Debarment from Business Dealings forming part of Bidding Document.

#### 1.1 Minimum Local Content

1.1.1 The local content requirement to categorize a Bidder/Supplier as 'Class-I local supplier' is minimum 50%. For 'Class-II local supplier', the 'local content' requirement is minimum 20%.

1.1.2 Ancillary services such as transportation, insurance, installation, commissioning, training, and after sales service support such as AMC/CMC etc. shall not be considered as local value addition. Bidders offering imported products will fall under the category of Non-local suppliers. Such bidders can't claim themselves as Class-I local suppliers / Class-II local suppliers by claiming the services such as transportation, insurance, installation, commissioning, training, and after sales service support such as AMC/CMC etc. as local value addition.

### 2.0 Eligibility for Participation/Purchase Preference:

### A. @APPLICABLE FOR TENDERS WHERE ONLY CLASS-I LOCAL SUPPLIERS ARE ELIGIBLE TO BID, AS PER PARA 2.1 OF CIRCULAR:

### 2.1 Eligibility for Participation

a) \*For tenders having lump sum evaluation:

Only Class-I local suppliers are eligible to Bid. Bids received (if any) from Class-II Local Supplier / Non Local Supplier shall be out rightly rejected.

b) \*For tenders having item wise evaluation:

Only Class-I local suppliers are eligible to Bid for specified items in Bidding documents. Bids received (if any) for specified item(s) from Class-II Local Supplier / Non Local Supplier shall be considered non-responsive and shall not be evaluated in respect of such item(s).

### B. @APPLICABLE FOR TENDERS WHERE ONLY CLASS-I AND CLASS-II LOCAL SUPPLIERS ARE ELIGIBLE TO BID, AS PER PARA 2.2.1 OF CIRCULAR:

### 2.1 Eligibility for Participation

a) \*For tenders having lump sum evaluation:

Only Class-I and Class-II Local Suppliers are eligible to Bid. Bids received (if any) from Non Local Supplier shall be out rightly rejected.

b) \*For tenders having item wise evaluation:

Only Class-I and Class-II Local Suppliers are eligible to Bid for specified items in Bidding documents. Bids received (if any) for specified item(s) from Non Local Supplier shall be considered non-responsive and shall not be evaluated in respect of such item(s).

#### 3.0 Purchase Preference:

### 3.1 Margin of Purchase Preference

The margin of purchase preference shall be 20%.

### 3.2 Purchase preference shall be given as specified hereunder:

### \*\*3.2.1 Procurements where MSE benefits are not applicable:

- \*\* (i) In all procurements where MSE benefits are not applicable and where splitting of quantity/divisibility of tender has been specified in the bidding documents, the 'Class-I local supplier' shall get purchase preference over 'Class-II local supplier' as well as 'Non-local supplier', as per following procedure:
  - Among all qualified bids, the lowest evaluated bid will be termed as L 1. If L1 is
     'Class-I local supplier', the contract for full quantity will be awarded to L1.
  - If L1 is not a 'Class-I local supplier', 50% of the order quantity shall be awarded to L 1. Thereafter, the lowest evaluated bidder among the 'Class-I local supplier' will be invited to match the lowest evaluated bid (L1) price for the remaining 50% quantity subject to the Class-I local supplier's evaluated price falling within the margin of purchase preference, and contract for that quantity shall be awarded to such 'Class-I local supplier' subject to matching the lowest evaluated bid (L1) price. In case such lowest eligible 'Class-I local supplier' fails to match the L1 price or accepts less than the offered quantity, the next higher 'Class-I local supplier' within the margin of purchase preference shall be invited to match the lowest evaluated bid (L1) price for remaining quantity and so on, and contract shall be awarded accordingly. In case some quantity is still left uncovered on Class-I local suppliers, then such balance quantity may also be ordered on the L1 bidder.
  - \*\* (i) In all procurements where MSE benefits are not applicable and which are not divisible in nature and the same has been specified in bidding documents, the 'Class-I local supplier' shall get purchase preference over 'Class-II local supplier' as well as 'Non-local supplier', as per following procedure:
    - Among all qualified bids and substantially responsive bids, the lowest bid will be termed as L1. If L1 is 'Class-I local supplier', the contract will be awarded to L1.
    - If L1 is not 'Class-I local supplier', the lowest evaluated bidder among the 'Class-I local supplier', will be invited to match the lowest evaluated bid (L1) price subject to Class-I local supplier's evaluated price falling within the margin of purchase preference, and the contract shall be awarded to such 'Class-I local supplier' subject to matching the lowest evaluated bid (L1) price.
    - In case such lowest eligible 'Class-I local supplier' fails to match the lowest evaluated bid (L1) price, the 'Class-I local supplier' with the next higher evaluated bid within the margin of purchase preference shall be invited to match the lowest evaluated bid (L1) price and so on and contract shall be awarded accordingly. In case none of the 'Class-I local supplier' within the margin of purchase preference matches the lowest evaluated bid (L1) price, the contract may be awarded to the L1 bidder.

- (ii) "Class-II local supplier" will not get purchase preference in any procurement, undertaken by NTPC.
- (iii) For the purpose of matching of lowest evaluated bid (L1) price, the Class I local supplier would have to necessarily reduce all components of the quoted price on pro-rata basis. The reduction should not apply on the evaluation loading on account of functional guarantees and other loadings (if any, which are not dependent on quoted price). Further, the Contract shall be awarded on such revised/ reduced quoted price. The summation of the revised / reduced quoted price and the evaluation loading on account of functional guarantees and other loadings (if any) shall be equal to the lowest evaluated bid (L1) price.

#### Notes:

- \*\*In case of item-wise tenders, where evaluation is done for each item and each item is awarded to L1 bidder for that item, the aforesaid procedure shall be followed item-wise.
- \*\*In case of Reverse Auction (RA), the Purchase Preference for Class-I local suppliers shall be applicable on the lowest evaluated bid price after RA. The order in which the Class-I Local Suppliers shall be given an opportunity to match lowest evaluated bid (L1) price after RA will be in the order of their rank determined based on the evaluated bid price after RA.

OR

### \*\*3.2.2 Procurements where MSE benefits are applicable

Suppliers may be categorized in following four broad categories for consideration or applicability of purchase preference:

Category	Terminology
Supplier is both MSE & Class-I local supplier.	"MSE Class-I local supplier"
Supplier is MSE but not Class-I local supplier.	"MSE but non-Class-I local supplier"
Supplier is not MSE but is Class-I local	"Non-MSE but Class-I local supplier"
supplier.	
Supplier is neither MSE nor Class-I local.	"Non-MSE non-Class-I local supplier"

### 3.2.2.1.\*\* <sup>@</sup>Procurement of Goods and / or Services or Works where there is sufficient Local Capacity:

### \*\*(i) In case of tenders which are non-divisible and the same is specified in bidding documents:

- Among all qualified and substantially responsive bids, the lowest evaluated bid will be termed as L1.
- If L1 is "MSE Class-I local supplier", the contract will be awarded to L1.

### If L1 is "Non-MSE but Class-I local supplier"

✓ The lowest evaluated bidder among the MSEs, will be invited to match the lowest evaluated bid (L1) price subject to MSE's evaluated bid price falling within the margin of fifteen (15%) of the lowest evaluated bid (L1) price and the contract shall be awarded to such MSE subject to matching the lowest evaluated bid (L1) price. In case such lowest eligible MSE fails to match the lowest evaluated bid (L1) price, the MSE with the next higher evaluated bid within the margin of fifteen (15%) of the lowest evaluated bid (L1) price shall be invited to match the lowest evaluated bid (L1) price and so on and contract shall be awarded accordingly.

In case none of the MSEs within the margin of fifteen (15%) of the lowest evaluated bid (L1) price matches the lowest evaluated bid (L1) price, then the contract may be awarded to the L1 bidder.

### \*\*(i) In case of tenders which are divisible and the same is specified in bidding documents:

- Among all qualified and substantially responsive bids, the lowest evaluated bid will be termed as L1.
- If L1 is "MSE Class-I local supplier", the contract will be awarded to L1.

### • If L1 is "Non-MSE but Class-I local supplier"

✓ All qualified MSE bidder(s), whose Evaluated Bid Price is within the

margin of 15% of the lowest evaluated (L1) price shall be eligible for an opportunity to match the lowest evaluated (L1) price. If more than one MSE bidders agree to match the lowest evaluated (L1) price, they will be considered for award of up to 25% (collectively) of the order value and, for the purpose of award of contract, the same shall be equally divided amongst the MSE bidders who have agreed to match the lowest evaluated (L1) price.

→ Balance quantity is to be ordered on the L1 bidder.

# 3.2.2.\*\* <sup>@</sup>Procurement of Items reserved exclusively for procurement from MSEs \*\*(i) In case of tenders which are non-divisible and the same is specified in bidding documents:

- Among all qualified and substantially responsive bids, the lowest evaluated bid will be termed as L1.
- If L1 is "MSE Class-I local supplier", the contract will be awarded to L1.

### If L1 is " MSE but non-Class-I local supplier"

- ✓ The lowest evaluated bidder among the Class-I local suppliers will be invited to match the lowest evaluated bid (L1) price subject to the Class-I local supplier's evaluated bid price falling within the margin of purchase preference (i.e. 20%) and contract shall be awarded to such Class-I local supplier subject to matching the lowest evaluated bid (L1) price.
- ✓ In case such lowest eligible Class-I local supplier fails to match the lowest evaluated bid (L1) price, the Class-I local supplier with the next higher evaluated bid within the margin of twenty (20%) of the lowest evaluated bid (L1) price shall be invited to match the lowest evaluated bid (L1) price and so on and contract shall be awarded accordingly.
- ✓ In case none of the Class I local suppliers within the margin of twenty (20%) of the lowest evaluated bid (L1) price matches the lowest evaluated bid (L1) price, then the contract may be awarded to the L1 bidder.

### \*\*(i) In case of tenders which are divisible and the same is specified in tender documents:

Among all qualified and substantially responsive bids, the lowest

- If L1 is "MSE Class-I local supplier", the contract will be awarded to L1.
- If L1 is " MSE but non-Class-I local supplier"
  - √ 50% of the order quantity shall be awarded to L1.
  - ✓ Thereafter, the lowest evaluated bidder among the Class I local suppliers will be invited to match the lowest evaluated bid (L1) price for the remaining 50% quantity subject to the Class-I local supplier's evaluated bid price falling within the margin of purchase preference (i.e. 20%) and contract for that quantity shall be awarded to such Class-I local supplier subject to matching the lowest evaluated bid (L1) price.
  - ✓ In case such lowest eligible Class-I local supplier fails to match the lowest evaluated bid (L1) price or accepts less than the offered quantity, the next higher Class-I local supplier within the margin of purchase preference shall be invited to match the lowest evaluated bid (L1) price for remaining quantity and so on, and contract shall be awarded accordingly.
  - ✓ In case some quantity is still left uncovered on Class-I local suppliers, then such balance quantity may also be ordered on the L1 bidder.
- 3.2.2.3.\*\* <sup>@</sup>Procurement of Goods and / or Services or Works / Packages other than those where there is sufficient Local Capacity
  - \*\*(i) In case of tenders which are non-divisible and the same is specified in bidding documents:
    - Among all qualified and substantially responsive bids, the lowest evaluated bid will be termed as L1.
    - If L1 is an "MSE Class-I local supplier", the contract will be awarded to
    - If L1 is not an "MSE Class-I local supplier"

✓ If L1 is a "Non-MSE but Class-Hocal supplier" or "MSE but non-Class-Hocal supplier":

The lowest evaluated bidder among the "MSE Class I local supplier", will be invited to match the lowest evaluated bid (L1) price subject to "MSE Class I local supplier's" evaluated bid price falling within the margin of fifteen (15%) of the lowest evaluated bid (L1) price and the contract shall be awarded to such "MSE Class I local supplier" subject to matching the lowest evaluated bid (L1) price. In case such lowest eligible "MSE Class I local supplier" fails to match the lowest evaluated bid (L1) price, the "MSE Class I local supplier" with the next higher evaluated bid within the margin of fifteen (15%) of the lowest evaluated bid (L1) price shall be invited to match the lowest evaluated bid (L1) price and so on and contract shall be awarded accordingly.

In case none of the "MSE Class-I local suppliers" within the margin of fifteen (15%) of the lowest evaluated bid (L1) price matches the lowest evaluated bid (L1) price, then the contract may be awarded to the L1 bidder.

### ✓ If L1 is a "Non-MSE non-Class-I local supplier":

The lowest evaluated bidder among the "MSE Class I local supplier", will be invited to match the lowest evaluated bid (L1) price subject to "MSE Class-I local supplier's" evaluated bid price falling within the margin of fifteen (15%) of the lowest evaluated bid (L1) price and the contract shall be awarded to such "MSE Class-I local supplier" subject to matching the lowest evaluated bid (L1) price. In case such lowest eligible "MSE Class-I local supplier" fails to match the lowest evaluated bid (L1) price, the "MSE Class-I local supplier" with the next higher evaluated bid within the margin of fifteen (15%) of the lowest evaluated bid (L1) price shall be invited to match the lowest evaluated bid (L1) price and so on and contract shall be awarded accordingly.

In case none of the "MSE Class-I local suppliers" within the margin of fifteen (15%) of the lowest evaluated bid (L1) price matches the lowest evaluated bid (L1) price, the lowest evaluated bidder among the "MSE but non-Class-I local supplier", will be invited to match the lowest evaluated bid (L1) price subject to "MSE but non-Class-I local supplier's" evaluated bid price falling within the margin of fifteen (15%) of the lowest evaluated bid (L1) price and the contract shall be awarded to such "MSE but non-Class-I local supplier" subject to matching the lowest evaluated bid (L1) price. In case such lowest eligible "MSE but non-Class-I local supplier" fails to match the lowest evaluated bid (L1) price, the "MSE but non-Class-I local supplier" with the next higher evaluated bid within the margin of

fifteen (15%) of the lowest evaluated bid (L1) price shall be invited to match the lowest evaluated bid (L1) price and so on and contract shall be awarded accordingly.

In case none of the "MSE but non-Class-I local supplier" within the margin of fifteen (15%) of the lowest evaluated bid (L1) price matches the lowest evaluated bid (L1) price, the lowest evaluated bidder among the "Non-MSE but Class-I local supplier", will be invited to match the lowest evaluated bid (L1) price subject to "Non-MSE but Class-I local supplier's" evaluated bid price falling within the margin of twenty (20%) of the lowest evaluated bid (L1) price and the contract shall be awarded to such "Non-MSE but Class-I local supplier" subject to the latter matching the lowest evaluated bid (L1) price. In case such lowest eligible "Non-MSE but Class-I local supplier" fails to match the lowest evaluated bid (L1) price, the "Non-MSE but Class-I local supplier" with the next higher evaluated bid within the margin of twenty (20%) of the lowest evaluated bid (L1) price shall be invited to match the lowest evaluated bid (L1) price and so on and contract shall be awarded accordingly.

In case none of the "MSE Class-Hocal suppliers" or "MSE but non-Class-Hocal supplier" or "Non-MSE but Class-Hocal supplier" within the margin of purchase preference, as mentioned above, matches the lowest evaluated bid (L1) price, then the contract may be awarded to the L1 bidder.

### \*\*(i) In case of tenders which are divisible and the same is specified in tender documents:

- Among all qualified and substantially responsive bids, the lowest evaluated bid will be termed as L1.
- If L1 is an "MSE Class-I local supplier", the contract will be awarded to L1.
- If L1 is a "Non-MSE but Class-I local supplier"
  - ✓ All qualified MSE bidder(s), whose Evaluated Bid Price is within the margin of 15% of the lowest evaluated (L1) price shall be eligible for an opportunity to match the lowest evaluated (L1) price. If more than one

MSE bidders agree to match the lowest evaluated (L1) price, they will be considered for award of up to 25% (collectively) of the order value and, for the purpose of award of contract, the same shall be equally divided amongst the MSE bidders who have agreed to match the lowest evaluated (L1) price.

→ Balance quantity is to be ordered on the L1 bidder.

#### • If L1 is an "MSE but non-Class-I local supplier"

- √ 50% of the order quantity shall be awarded to L1.
- ✓ Thereafter, the lowest evaluated bidder among the Class-I local suppliers will be invited to match the lowest evaluated bid (L1) price for the remaining 50% quantity subject to the Class-I local supplier's evaluated bid price falling within the margin of purchase preference (i.e. 20%) and contract for that quantity shall be awarded to such Class-I local supplier subject to matching the lowest evaluated bid (L1) price.
- ✓ In case such lowest eligible Class I local supplier fails to match the lowest evaluated bid (L1) price or accepts less than the offered quantity, the next higher Class I local supplier within the margin of purchase preference shall be invited to match the lowest evaluated bid (L1) price for remaining quantity and so on, and contract shall be awarded accordingly.
- → Balance quantity is to be ordered on the L1 bidder.

#### If L1 is a "Non-MSE non-Class-I local supplier"

- ✓ All qualified MSE bidder(s), whose Evaluated Bid Price is within the range of 15% of the lowest evaluated (L1) price shall be eligible for an opportunity to match the lowest evaluated (L1) price. If more than one MSE bidders agree to match the lowest evaluated (L1) price, they will be considered for award of up to 25% (collectively) of the order value and, for the purpose of award of contract, the same shall be equally divided amongst the MSE bidders who have agreed to match the lowest evaluated (L1) price.
- ✓ Thereafter, the lowest evaluated bidder among the Class-I local suppliers including MSEs (who are also Class-I local suppliers) will be invited to match the lowest evaluated bid (L1) price for 50% of the remaining quantity [ordered quantity less quantity awarded on MSEs] subject to the Class-I local supplier's evaluated bid price falling within the margin of purchase preference (i.e. 20%) and contract for that quantity shall be

- awarded to such Class-I local supplier subject to matching the lowest evaluated bid (L1) price.
- ✓ In case such lowest eligible Class-I local supplier fails to match the lowest evaluated bid (L1) price or accepts less than the offered quantity, the next higher Class-I local supplier within the margin of purchase preference shall be invited to match the lowest evaluated bid (L1) price for remaining quantity and so on, and contract shall be awarded accordingly.
- ✓ Balance quantity is to be ordered on the L1 bidder.
- 3.2.2.4.\*\* <sup>@</sup>Procurement of Goods and / or Services or Works / Packages for which Relaxation in Minimum local content requirement has been given

Methodology of purchase preference as specified in para 3.2.2.3 above will be applicable.

- 3.2.2.5.\*\* Procurement of Items reserved for both MSEs and Class-I local suppliers

  These items are reserved exclusively for purchase from MSEs as well as Class-I local suppliers. Hence, only "MSE Class-I local suppliers" are eligible to bid for these items.

  Non-MSEs/Class-II local suppliers/ Non-local suppliers cannot bid for these items.

  Hence the question of purchase preference does not arise.
- **3.2.2.6** "Class-II local supplier" will not get purchase preference in any procurement.
- 3.2.2.7 For the purpose of matching of lowest evaluated bid (L1) price, the Class-I local supplier / MSEs would have to necessarily reduce all components of the quoted price on pro-rata basis. The reduction should not apply on the evaluation loading on account of functional guarantees and other loadings (if any, which are not dependent on quoted price). Further, the Contract shall be awarded on such revised/ reduced quoted price. The summation of the revised / reduced quoted price and the evaluation loading on account of functional guarantees and other loadings (if any) shall be equal to the lowest evaluated bid (L1) price.

#### Notes:

- \*\*In case of item-wise tenders, where evaluation is done for each item and each item is awarded to L1 bidder for that item, the aforesaid procedure shall be followed item-wise.
- \*\*In case of Reverse Auction (RA), the Purchase Preference for Class-I local suppliers shall be applicable on the lowest evaluated bid price after RA. The order in which the Class-I Local Suppliers shall be given an opportunity to match lowest evaluated bid (L1) price after RA will be in the order of their rank determined based on the evaluated bid price after RA.

#### 3.2.3\*\* Procurements where contract is to be awarded to multiple bidders

In case of tenders, where contract is to be awarded to multiple bidders subject to matching of L1 rates or otherwise, and the same is specified in bidding documents:

The following procedure shall be followed:

a. If 'Class I Local suppliers' qualify for award of contract for at least 50% of the tendered quantity in any tender, the contract may be awarded to all the qualified bidders as per award criteria stipulated in the bid documents.

However, in case 'Class I Local suppliers' do not qualify for award of contract for at least 50% of the tendered quantity, purchase preference shall be given to the 'Class I local supplier' over 'Class II local suppliers'/ 'Non local suppliers' provided that their quoted rate falls within 20% margin of purchase preference of the highest quoted bidder considered for award of contract.

'Class I Local suppliers' taken in totality shall be considered for award of contract for at least 50% of the tendered quantity.

b. First purchase preference shall be given to the lowest quoting 'Class-I local supplier', whose quoted rates fall within 20% margin of purchase preference, subject to its meeting the prescribed criteria for award of contract as also the constraint of maximum quantity that can be sourced from any single supplier. If the lowest quoting 'Class-I local supplier', does not qualify for purchase preference because of aforesaid constraints or does not accept the offered quantity, an opportunity may be given to next higher 'Class-I local supplier', falling within 20% margin of purchase preference, and so on.

#### Notes:

- \*\*In case of item-wise tenders, where evaluation is done for each item and each item is awarded to multiple bidders, the aforesaid procedure shall be followed item-wise.
- \*\*In case of Reverse Auction (RA), the Purchase Preference for Class-I local suppliers shall be applicable on the lowest evaluated bid price after RA. The order in which the Class-I Local Suppliers shall be given an opportunity to match lowest evaluated bid (L1) price after RA will be in the order of their rank determined based on the evaluated bid price after RA.

#### **Deleted**

#### 5.0 Verification of Local Content:

- 5.1 The 'Class-I local supplier'/ 'Class-II local supplier' shall be required to provide, in the Bid Form/relevant Attachment of Techno- Commercial Bid, self-certification / declaration that the Item offered meets the local content requirement for 'Class-I local supplier' 'Class-II local supplier' and shall give details of the location(s) at which the local value addition is made.
- In case the total bid price of the supplier / bidder is in excess of INR 10 crore, the 'Class-I local supplier'/ 'Class-II local supplier' shall be required to provide a certificate from the statutory auditor or cost auditor of the company (in the case of companies) or from a practicing cost accountant or practicing chartered accountant (in respect of suppliers other than companies) giving the percentage of local content during execution prior to submission of last bill for payment.

In case aforesaid Certificate furnished by Contractor/Vendor is not in line with the declaration in respect of Local content in their bid, same shall be treated as false declaration.

- 5.3 Deleted
- 5.4 False declarations will be dealt in line with the Fraud Prevention Policy and Policy & Procedure for Debarment from Business Dealings of NTPC.
- 5.5 In case of false declaration / violation of the provision of PPP-MII Order, if a bidder has been debarred / banned by NTPC, then the fact and duration of debarment should be promptly brought to the notice of the Member-Convenor of the Standing Committee (as per para 16 of PPP-MII Order) and the Department of Expenditure through Ministry of Power, GOI.
- 5.6 A supplier who has been debarred / banned by any other procuring entity for violation of 'Public Procurement (Preference to Make In India), Order 2017' (PPP-MII Order) dated 15.06.2017 and its subsequent revisions / amendments issued by Department of Industrial Policy and Promotion (DIPP) shall not be eligible for evaluation/preference, as applicable@, under the aforesaid procedures for duration of the debarment. The 'Class-I local supplier'/ 'Class-II local supplier' shall be required to furnish a confirmation in this regard in the Bid Form/relevant Attachment of Techno-Commercial Bid.
  - @ In case of debarment by NTPC- Such Supplier shall not be eligible for evaluation, in case of debarment by any other entity except NTPC Such Supplier shall not be eligible for preference.

#### 6.0 Local Sourcing

- 6.1 The Bidder/its Sub-vendors must be Class-I local supplier for Item(s) mentioned at clause no. 41 of GTR in Technical Specifications, as applicable, in case such item(s) are Self Manufactured/Bought-out.
- 6.2 The Bidder / Contractor are requested to encourage and promote domestic manufacturing and production of goods and services by sourcing goods and services applicable under the contract / package from domestic suppliers / service providers. In this regard, Bidder shall also follow guidelines / advisory issued by Government of India from time to time, to the extent applicable to them, regarding promotion of local sourcing of goods including Bought out Items and services.

#### FAQs of Vendor Payment Portal for Vendors

Frequently Asked Questions are divided into 4 categories.

- A. LOGIN & PASSWORD RELATED
- B. **DOCUMENT UPLOADING RELATED**
- C. INVOICE & PAYMENT TRACKING RELATED

### D. OTHERS

	A. LOGIN & PASSWORD RELATED			
Q. 1	Question – When can I use this NTPC Vendor payment Portal?			
	Answer- You can use this portal after Your valid login			
	i) To upload invoices/ bills & other supporting documents which are			
	to be submitted to NTPC by you for any supply / service /work executed			
	by You against a Purchase Order placed on You			
	m ii) To track status of payments for Bills submitted by You (both digital &			
	physical mode submission)			
Q 2	How can I know my login ID, I want to upload invoice/bills?			
	Answer- The login ID is Your NTPC ERP Vendor code prefixed with "V". If the			
	Vendor code is 1000099, then the login id for NTPC Vendor payment portal will			
	be "V1000099".			
	You can view your NTPC ERP code in the purchase order issued to you by NTPC			
Q.3	What is our password for NTPC Vendor Payment Portal?			
	How to change password?			
	How to Reset Password, if forget password?			
	How to reset password, if both email id and mobile number not available for OTP			
	Verification?			
	Ans- (a) Your initial password will be your firm's PAN. Just after login system			

shall ask email id and mobile number for sending separate OTP's on email id and mobile number for verification. After successful verification, you have to change your password. Password shall be minimum 8 characters (alphanumerical with at-least one special character) in length.

After login go to Option 'My Profile', you will find the change password option.

Forget password link has been provided below "VENDOR SIGN-IN" button. Same OTP for shall be send to mobile number and email id. After successful verification set new password option shall be provided. It is only available for the Vendors who have successfully verified their email id and mobile number.

If both email id and mobile number not available for OTP Verification, write an email request for password reset along-with email id and mobile number, digitally signed Firm Identity document e.g. GST

Registration/ ROC and NTPC Employee name, Employee Number, Designation, Project/Site/Office Location for reference purpose to <a href="mailto:ntpc.vpp@ntpc.co.in">ntpc.vpp@ntpc.co.in</a>. After verification, email id and mobile number shall be updated in profile and you shall be informed for resetting password through Forget password link.

Q 4 Our company has multiple NTPC Vendor codes (different for different locations), which Vendor code We should use for uploading the invoice & knowing the payment status?

Answer- The Vendor should use the particular NTPC ERP Vendor code appearing the first page of NTPC Purchase order for which he wants to upload the invoice.

Q 5 How can the Vendors change their password of Vendor payment portal login or get a new password when the old one is forgotten?

Ans:- Your initial password will be your firm's PAN. Just after login system shall ask email id and mobile number for sending separate OTP's on email id and mobile number for verification. After successful verification, you have to change your password. Password shall be minimum 8 characters (alphanumerical with at-least one special character) in length.

#### **B. DOCUMENT UPLOADING RELATED**

Q.6	How to upload the digitally signed Invoice?					
	Ans After login go to option 'Upload Invoice'. Enter PO Number, select Plant,					
	and enter Invoice Number, Date and Amount including Taxes, email and mobile.					
	Now press 'Submit' button, a popup screen will appear where you have to upload					
	Digitally signed Invoice. For adding supporting documents click 'Add new					
	document'.					
	Still, you are facing issues, you may contact our helpdesk executives on Toll-					
	Free Number 1800-102-5970					
Q 7	Q- Can I upload invoice & other supporting documents with class I / class II digital					
	certificate?					
	Ans- No documents are to be signed with class III digital certificate only					
Q.8	How to purchase a Class 3 Digital Signature?					
	AnsOn the Vendor Payment Portal Homepage, kindly go to section 'Digital					
	Signature' 'Where to get?'					
	https://pradip.ntpc.co.in/VendorFinal/DSC Help 23 04 2020.pdf					
Q 9	Can I upload documents with a digital signature whose validity has expired?					
	Ans- No the digital certificate has to be a valid one. You have to get the digital certificate revalidated from the source you had purchased or get a new digital certificate					
Q 10	Q- What should be the size of the each uploaded documents?					
	Ans- Ideally each PDF should be made in low resolution & size should be less than 700 kb					
Q 11	Q- Can We combine all the invoice & payment supporting documents upload					
	them in one tab.					
	Ans- No, all documents like Invoice / Bill, LR, Test certificate should be loaded as separate digitally signed PDFs against the respective tabs. If the type of the document to be uploaded is not available, then You use "Any Other Documents" tab					
Q.12	Consignee Plant / delivery location Code is not visible while submitting Invoice?					
	Ans- This happens when the internet connection is slow and system is not able to fetch data from web service. Please try after sometime or re-login again in the system.					

Q 13	Q- How to upload bill documents for project packages (supply/ erection/
	commissioning), where the Vendor does not know the NTPC ERP Purchase
	order number?
	Ans- Select Package Radio Button, system will show all your SAP packages across NTPC. Now, select correct package, system will fetch project automatically. Rest is same.
Q.14	If you are getting error of 'Failed to start process' while submitting digitally signed
	Invoice?
	Ans- Kindly ensure that you have not used decimal value in amount field and
	special characters in "Remarks" field like ', &, etc.
	Still, you are always getting same error 'Failed to start process', write email to <a href="mailto:ntpc_vpp@ntpc.co.in">ntpc_vpp@ntpc.co.in</a> with your Vendor Code, Name and Contact Number.
Q.15	Not able to make the Class 3 Digital Signature on document?
	Ans- On the Vendor Payment Portal Homepage, kindly go to section 'Digital
	Signature' 'How to Use?'
	https://pradip.ntpc.co.in/VendorFinal/How to Insert a Digital Signature PD
	F Document.pdf
Q.16	While submitting the Digital Invoice 'Submit' button is not working? Ans. Submit
	button gets disabled when there is validation error in the screen
	e.g. Invoice Number already entered, Invalid data in Amount Field, Invoice Date, Invoice Number, fields etc.
Q.17	How to close/ reject the wrongly submitted digitally signed Invoice? Ans You may write an email request your EIC to close/reject the submitted invoice before Acceptance by EIC.
Q 18	Question - I have already sent physical copy of our bills & related documents
	along with the supply of goods. Do I need to upload them in NTPC Payment portal also?
	Answer – Yes. You have to upload the same in NTPC portal with class III digital
	signature. This will ensure proper tracking of bills and communication with you in
	case of any discrepancy & online status of the bills.
Q 19	Q-Shall we need to upload documents which are already available with NTPC or
	issued by NTPC? Such as MDCC, MRC, L2 schedule etc.
	Ans- Yes, If such document has been asked as per the Purchase Order / Contract/ as requested by EIC, You have to upload the same like other payment supporting documents

Q 20 Q- The payment term in our order is 90% / 100% through Bank against dispatch documents. Do I need to upload the payment documents in NTPC Vendor payment portal?

Ans- No, in the case of payment term through bank (LSC Payment), there is no need of uploading digitally signed invoice & supporting documents. Original documents may be submitted at bank and copies may be sent to NTPC as per instructions in PO.

Q 21 Q- Shall we get the intimation SMS/ e-mail, whether our invoice is successfully submitted? Or whether it is processed? Or whether payment released

Ans- In case of successful online submission, Vendor gets the Document reference number & Bill Processing Executive / Store Person reference in the right top hand sight screen itself. Later Vendor can see the same in "My- job" menu option. These NTPC persons will be starting the bill processing. Emails are sent when submitted invoices are accepted / rejected or discrepancy is raised / payment released. Vendors are requested to view their emails regularly

#### C. INVOICE & PAYMENT TRACKING RELATED

Q.22 How to track the status of the Invoice?

Ans- Go to 'My Job' menu option and click the 'lens' icon after entering relevant date range. Status columns show two squares, first for Invoice Acceptance Status and other for Payment Status.

Legends: GREEN - Approved ORANGE - In Process RED Rejected

- Whether invoice accepted and moved can be track from clicking on invoice no under my job section.
- Details of Invoice payment can be tracked from Payment against PO/UTR/Ref no (8xxxx xxxxxx)
- Q.23 When payment against Invoice will be credited in my account?

Ans.- You can track the payment against Invoice in menu option 'Payment Details' 'PO Payment Details'

Now enter either Invoice Number or Document Reference Number or PO Number to search the payment details.

Invoice Number, Document Reference Number or PO Number you can get from the 'My Jobs' menu options.

It shows the various stage of the payment.

Q 24	Q- Where can the Vendors see the details of individual payment received by them
	along with deduction details if any?
	Ans :- In menu option 'Payment Details' → 'PO Payment Details'
	D. OTHERS
Q 25	We are supplying against an old PO where it was mentioned to send invoice &
	other supporting documents in originals to the consignee Stores & copy to
	Purchase & Finance department. Should we send hard copy of these documents?
	Ans- No. Even for old NTPC Purchase Orders mentioning hard copy submission, invoice needs to be submitted online in digital mode only. There is no need to send any hard copies of the documents.
Q 26	Q- Can Bank Guarantees be submitted in soft copy in NTPC Vendor
	Payment Portal?
	Ans- No. Bank Guarantees are to be submitted in original by Post / Courier / Hand delivery to the concerned Purchase department or to the authority as mentioned in the Purchase Order.
Q 27	In which type of cases the LR copy / Consignment note is to be directly sent by
	vendor in original to NTPC?
	Ans: In specific cases where vendor is supplying on FOR, 'Nearest Destination' Godown basis, where subsequent transportation from Transporter's Godown to NTPC Site is to be arranged separately by NTPC, the Vendor has to mandatorily send original Consignee Copy of LR/ Consignment Note to the Consignee as per details mentioned in the PO. For other cases, the original Consignee Copy of LR/ Consignment Note shall be received by NTPC along with the material (through transporter)/ through bank (in LSC Payment cases).
Q 28	I have supplied to NTPC through a GeM portal contract, how can I upload my
	invoice in NTPC Vendor payment portal?
	Ans- Presently for supplies against GeM portal orders there is no need to upload digital invoice in NTPC Vendor Payment Portal. The supplier needs to send his tax invoice to the consignee along with the goods.
Q 29	I have supplied to NTPC through a GeM portal contract. Can I track my payment
	status through NTPC Vendor payment portal?
	Answer- The GeM supplier can track their payment status through GeM Portal, where the details are updated by NTPC officials regularly However, if you know your NTPC ERP vendor code along with the SAP Purchase Order No. (created in backend), then you may login to NTPC payment portal & track the status.
Q.30	How to update the PAN/GST Number?

	Ans- Kindly contact/ send e-mail to the C&M Department/EIC of the NTPC Project/Station from where PO has been issued, along with the relevant document.
Q 31	Q- Can I use this portal to lodge my grievance, suggestion or uploading of our credentials?
	Ans- No this portal is only for uploading of invoices
Q 32	Q- What is the benefit of Invoice / Bill submission in Digital mode
	Ans- Live tracking facility of all bills, alleviating the concerns arising out of missing documents, improving bill processing lead times and thus streamlining the entire payment cycle

## Format of Undertaking (To be sent by Issuing Bank through official email-ID)

From: xxxbank@xx.in To: bhupeshgupta@ntpc.co.in, monikasagar@ntpc.co.in We have issued BG No. ...... dated ..... for an amount of Rs. Tender No. ..... in favour of ...... [Name of Employer]. Please find enclosed the soft copy of the Bank Guarantee and SFMS acknowledgement. This SFMS is sent on ...... (date). Any demand / claim made by the 'Employer' shall be conclusive and binding on us irrespective of any dispute or difference raised by the Bidder till the validity period mentioned in the Bank Guarantee. However, in absence of the physical copy of aforementioned BG with the Employer, we undertake that Employer's demand / claim will be binding and conclusive on us without the physical copy of aforementioned BG till fourteen (14) days from the due date of submission of Techno-Commercial bids. We undertake not to cancel the aforementioned BG No. ...... without written consent / instruction from NTPC. (Name of Bank Official) Authority No. .....

Annexure-IV to Special Conditions of Contract

# No. 15-18/1/2020-HYDEL-II(MoP)-Part(1) Government of India Ministry of Power

Shram Shakti Bhawan, Rafi Marg New Delhi, 29<sup>th</sup> November, 2021

#### OFFICE MEMORANDUM

Subject: "Dispute Avoidance Mechanism" through 'Independent Engineer' (IE) in the Contracts of CPSEs under administrative control of Ministry of Power executing Hydro Power Projects – Panel of Experts.

Reference is invited to this Ministry's O.M. No. 15-18/1/2020-HYDEL-II(MoP) dated 27.09.2021 regarding the Model Contract Provision for 'Dispute Avoidance Mechanism' through "Independent Engineer" in the Construction Contracts of CPSEs under administrative control of this Ministry executing Hydro Power Projects. Reference is also invited to this Ministry's O.M. No. 15-18/1/2020-H-II dated 05.10.2021, vide which the 'Expression of Interest' was invited from eligible candidate(s) for empanelment as 'Independent Engineer'.

2. In this connection, the undersigned is directed to convey that the Competent Authority has approved the following Panel of Experts as "Independent Engineer":

S. No.	Name	Date of Birth	Post held immediately before retirement	Contact Details
1	Ravinder Kumar Sharma	10.02.1947	CMD, THDC India Limited	9810137215 rks98101@hotmail.com
2	Chander Mohan Walia	10.11.1949	Director (Electrical), HPPCL and Member (Technical), HPSEB	9418031231 cmwalia1949@gmail.com
3	Arun Kumar	22.12.1950	Member (Projects), HP State Electricity Board	9816600130 arunkumar@jayahydro.com

4	Dr. A.K.	18.09.1951	CMD, MECL and	9810212274
	Lomas	Li lake 51 H	ED, NHPC Ltd.	aklomas@gmail.com
5	Vinod Kumar Kapoor	21.07.1954	ED, NHPC; President/ Project Management Engineer for Hydropower Projects, Bhilwara Energy Ltd.	9599207052/ 9958466211 kapoorveekay@yahoo.co.in
6	Om Prakash	01.04.1957	Executive Director, NHPC Ltd.	8527724400 omprakash1957@gmail.com
7	Krishna Deo Sah	04.07.1957	Executive Director, NHPC Ltd.	9797793514 kdsah.2008@rediffmail.com
8	P.P.S. Mann	09.06.1957	Executive Director, THDC India Ltd. & Head of Project of Tehri Power Complex.	05
9	Rajesh Kumar Chaudhary	19.11.1957	Executive Director, NHPC Ltd.	9650088562 rajesh1957chaudhary@gmail.com
10	Ramesh Narain Misra	20.11.1957	CMD, SJVN Ltd.	9958111243 rnmisra1957@gmail.com
11	Janki Prasad	14.12.1957	Chief Engineer (HPM), Central Electricity Authority, New Delhi	9868555133 jpg57@rediffmail.com
12	Kanwar Singh	13.03.1959	Director (Civil), SJVN Ltd.	9810519883 kanwarsinghpc@yahoo.co.in ksnhpc@gmail.com
13	Rakesh	20.05.1960	Executive Director, NHPC Ltd.	8811072000 9810330826 rake_sh@hotmail.com
14	Anand Kumar Gupta	15.07.1960	Director (Commercial), NTPC Limited	9650992233 akgupta521@gmail.com

15	Rajesh Kumar	29.09.1960	Executive Director, NHPC	8826006998 rajesh9285@gmail.com
	Jaiswal	11 1/2	Ltd.	3-110-21
16	Muhar Mani	14.12.1960	Executive Director (OMS, QA, Safety/Corporate Planning Monitoring &	9411106931 manimuhar@gmail.com
			project Service), THDC, Rishikesh	
17	Kanwar Pal	01.03.1961	Executive	9412076324
	Singh		Director, Engineer in	kpstomar@rediffmail.com
			Charge of Tehri Pumped Storage Plant and	
			Vishnugad Pipalkoti H.E. Project, THDC India Limited.	
18	Dhirendra	02.04.1961		9411103546
	Veer Singh	52.04.1001	India Limited	dvsingh01@yahoo.com
19	Suresh Chandra Pal	04.07.1961	Executive Director, NHPC Ltd.	7042711944 scpal02@yahoo.com

3. It is suggested that the Independent Engineer be chosen as per their background and relevant experience. All other terms and conditions shall be governed by this Ministry's O.M. No. 15-18/1/2020-HYDEL-II(MoP) dated 27.09.2021 and O.M. No. 15-18/1/2020-H-II dated 05.10.2021, as amended from time to time.

This issues with the approval of the Competent Authority.

(R. P. Pradhan)

Director (Hydro-II)

Email: rp.pradhan@nic.in

#### Copy to:

- 1. The Chairperson, Central Electricity Authority, New Delhi
- 2. The Chairperson, Central Water Commission, New Delhi
- 3. Member (Hydro), Central Electricity Authority, New Delhi
- CMDs of all the CPSUs under Ministry of Power executing Hydro Power Projects.

#### Copy for information to:

- 1. O/o Hon'ble Minister of Power and New & Renewable Energy.
- 2. O/o Hon'ble Minister of State for Power.
- Sr. PPS to Secretary (Power) / Sr. PPS to AS(SKG) / Sr. PPS to AS&FA / Sr. PPS to AS(VKD)
- 4. All Joint Secretaries / equivalent level Officers of Ministry of Power
- 5. All Directors / Deputy Secretaries of Ministry of Power

#### 506076(17)/2022/HYDEL-II SECTION

F. No. 11/22/2021-Th.II Government of India (Bharat Sarkar) Ministry of Power (Vidyut Mantralay)

> Shram Shakti Bhawan, Rafi Marg New Delhi, the 22<sup>nd</sup> March, 2022

#### OFFICE MEMORANDUM

Subject: Constitution of Conciliation Committee of Independent Experts for resolution of contractual disputes in respect of the projects implemented by CPSUs / Statutory Bodies under administrative control of Ministry of Power - regarding.

With the approval of Hon'ble Minister of Power and New & Renewable Energy, Ministry of Power, vide OM of even number dated 29.12.2021 (Annex-I), introduced a conciliation mechanism for settlement of contractual disputes in contracts of CPSUs / Statutory Bodies under Ministry of Power executing power projects. For this purpose, it was decided to constitute three numbers of Conciliation Committees of Independent Experts (CCIEs).

- 2. Accordingly, a Notification of even number was issued on 07.01.2022 inviting Expression of Interest from the eligible candidates for empanelment as Independent Expert for constitution of the CCIEs. Consequently, with the approval of Hon'ble Minister of Power, a Search-cum-Selection Committee was also constituted for scrutiny of the EoIs as well as screening of the candidates.
- 3. Based on the recommendations of the Search-cum-Selection Committee, following three nos. of Conciliation Committee of Independent Experts are hereby constituted for settlement of contractual disputes in contracts of CPSUs / Statutory Bodies under Ministry of Power executing power projects:-

CCIE	Members of CCIE
	Shri Anup Wadhawan, Ex-Secretary (Commerce), GoI
CCIE-1	*Shri Ravinder Kumar Sharma, Ex-MD, HBSEBL
	Shri Mrinal Kanti Bhattacharya, Ex-Executive Director, Indian Bank
	Ms. Rashmi Verma, Ex-Secretary (Tourism), GoI
CCIE-2	Shri Dhirendra Veer Singh, Ex-CMD, THDC (India) Ltd.
	Shri Naveen Bhushan Gupta, Ex-Director (Finance), PFC Ltd.
	Shri P. S. Kharola, Ex-Secretary (Civil Aviation), GoI
CCIE-3	Shri Anil Kumar Jha, Ex-Director (Technical), NTPC Ltd.
	Shri Chinmaya Gangopadhyaya, Ex-Director (Projects), PFC Ltd.

The aforementioned CCIEs shall function as per the Standard Operating Procedure enumerated in this Ministry's Office Memorandum of even number dated 29.12.2021. Moreover, the tenure, remuneration and other terms and conditions of the engagement of above Members of CCIEs shall also be governed by the aforesaid OM.

This issues with the approval of Hon'ble Minister of Power and New & Renewable Energy.

Encl: as above.

(Vikrant S. Dhillon)

\*Second member in the CCIE(s) shall stand substituted by coal-mining expert Member (presently,Shri Tapas Kumar Email: hydro2-mop@gov.in Nag. Ex-CMD, NCL), as notified by Ministry of Power from

#### 506076(17)/2022/HYDEL-II SECTION

#### -(2)-F. No. 11/22/2021-Th.II

#### To

- 1. Chairperson, CEA
- 2. CMDs PGCIL, REC, PFC, NTPC, NHPC, SJVN, THDC, NEEPCO, POSOCO
- 3. Chairman BBMB, DVC
- 4. Director General BEE, NPTI, CPRI

#### Copy to:

- 1. PS to Hon'ble Minister of Power & NRE
- 2. APS to Hon'ble MoS for Power
- 3. Sr. PPS to Secretary (Power)
- 4. Sr. PPS to AS(SKG) / Sr. PPS to AS&FA / Sr. PPS to AS(VKD)
- 5. All Joint Secretaries of Ministry of Power
- 6. All Directors / Deputy Secretaries of Ministry of Power.
- 7. Members of the CCIEs

#### Copy also to:

In-charge, NIC Cell, MoP with request to publish the OM on the website of Ministry of Power.

(Vikrant S. Dhillon) Deputy Director Date 28-Feb-2021 Annexure-VI

#### **SUBMISSION OF BANK GUARANTEE**

#### **UPDATED SCHEDULED COMMERCIAL BANK LIST**

Δ	STATE BANK OF INDIA
A	STATE DAINK OF HINDIA

#### B NATIONALISED BANKS

- 1 Bank of Baroda
- 2 Bank of India
- 3 Bank of Maharashtra
- 4 Canara Bank
- 5 Central Bank of India
- 6 Indian Overseas Bank
- 7 Indian Bank
- 8 Punjab National Bank
- 9 Union Bank of India
- 10 Punjab & Sind Bank
- 11 UCO Bank

#### C SCHEDULED PRIVATE BANKS (INDIAN BANKS)

- 1 Axis Bank Ltd
- 2 Bandhan Bank Limited
- 3 CSB Bank
- 4 City Union Bank
- 5 DCB Bank Ltd
- 6 Dhanlaxmi Bank Ltd
- 7 Federal Bank Ltd
- 8 HDFC Bank Ltd
- 9 ICICI Bank Ltd
- 10 IndusInd Bank Ltd
- 11 IDFC FIRST Bank Limited
- 12 Jammu & Kashmir Bank Ltd
- 13 Karnataka Bank Ltd
- 14 Karur Vysya Bank Ltd
- 15 Kotak Mahindra Bank
- 16 Lakshmi Vilas Bank Ltd
- 17 Nainital Bank Ltd
- 18 RBL Bank Limited
- 19 South Indian Bank Ltd
- 20 Tamilnad Mercantile Bank Ltd
- 21 Yes Bank Ltd
- 22 IDBI Bank Ltd.

#### D SCHEDULED PRIVATE BANKS (FOREIGN BANKS)

1 AB Bank Ltd

- 2 Abu Dhabi Commercial Bank PJSC
- 3 American Express Banking Corporation
- 4 Australia & Newzealand Banking Group Limited
- 5 Barclays Bank Plc
- 6 Bank of America
- 7 Bank of Bahrain & Kuwait B.S.C.
- 8 Bank of Ceylon
- 9 Bank of China Limited
- 10 Bank of Nova Scotia
- 11 BNP Paribas
- 12 Citi Bank NA
- 13 Cooperatieve Rabobank UA
- 14 Crédit Agricole Corporate and Investment Bank
- 15 Credit Suisse AG
- 16 CTBC Bank Co Ltd
- 17 DBS Bank India Ltd
- 18 Deutsche Bank A.G.
- 19 Doha Bank Q.P.S.C
- 20 Emirates NBD Bank (PJSC)
- 21 First Abu Dhabi Bank PJSC
- 22 FirstRand Bank Ltd
- 23 HSBC Ltd
- 24 Industrial & Commercial Bank of China Ltd
- 25 Industrial Bank of Korea
- 26 JP Morgan Chase Bank, National Association
- 27 JSC VTB Bank
- 28 KEB Hana Bank
- 29 Kookmin Bank
- 30 Krung Thai Bank Public Company Ltd
- 31 Mashreq Bank PSC
- 32 Mizuho Bank Ltd
- 33 MUFG Bank, Ltd
- 34 NatWest Markets Plc
- 35 PT Bank Maybank Indonesia TBK
- 36 Qatar National Bank (Q.P.S.C.)
- 37 Sberbank
- 38 SBM Bank (India) Ltd
- 39 Shinhan Bank
- 40 Societe Generale
- 41 Sonali Bank Ltd
- 42 Standard Chartered Bank
- 43 Sumitomo Mitsui Banking Corporation
- 44 United Overseas Bank Ltd
- 45 Westpac Banking Corporation
- 46 Woori Bank

\*Note - Any Addition/ Deletion/ Modification in Bank list shall be as per changes in Second Schedule List by RBI from time to time

F. No. DPE/7(4)/2017-Fin.
Government of India
Ministry of Finance
Department of Public Enterprises

Block No. 14, CGO Complex, Lodi Road, New Delhi-110003 Dated the 24<sup>th</sup> February, 2023

To.

Chief Executives of all CPSEs

Subject:- Restrictions under Rule 144(xi) of the General Financial Rules (GFRs), 2017 - regarding

Sir/Madam,

The undersigned is directed to reiterate the instructions as contained in Department of Expenditure O.M. No. 7/10/2021-PPD(1) dated 23<sup>rd</sup> February, 2023 (copy enclosed) to all CPSEs for their information and strict compliance.

Encl: As stated

(Kailash Bhandari) Deputy Director Tel: 2436-6247

Copy to :- Shri Kanwalpreet, Director (PPD), Department of Expenditure, Room No. 264-C, North Block, New Delhi.

No.F.7/10/2021-PPD (1)
Government of India
Ministry of Finance
Department of Expenditure
Procurement Policy Division

264-C, North Block, New Delhi. 23.02.2023.

#### Order (Public Procurement No. 4)

Subject: Restrictions under Rule 144(xi) of the General Financial Rules (GFRs), 2017.

Attention is invited to Order (Public Procurement No. 1) issued vide F.6/18/2019-PPD dated 23.07.2020, Order (Public Procurement No. 2) issued vide F.6/18/2019-PPD dated 23.07.2020, Order (Public Procurement No. 3) issued vide F.6/18/2019-PPD dated 24.07.2020, Office Memorandum (OM) No. F.18/37/2020-PPD dated 08.02.2021, OM No. F.12/1/2021-PPD(Pt.) dated 02.03.2021 and OM No. F.7/10/2021-PPD dated 08.06.2021. In this regard, the following is hereby ordered under Rule 144(xi) (as amended vide OM No. F.7/10/2021-PPD dated 23.02.2023) on the grounds stated therein, in supersession to all of the above mentioned Orders/ clarifications:

#### Requirement of registration:

- 2. Any bidder from a country which shares a land border with India will be eligible to bid in any procurement whether of goods, services (including consultancy services and non-consultancy services) or works (including turnkey projects) only if the bidder is registered with the Competent Authority, specified in **Annexure** I.
- 3. Any bidder (including an Indian bidder) who has a Specified Transfer of Technology (ToT) arrangement with an entity from a country which shares a land border with India will be eligible to bid in any procurement whether of goods, services (including consultancy services and non-consultancy services) or works (including turnkey projects) only if the bidder is registered with the Competent Authority, specified in **Annexure I**.
- 4. The requirement of registration for cases covered by paragraph 2 above has been applicable since 23.07.2020. The requirement of registration for bidders covered by paragraph 3 above will be applicable for all procurements where tenders are issued/published after 01.04.2023.
- 5. In tenders issued after 23.07.2020 or 01.04.2023, as the case may be, the provisions of requirement of registration of bidders and of other relevant provisions of this Order shall be incorporated in the tender conditions.

#### Applicability:

6. Apart from Ministries/ Departments, attached and subordinate bodies, notwithstanding anything contained in Rule 1 of the GFRs 2017, the Order shall also be applicable

- a) to all Autonomous Bodies;
- b) to all public sector banks and public sector financial institutions;
- c) to all Central Public Sector Enterprises;
- d) to all procurement in Public Private Partnership projects receiving financial support from the Government or public sector enterprises/ undertakings; and
- e) Union Territories, National Capital Territory of Delhi and all agencies/ undertakings thereof.
- This order will not be applicable for cases falling under Annexure II.

#### Definitions:

- 8. "Bidder" for the purpose of the Order (including the term 'tenderer', 'consultant' 'vendor' or 'service provider' in certain contexts) means any person or firm or company, including any member of a consortium or joint venture (that is an association of several persons, or firms or companies), every artificial juridical person not falling in any of the descriptions of bidders stated hereinbefore, including any agency, branch or office controlled by such person, participating in a procurement process.
- 9. "Tender" for the purpose of the Order will include other forms of procurement, except where the context requires otherwise.
- 10. "Transfer of Technology" means dissemination and transfer of all forms of commercially usable knowledge such as transfer of know-how, skills, technical expertise, designs, processes and procedures, trade secrets, which enables the acquirer of such technology to perform activities using the transferred technology independently. (Matters of interpretation of this term shall be referred to the Registration Committee constituted by the Department for Promotion of Industry and Internal Trade, and the interpretation of the Committee shall be final.)
- 11. "Specified Transfer of Technology" means a transfer of technology in the sectors and/ or technologies, specified in paragraph 15, occurring on or after 23.07.2020.
- 12. "Bidder (or entity) from a country which shares a land border with India" for the purpose of the Order means
  - (a) An entity incorporated, established or registered in such a country; or
  - (b) A subsidiary of an entity incorporated, established or registered in such a country; or
  - (c) An entity substantially controlled through entities incorporated, established or registered in such a country; or
  - (d) An entity whose beneficial owner is situated in such a country; or
  - (e) An Indian (or other) agent of such an entity; or
  - (f) A natural person who is a citizen of such a country; or

- (g) A consortium or joint venture where any member of the consortium or joint venture falls under any of the above
- 13. Beneficial owner for the purposes of Para 12 (d) will be as under:
- (i) In case of a company or Limited Liability Partnership, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person(s), has a controlling ownership interest or who exercises control through other means.

#### Explanation:-

- a. "Controlling ownership interest" means ownership of, or entitlement to, more than twenty-five per cent of shares or capital or profits of the company;
- b. "Control" shall include the right to appoint the majority of the directors or to control the management or policy decisions, including by virtue of their shareholding or management rights or shareholders agreements or voting agreements;
- (ii) In case of a partnership firm, the beneficial owner is the natural person(s) who, whether acting alone or together, or through one or more juridical person, has ownership of entitlement to more than fifteen percent of capital or profits of the partnership;
- (iii) In case of an unincorporated association or body of individuals, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person, has ownership of or entitlement to more than fifteen percent of the property or capital or profits of such association or body of individuals;
- (iv) Where no natural person is identified under (i) or (ii) or (iii) above, the beneficial owner is the relevant natural person who holds the position of senior managing official;
- (v) In case of a trust, the identification of beneficial owner(s) shall include identification of the author of the trust, the trustee, the beneficiaries with fifteen percent or more interest in the trust and any other natural person exercising ultimate effective control over the trust through a chain of control or ownership.
- 14. "Agent" for the purpose of the Order is a person employed to do any act for another, or to represent another in dealings with third persons.

#### [Note:

- i. A person who procures and supplies finished goods from an entity from a country which shares a land border with India will, regardless of the nature of his legal or commercial relationship with the producer of the goods, be deemed to be an Agent for the purpose of this Order.
- ii. However, a bidder who only procures raw material, components etc. from an entity from a country which shares a land border with India and then manufactures or converts them into other goods will not be treated as an Agent.]

**Sensitive Sectors/ Technologies** (relevant only for the provisions on ToT arrangements):

- 15. (i) Certain sectors and technologies have been identified as sensitive from the national security point of view. The sectors listed in Schedule I to this Order are considered Category-I sensitive sectors. The sectors listed in Schedule II to this Order are considered Category-II sensitive sectors. The technologies listed in Schedule III are considered sensitive technologies.
- (ii) For Category-I sensitive sectors, bidders with ToT arrangement in any technology with an entity from a country which shares a land border with India shall require registration.
- (iii) For Category-II sensitive sectors, bidders with ToT arrangement in the sensitive technologies listed in Schedule III, with an entity from a country which shares a land border with India shall require registration.
- (iv) In Category-II sensitive sectors, the Secretary (or an officer not below the rank of Joint Secretary to Government of India, so authorized by the Secretary) of the Ministry/ Department of the Government of India is empowered, after due consideration, to waive the requirement of registration for a particular item/ application or a class of items/ applications from the requirement of registration, even if included in Schedule III. The Ministry/ Department concerned shall intimate the Department for Promotion of Industry and Internal Trade (DPIIT) and National Security Council Secretariat (NSCS) of their decision to waive the requirement of registration. Ministries/ Departments of the Government of India are not required to consult the DPIIT/ NSCS before deciding and are only required to intimate the decision to DPIIT/ NSCS. If any point is raised by DPIIT/ NSCS, it should be considered in future procurements; ongoing procurement for which the waiver was granted need not be interrupted or altered.
- 16. Based on security considerations, a Ministry/ Department in a Category II sensitive sector or other Ministries/ Departments may recommend to DPIIT inclusion of any other technology in the list of sensitive technologies, either generally or for their Ministry/ Department.

#### Sub-contracting in works contracts

17. In works contracts, including turnkey contracts, contractors shall not be allowed to sub-contract works to any contractor from a country which shares a land border with India unless such contractor is registered with the Competent Authority. The definition of "contractor from a country which shares a land border with India" shall be as in paragraph 12 above. This shall not apply to sub-contracts already awarded on or before 23.07.2020.

[Note: Procurement of raw material, components, etc. does not constitute sub-contracting.]

#### Certificate regarding compliance

18. An undertaking shall be taken from bidders in the tender documents (Annexure III) that the extant guidelines for participation in the tenders (which should include conditions for implementation of this Order) have been complied with. If such certificate given by a bidder whose bid is accepted is found to be false, this would be a ground for debarment and further legal action in accordance with law.

#### Validity of registration

19. In respect of tenders, registration should be valid at the time of submission of bids and at the time of acceptance of bids. In respect of supply otherwise than by tender, registration should be valid at the time of placement of order. If the bidder was validly registered at the time of acceptance / placement of order, registration shall not be a relevant consideration during contract execution.

#### Government e-Marketplace (GeM)

20. GeM shall remove non-compliant entities from GeM unless/ until they are registered in accordance with this Order.

#### Model Clauses/ Certificates

21. Model Clauses and Model Certificates which may be inserted in tenders/ obtained from Bidders are given at Annexure-III. While adhering to the substance of the Order, procuring entities are free to appropriately modify the wording of these clauses based on their past experience, local needs etc.

(Kanwalpreet)
Director(PPD)

Tel.No. 2309 3811; email: kanwal.irss@gov.in

То

- 1. Secretaries of all Ministries/ Departments of Government of India for information and necessary action. They are also requested to inform these provisions to all procuring entities.
- 2. Secretary, Department of Public Enterprises with a request to immediately reiterate these orders in respect to public enterprises.
- 3. Secretary, Department of Financial Services with a request to immediately reiterate these orders in respect to public sector and public sector financial institutions.
- 4. Secretary DPIIT with a request to take action as provided under Annexure I.
- Chief Secretaries/ Administrators of Union Territories/ National Capital Territory of Delhi.
- 6. CEO/ GeM with a request to ensure implementation of this order on GeM.

## List of Category-I Sensitive sectors:

Sr.No.	Sector
(i)	Atomic Energy
(ii)	Broadcasting/ Print and Digital Media
(iii)	Defence
(iv)	Space
(v)	Telecommunications

## List of Category-II Sensitive sectors:

Sr.No.	Sector	
(i)	Power and Energy (including exploration/ generation/ transmission/ distribution/ pipeline)	
(ii)	Banking and Finance including Insurance	
(iii)	Civil Aviation	
(iv)	Construction of ports and dams & river valley projects	
(v)	Electronics and Microelectronics	
(vi)	Meteorology and Ocean Observation	
(vii)	Mining and extraction (including deep sea projects)	
(viii)	Railways	
(ix)	Pharmaceuticals & Medical Devices	
(x)	Agriculture	
(xi)	Health	
(xii)	Urban Transportation	

## List of Sensitive Technologies:

Sr.No.	Sensitive Technologies
(i)	Additive Manufacturing (e.g. 3D Printing)
(ii)	Any equipment having electronic programmable components or autonomous systems (e.g. SCADA systems)
(iii)	Any technology used for uploading and streaming of data including broadcasting, satellite communication etc.
(iv)	Chemical Technologies
(v)	Biotechnologies including Genetic Engineering and Biological Technologies
(vi)	Information and Communication Technologies
(vii)	Software

#### Competent Authority and Procedure for Registration

- A. The Competent Authority for the purpose of registration under this order shall be/continue to be the Registration Committee constituted by the Department for Promotion of Industry and Internal Trade (DPIIT)\*. [This Committee was already constituted under Order (Public Procurement) No.1].
- B. The Registration Committee shall have the following members\*:
  - i. An officer, not below the rank of Joint Secretary, designated for this purpose by DPIIT, who shall be the Chairman;
  - ii. Officers (ordinarily not below the rank of Joint Secretary) representing the Ministry of Home Affairs, Ministry of External Affairs, and of those Departments whose sectors are covered by applications under consideration;
  - iii. Any other officer whose presence is deemed necessary by the Chairman of the Committee.
  - iv. With effect from 01.04.2023, an officer (ordinarily not below the rank of Joint Secretary) representing the National Security Council Secretariat.
- C. DPIIT shall lay down the method of application, format etc. for such bidders as covered by the Order.
- D. On receipt of an application seeking registration from a bidder covered by Para 2 and 3 of this order, the Competent Authority shall first seek political and security clearances from the Ministry of External Affairs and Ministry of Home Affairs, as per guidelines issued from time to time. Registration shall not be given unless political and security clearance have both been received.
- E. The Ministry of External Affairs and Ministry of Home Affairs may issue guidelines for internal use regarding the procedure for scrutiny of such applications by them.
- F. The decision of the Competent Authority, to register such bidder may be for all kinds of tenders or for a specified type(s) of goods or services, and may be for a specified or unspecified duration of time, as deemed fit. The decision of the Competent Authority shall be final.
- G. Registration granted by the Competent Authority of the Government of India shall be valid not only for procurement by the Central Government and its bodies specified in para 6 of this order, but also for procurement by State Governments and their agencies/ public enterprises etc. No fresh registration at the State level shall be required.
- H. The Competent Authority is empowered to cancel the registration already granted if it determines that there is sufficient cause. Such cancellation by itself, however, will

not affect the execution of contracts already awarded. Pending cancellation, it may also suspend the registration of a bidder, and the bidder shall not be eligible to bid in any further tenders during the period of suspension.

 For national security reasons, the Competent Authority shall not be required to give reasons for rejection/cancellation of registration of a bidder.

#### [\*Note:

- (i) In respect of application of the Order to procurement by/ under State Governments, all functions assigned to DPIIT shall be carried out by the State Government concerned through a specific department or authority designated by it. The composition of the Registration Committee shall be as decided by the State Government. However, the requirement of political and security clearance as per para D shall remain and no registration shall be granted without such clearance.
- (ii) Registration granted by State Governments shall be valid only for procurement by the State Government and its agencies/ public enterprises etc. and shall not be valid for procurement in other states or by the Government of India and their agencies/ public enterprises etc.]

#### **Special Cases**

- A. In projects which receive international funding with the approval of the Department of Economic Affairs (DEA), Ministry of Finance, the procurement guidelines applicable to the project shall normally be followed, notwithstanding anything contained in this order and without reference to the Competent Authority. Exceptions to this shall be decided in consultation with DEA.
- B. This order shall not apply to procurement by Indian missions and by offices of government agencies/ undertakings located outside India.
- C. This order will not apply to bidders (or entities) from those countries (even if sharing a land border with India) to which the Government of India has extended lines of credit or in which the Government of India is engaged in development projects. Updated lists of countries to which lines of credit have been extended or in which development projects are undertaken are given on the website of the Ministry of External Affairs.
- D. Procurement of spare parts and other essential service support like Annual Maintenance Contract (AMC)/ Comprehensive Maintenance Contract (CMC), including consumables for closed systems, from Original Equipment Manufacturers (OEMs) or their authorized agents, shall be exempted from the requirement of registration.

#### Model Clause/ Certificate/ Undertaking to be inserted in tenders etc.

[While adhering to the substance of the Order, procuring entities and GeM are free to appropriately modify the wording of the clause/ certificate based on their past experience, local needs etc.

The conditions relating to specified ToT (as shown in italics) should be incorporated only in the tenders which attract the restrictions due to specified ToT.]

## A. Model Clauses for Tenders (including tenders issued manually or any electronic portal including GeM):

- 1. Any bidder from a country which shares a land border with India will be eligible to bid in any procurement whether of goods, services (including consultancy services and non-consultancy services) or works (including turnkey projects) only if the bidder is registered with the Competent Authority. Further, any bidder (including bidder from India) having specified Transfer of Technology (ToT) arrangement with an entity from a country which shares a land border with India, shall also require to be registered with the same competent authority.
- II. "Bidder" (including the term 'tenderer', 'consultant' or 'service provider' in certain contexts) means any person or firm or company, including any member of a consortium or joint venture (that is an association of several persons, or firms or companies), every artificial juridical person not falling in any of the descriptions of bidders stated hereinbefore, including any agency branch or office controlled by such person, participating in a procurement process.
- III. "Bidder (or entity) from a country which shares a land border with India" for the purpose of this Order means: -
  - (a) An entity incorporated, established or registered in such a country; or
  - (b) A subsidiary of an entity incorporated, established or registered in such a country; or
  - (c) An entity substantially controlled through entities incorporated, established or registered in such a country; or
  - (d) An entity whose beneficial owner is situated in such a country; or
  - (e) An Indian (or other) agent of such an entity; or
  - (f) A natural person who is a citizen of such a country; or
  - (g) A consortium or joint venture where any member of the consortium or joint venture falls under any of the above
- IV. The beneficial owner for the purpose of (iii) above will be as under:
  - 1. In case of a company or Limited Liability Partnership, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person, has a controlling ownership interest or who exercises control through other means.

Explanation—

- a. "Controlling ownership interest" means ownership of or entitlement to more than twenty-five per cent. of shares or capital or profits of the company;
- b. "Control" shall include the right to appoint majority of the directors or to control the management or policy decisions including by virtue of their shareholding or management rights or shareholders agreements or voting agreements;
- 2. In case of a partnership firm, the beneficial owner is the natural person(s) who, whether acting alone or together, or through one or more juridical person, has ownership of entitlement to more than fifteen percent of capital or profits of the partnership;
- 3. In case of an unincorporated association or body of individuals, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person, has ownership of or entitlement to more than fifteen percent of the property or capital or profits of such association or body of individuals;
- 4. Where no natural person is identified under (1) or (2) or (3) above, the beneficial owner is the relevant natural person who holds the position of senior managing official;
- 5. In case of a trust, the identification of beneficial owner(s) shall include identification of the author of the trust, the trustee, the beneficiaries with fifteen percent or more interest in the trust and any other natural person exercising ultimate effective control over the trust through a chain of control or ownership.
- V. An Agent is a person employed to do any act for another, or to represent another in dealings with third person.
- VI. [To be inserted in tenders for Works contracts, including Turnkey contracts] The successful bidder shall not be allowed to sub-contract works to any contractor from a country which shares a land border with India unless such contractor is registered with the Competent Authority.
- VII. The registration shall be valid at the time of submission of bid and at the time of acceptance of bid.
- VIII. If the bidder was validly registered at the time of acceptance / placement of order, registration shall not be a relevant consideration during contract execution

#### **Model Certificate for Tenders:**

"I have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India; I certify that this bidder is not from such a country or, if from such a country, has been registered with the Competent Authority. I hereby certify that this bidder fulfills all requirements in this regard and is eligible to be considered. [Where applicable, evidence of valid registration by the Competent Authority shall be attached.]"

## Model Certificate for Tenders for Works involving possibility of sub-contracting:

"I have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India and on sub-contracting to contractors from such countries; I certify that this bidder is not from such a country or, if from such a country, has been registered with the Competent Authority and will not sub-contract any

work to a contractor from such countries unless such contractor is registered with the Competent Authority. I hereby certify that this bidder fulfills all requirements in this regard and is eligible to be considered. [Where applicable, evidence of valid registration by the Competent Authority shall be attached.]"

### Model additional certificate by Bidders in the cases of specified ToT:

"I have read the clause regarding restrictions on procurement from a bidder having Transfer of Technology (ToT) arrangement. I certify that this bidder does not have any ToT arrangement requiring registration with the competent authority."

0R

"I have read the clause regarding restrictions on procurement from a bidder having Transfer of Technology (ToT) arrangement. I certify that this bidder has valid registration to participate in this procurement."

# B. Model Certificate for GeM (to be taken by the GeM from seller during registration on GeM. GeM should also obtain this certificate from all existing bidders as soon as possible):

"I have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India; I certify that this vendor/ bidder is not from such a country and does not have any specified Transfer of Technology (ToT) from such a country or, if from such a country or if having specified ToT from such a country has been registered with the Competent Authority. I hereby certify that this vendor/ bidder fulfills all requirements in this regard and is eligible to be considered for procurement on GeM. [Where applicable, evidence of valid registration by the Competent Authority shall be attached.]"

\*\*\*

# F.No.6/18/2019-PPD Ministry of Finance Department of Expenditure Public Procurement Division

161, North Block, New Delhi 23rd July, 2020

#### Office Memorandum

Subject: Insertion of Rule 144 (xi) in the General Financial Rules (GFRs), 2017

Rule 144 of the General Financial Rules 2017 entitled 'Fundamental principles of public buying', has been amended by inserting sub-rule (xi) as under:

Notwithstanding anything contained in these Rules, Department of Expenditure may, by order in writing, impose restrictions, including prior registration and/or screening, on procurement from bidders from a country or countries, or a class of countries, on grounds of defence of India, or matters directly or indirectly related thereto including national security; no procurement shall be made in violation of such restrictions.

(Sanjay Prasad)
Joint Secretary (PPD)

Email ID: js.pfc2.doe@gov,in Telephone: 011-23093882

To,

(1) Secretaries of All Ministries/ Departments of Government of India

(2) Chief Secretaries/ Administrators of Union Territories/ National Capital Territory of Delhi

# F.No.6/18/2019-PPD Ministry of Finance Department of Expenditure Public Procurement Division

161, North Block, New Delhi 23rd July, 2020

#### Order (Public Procurement No. 1)

Subject: Restrictions under Rule 144 (xi) of the General Financial Rules (GFRs), 2017

Attention is invited to this office OM no. 6/18/2019-PPD dated 23<sup>rd</sup> July 2020 inserting Rule 144 (xi) in GFRs 2017. In this regard, the following is hereby ordered under Rule 144 (xi) on the grounds stated therein:

#### Requirement of registration

- Any bidder from a country which shares a land border with India will be eligible to bid in any procurement whether of goods, services (including consultancy services and non-consultancy services) or works (including turnkey projects) only if the bidder is registered with the Competent Authority, specified in Annex I.
- This Order shall not apply to (i) cases where orders have been placed or contract
  has been concluded or letter/notice of award/ acceptance (LoA) has been issued
  on or before the date of this order; and (ii) cases falling under Annex II.

#### Transitional cases

- 3. Tenders where no contract has been concluded or no LoA has been issued so far shall be handled in the following manner:
  - a) In tenders which are yet to be opened, or where evaluation of technical bid or the first exclusionary qualificatory stage (i.e. the first stage at which the qualifications of tenderers are evaluated and unqualified bidders are excluded) has not been completed: No contracts shall be placed on bidders from such countries. Tenders received from bidders from such countries shall be dealt with as if they are non-compliant with the tender conditions and the tender shall be processed accordingly.
  - b) If the tendering process has crossed the first exclusionary qualificatory stage: If the qualified bidders include bidders from such countries, the

- entire process shall be scrapped and initiated de novo. The de novo process shall adhere to the conditions prescribed in this Order.
- c) As far as practicable, and in cases of doubt about whether a bidder falls under paragraph 1, a certificate shall be obtained from the bidder whose bid is proposed to be considered or accepted, in terms of paras 8, 9 and 10 read with para 1 of this Order.

#### Incorporation in tender conditions

In tenders to be issued after the date of this order, the provisions of paragraph 1
and of other relevant provisions of this Order shall be incorporated in the tender
conditions.

#### **Applicability**

- Apart from Ministries / Departments, attached and subordinate bodies, notwithstanding anything contained in Rule 1 of the GFRs 2017, this Order shall also be applicable
  - a. to all Autonomous Bodies;
  - b. to public sector banks and public sector financial institutions; and
  - subject to any orders of the Department of Public Enterprises, to all Central Public Sector Enterprises; and
  - d. to procurement in Public Private Partnership projects receiving financial support from the Government or public sector enterprises/ undertakings.
  - e. Union Territories, National Capital Territory of Delhi and all agencies/ undertakings thereof

#### <u>Definitions</u>

- 6. "Bidder" for the purpose of this Order (including the term 'tenderer', 'consultant' 'vendor' or 'service provider' in certain contexts) means any person or firm or company, including any member of a consortium or joint venture (that is an association of several persons, or firms or companies), every artificial juridical person not falling in any of the descriptions of bidders stated hereinbefore, including any agency, branch or office controlled by such person, participating in a procurement process.
- 7. "Tender" for the purpose of this Order will include other forms of procurement, except where the context requires otherwise.
- 8. "Bidder from a country which shares a land border with India" for the purpose of this Order means

- a) An entity incorporated, established or registered in such a country; or
- A subsidiary of an entity incorporated, established or registered in such a country; or
- c) An entity substantially controlled through entities incorporated, established or registered in such a country; or
- d) An entity whose beneficial owner is situated in such a country; or
- e) An Indian (or other) agent of such an entity; or
- f) A natural person who is a citizen of such a country; or
- g) A consortium or joint venture where any member of the consortium or joint venture falls under any of the above
- 9. "Beneficial owner" for the purpose of paragraph 8 above will be as under:
  - (i) In case of a company or Limited Liability Partnership, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person(s), has a controlling ownership interest or who exercises control through other means. Explanation—
    - a. "Controlling ownership interest" means ownership of, or entitlement to, more than twenty-five per cent of shares or capital or profits of the company;
    - b. "Control" shall include the right to appoint the majority of the directors or to control the management or policy decisions, including by virtue of their shareholding or management rights or shareholders agreements or voting agreements;
  - (ii) In case of a partnership firm, the beneficial owner is the natural person(s) who, whether acting alone or together, or through one or more juridical person, has ownership of entitlement to more than fifteen percent of capital or profits of the partnership;
  - (iii) In case of an unincorporated association or body of individuals, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person, has ownership of or entitlement to more than fifteen percent of the property or capital or profits of such association or body of individuals;
  - (iv) Where no natural person is identified under (i) or (ii) or (iii) above, the beneficial owner is the relevant natural person who holds the position of senior managing official;

- (v) In case of a trust, the identification of beneficial owner(s) shall include identification of the author of the trust, the trustee, the beneficiaries with fifteen percent or more interest in the trust and any other natural person exercising ultimate effective control over the trust through a chain of control or ownership.
- 10. "Agent" for the purpose of this Order is a person employed to do any act for another, or to represent another in dealings with third persons.

#### Sub-contracting in works contracts

11. In works contracts, including turnkey contracts, contractors shall not be allowed to sub-contract works to any contractor from a country which shares a land border with India unless such contractor is registered with the Competent Authority. The definition of "contractor from a country which shares a land border with India" shall be as in paragraph 8 above. This shall not apply to sub-contracts already awarded on or before the date of this Order.

#### Certificate regarding compliance

12.A certificate shall be taken from bidders in the tender documents regarding their compliance with this Order. If such certificate given by a bidder whose bid is accepted is found to be false, this would be a ground for immediate termination and further legal action in accordance with law.

#### Validity of registration

13. In respect of tenders, registration should be valid at the time of submission of bids and at the time of acceptance of bids. In respect of supply otherwise than by tender, registration should be valid at the time of placement of order. If the bidder was validly registered at the time of acceptance / placement of order, registration shall not be a relevant consideration during contract execution.

#### Government E-Marketplace

14. The Government E-Marketplace shall, as soon as possible, require all vendors/ bidders registered with GeM to give a certificate regarding compliance with this Order, and after the date fixed by it, shall remove non-compliant entities from GeM unless/ until they are registered in accordance with this Order.

#### Model Clauses/ Certificates

15. Model Clauses and Model Certificates which may be inserted in tenders / obtained from Bidders are enclosed as **Annex III**. While adhering to the substance of the Order, procuring entities are free to appropriately modify the wording of these clauses based on their past experience, local needs etc. without making any reference to this Department.

(Sanjay Prasad)
Joint Secretary (PPD)

Email ID: js.pfc2.doe@gov,in Telephone: 011-23093882

To

- (1) Secretaries of All Ministries/ Departments of Government of India for information and necessary action. They are also requested to inform these provisions to all procuring entities.
- (2) Secretary, Department of Public Enterprises with a request to immediately reiterate these orders in respect of Public Enterprises.
- (3) Secretary DPIIT with a request to initiate action as provided under Annex I
- (4) Chief Secretaries/ Administrators of Union Territories/ National Capital Territory of Delhi

### Annex I: Competent Authority and Procedure for Registration

- A. The Competent Authority for the purpose of registration under this Order shall be the Registration Committee constituted by the Department for Promotion of Industry and Internal Trade (DPIIT)\*.
- B. The Registration Committee shall have the following members\*:

i. An officer, not below the rank of Joint Secretary, designated for this

purpose by DPIIT, who shall be the Chairman;

 Officers (ordinarily not below the rank of Joint Secretary) representing the Ministry of Home Affairs, Ministry of External Affairs, and of those Departments whose sectors are covered by applications under consideration;

iii. Any other officer whose presence is deemed necessary by the

Chairman of the Committee.

- C. DPIIT shall lay down the method of application, format etc. for such bidders as stated in para 1 of this Order.
- D. On receipt of an application seeking registration from a bidder from a country covered by para 1 of this Order, the Competent Authority shall first seek political and security clearances from the Ministry of External Affairs and Ministry of Home Affairs, as per guidelines issued from time to time. Registration shall not be given unless political and security clearance have both been received.
- E. The Ministry of External Affairs and Ministry of Home Affairs may issue guidelines for internal use regarding the procedure for scrutiny of such applications by them.
- F. The decision of the Competent Authority, to register such bidder may be for all kinds of tenders or for a specified type(s) of goods or services, and may be for a specified or unspecified duration of time, as deemed fit. The decision of the Competent Authority shall be final.
- G. Registration shall not be granted unless the representatives of the Ministries of Home Affairs and External Affairs on the Committee concur\*.
- H. Registration granted by the Competent Authority of the Government of India shall be valid not only for procurement by Central Government and its agencies/ public enterprises etc. but also for procurement by State Governments and their agencies/ public enterprises etc. No fresh registration at the State level shall be required.

- I. The Competent Authority is empowered to cancel the registration already granted if it determines that there is sufficient cause. Such cancellation by itself, however, will not affect the execution of contracts already awarded. Pending cancellation, it may also suspend the registration of a bidder, and the bidder shall not be eligible to bid in any further tenders during the period of suspension.
- J. For national security reasons, the Competent Authority shall not be required to give reasons for rejection / cancellation of registration of a bidder.
- K. In transitional cases falling under para 3 of this Order, where it is felt that it will not be practicable to exclude bidders from a country which shares a land border with India, a reference seeking permission to consider such bidders shall be made by the procuring entity to the Competent Authority, giving full information and detailed reasons. The Competent Authority shall decide whether such bidders may be considered, and if so shall follow the procedure laid down in the above paras.
- L. Periodic reports on the acceptance/ refusal of registration during the preceding period may be required to be sent to the Cabinet Secretariat. Details will be issued separately in due course by DPIIT.

#### [\*Note:

- i. In respect of application of this Order to procurement by/ under State Governments, all functions assigned to DPIIT shall be carried out by the State Government concerned through a specific department or authority designated by it. The composition of the Registration Committee shall be as decided by the State Government and paragraph G above shall not apply. However, the requirement of political and security clearance as per para D shall remain and no registration shall be granted without such clearance.
- ii. Registration granted by State Governments shall be valid only for procurement by the State Government and its agencies/ public enterprises etc. and shall not be valid for procurement in other states or by the Government of India and their agencies/ public enterprises etc.]

#### Annex II: Special Cases

- A. Till 31<sup>st</sup> December 2020, procurement of medical supplies directly related to containment of the Covid-19 pandemic shall be exempt from the provisions of this Order.
- B. Bona fide procurements made through GeM without knowing the country of the bidder till the date fixed by GeM for this purpose, shall not be invalidated by this Order.
- C. Bona fide small procurements, made without knowing the country of the bidder, shall not be invalidated by this Order.
- D. In projects which receive international funding with the approval of the Department of Economic Affairs (DEA), Ministry of Finance, the procurement guidelines applicable to the project shall normally be followed, notwithstanding anything contained in this Order and without reference to the Competent Authority. Exceptions to this shall be decided in consultation with DEA.
- E. This Order shall not apply to procurement by Indian missions and by offices of government agencies/ undertakings located outside India.

#### Annex III

#### Model Clause /Certificate to be inserted in tenders etc.

(While adhering to the substance of the Order, procuring entities and GeM are free to appropriately modify the wording of the clause/ certificate based on their past experience, local needs etc.)

#### Model Clauses for Tenders

- Any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority.
- II. "Bidder" (including the term 'tenderer', 'consultant' or 'service provider' in certain contexts) means any person or firm or company, including any member of a consortium or joint venture (that is an association of several persons, or firms or companies), every artificial juridical person not falling in any of the descriptions of bidders stated hereinbefore, including any agency branch or office controlled by such person, participating in a procurement process.
- III. "Bidder from a country which shares a land border with India" for the purpose of this Order means:
  - a. An entity incorporated, established or registered in such a country; or
  - A subsidiary of an entity incorporated, established or registered in such a country; or
  - c. An entity substantially controlled through entities incorporated, established or registered in such a country; or
  - d. An entity whose beneficial owner is situated in such a country; or
  - e. An Indian (or other) agent of such an entity; or
  - f. A natural person who is a citizen of such a country; or
  - g. A consortium or joint venture where any member of the consortium or joint venture falls under any of the above
- IV. The beneficial owner for the purpose of (iii) above will be as under:
  - In case of a company or Limited Liability Partnership, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person, has a controlling ownership interest or who exercises control through other means.
     Explanation—
    - "Controlling ownership interest" means ownership of or entitlement to more than twenty-five per cent. of shares or capital or profits of the company;

- b. "Control" shall include the right to appoint majority of the directors or to control the management or policy decisions including by virtue of their shareholding or management rights or shareholders agreements or voting agreements;
- In case of a partnership firm, the beneficial owner is the natural person(s)
  who, whether acting alone or together, or through one or more juridical
  person, has ownership of entitlement to more than fifteen percent of
  capital or profits of the partnership;
- 3. In case of an unincorporated association or body of individuals, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person, has ownership of or entitlement to more than fifteen percent of the property or capital or profits of such association or body of individuals;
- Where no natural person is identified under (1) or (2) or (3) above, the beneficial owner is the relevant natural person who holds the position of senior managing official;
- In case of a trust, the identification of beneficial owner(s) shall include identification of the author of the trust, the trustee, the beneficiaries with fifteen percent or more interest in the trust and any other natural person exercising ultimate effective control over the trust through a chain of control or ownership.
- V. An Agent is a person employed to do any act for another, or to represent another in dealings with third person.
- VI. [To be inserted in tenders for Works contracts, including Turnkey contracts] The successful bidder shall not be allowed to sub-contract works to any contractor from a country which shares a land border with India unless such contractor is registered with the Competent Authority.

Model Certificate for Tenders (for transitional cases as stated in para 3 of this Order)

"I have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India; I hereby certify that this bidder is not from such a country and is eligible to be considered."

#### Model Certificate for Tenders

"I have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India; I certify that this bidder is not from such a country or, if from such a country, has been registered with the Competent Authority. I hereby certify that this bidder fulfills all requirements in this regard and is eligible to be considered. [Where applicable, evidence of valid registration by the Competent Authority shall be attached.]"

### Model Certificate for Tenders for Works involving possibility of sub-contracting

"I have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India and on sub-contracting to contractors from such countries; I certify that this bidder is not from such a country or, if from such a country, has been registered with the Competent Authority and will not sub-contract any work to a contractor from such countries unless such contractor is registered with the Competent Authority. I hereby certify that this bidder fulfills all requirements in this regard and is eligible to be considered. [Where applicable, evidence of valid registration by the Competent Authority shall be attached.]"

#### Model Certificate for GeM:

"I have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India; I certify that this vendor/ bidder is not from such a country or, if from such a country, has been registered with the Competent Authority. I hereby certify that this vendor/ bidder fulfills all requirements in this regard and is eligible to be considered for procurement on GeM. [Where applicable, evidence of valid registration by the Competent Authority shall be attached.]"

\*\*\*\*\*

# F.No.6/18/2019-PPD Ministry of Finance Department of Expenditure Public Procurement Division

161, North Block New Delhi 23rd July, 2020

#### Order (Public Procurement No. 2)

Subject: Exclusion from restrictions under Rule 144 (xi) of the General Financial Rules (GFRs), 2017 –regarding.

In Order (Public Procurement No. 1) dated 23rd July 2020, orders have been issued requiring registration of bidders from a country sharing a land border with India in order to be eligible to bid in public procurement.

- 2. Notwithstanding anything contained therein, it is hereby clarified that the said Order will not apply to bidders from those countries (even if sharing a land border with India) to which the Government of India has extended lines of credit or in which the Government of India is engaged in development projects.
- Updated lists of countries to which lines of credit have been extended or in which development projects are undertaken are given in the website of the Ministry of External Affairs.

(San Prasad)
Joint Secretary (PPD)

Email ID: js.pfc2.doe@gov,in Telephone: 011-23093882

To,

- (1) Secretaries of All Ministries/ Departments of Government of India for information and necessary action. They are also requested to inform these provisions to all procuring entities.
- (2) Secretary, Department of Public Enterprises with a request to immediately reiterate these orders in respect of Public Enterprises.
- (3) Chief Secretaries/ Administrators of Union Territories/ National Capital Territory of Delhi

## NTPC LIMITED (A Government of India Enterprise)



#### **BIDDING DOCUMENTS**

SECTION - VII

(FORMS AND PROCEDURES)

(This document is meant for the exclusive purpose of bidding against this Bidding Document / Specification and shall not be transferred, reproduced or otherwise used for purposes other than that for which it is specifically issued).


**Rev 2.2** 

#### **TABLE OF FORMS AND PROCEDURES**

Form No.	Description
1.	Bid Forms
	Attachment 1: Bid Security
	Attachment 2: Authority to Sign the Bid *
	Attachment 3: Bidders Qualification Documents
	Attachment 4: Sub-contractor proposed by Bidder
	Attachment 5: Equipment/Machinery Deployment Schedule
	Attachment 6: General Declaration
	Attachment 7: Electronic Fund Transfer (EFT) Form
	Attachment 8: Details along with Copy of PF and ESI registration, PAN and GST number
	Attachment 9: Declaration Regarding GST
	Attachment 11: Declaration on Local Content
	Attachment 11A: Declaration for Exemption from meeting the Minimum Local Content
	Attachment 12: Integrity Pact
	Attachment 12A: Details of Foreign Principals of Indian Bidders *
	Attachment 13: UNDERTAKING FOR COMPLIANCE OF IMPORTANT CONDITIONS
2.	Proforma for Bank Guarantee & Insurance Surety Bond for Earnest Money Deposit
3.	List of banks from which bank guarantees for Bid Security / EMD can be accepted
4.	Bank Guarantee/Insurance Surety Bond verification checklist
5.	Form of Bank Guarantee & Insurance Surety Bond for Contract Performance Guarantee
6.	Proforma for extension of Bank Guarantee & Insurance Surety Bond
7.	Proforma Bank Guarantee for Lumpsum Advance
8.	List of banks from which bank guarantees for Advance/Security Deposit and Bank Guarantee to be furnished by Associate can be accepted
Q	Form of Rank Guarantee for removal of plant and equipment from the Site

- 10. Form of Hypothecation Deed
- 11. Proforma of "Contract Agreement"
- 12. Proforma of "Indemnity Bond" for "Employer Issue Materials"
- 13. Letter of Undertaking to be given by Contractor while furnishing the "Indemnity Bond" to Employer for "Employer Issue Materials"
- 14. Letter Of Confirmation By The Proposed Sub-Contractor
- 15. Proforma for Material Accounting & Reconciliation
- 16. PROFORMA OF CCPs (Annexure 1.1 to 1.13)
- 17. Declaration of Absence of Conflict of Interest with Independent Engineer.
- 18. Declaration of Absence of Conflict of Interest with CCIE
- 19. Proforma of "Tripartite Integrity Pact"

<sup>\*</sup> No specified format



#### **BID FORM**

		Date:							
NIT/IF	B/ Tend	er Enquiry No							
Name	of Cont	ract Package:							
То									
NTPC	Ltd								
Dear \$	Sir,								
1.0	clarific	laving examined the Bidding Documents including subsequent amendments and larifications, the receipt of which is hereby acknowledged, we the undersigned, submit ur bid for the Works under the above-named Contract Package, in full conformity with ne said Bidding Documents.							
2.0	bidding	we understood the instructions and the terms and conditions mentioned in the documents furnished by you and have thoroughly examined the detailed scope alid down by you and are fully aware of nature and scope of work required							
3.0		reby confirm our acceptance and compliance to the provisions and terms and ons contained in the bidding documents.							
4.0	We de	clare that the work will be executed strictly in accordance with the requirement.							
5.0		oposal shall remain valid for acceptance for a period of <mark>120</mark> days from the date of g of the 'Technical & Commercial Proposal' by NTPC.							
6.0	We he	reby furnish our 'EMD Bid' comprising the following as per prescribed formats							
	i.	Attachment 1: Bid Security of Rs							
	ii.	MSE Certificate (if applicable)							
	iii.	Integrity Pact (if applicable)							
	iv.	Attachment 2: Authority to Sign the bid							
	v. vi.	Attachment 7 - Electronic Fund Transfer (EFT) Form Attachment 13- Undertaking for compliance of Important Conditions of Tender							

Our 'Technical and Commercial Bid' and 'Price Bid' are being submitted online in separate sealed envelopes as per the requirement of the Bidding Documents. We hereby confirm that our Techno-Commercial Bid does not contain any Price content entry. Further, we confirm that our Price Bid does not contain any matter in respect of

Technical and / or Commercial aspects other than the details specifically sought in the price Bid.

- 8.1 We are aware that the Bill of Quantity (BOQ) does not generally give a full description of the work to be performed under each item and we shall be deemed to have read the Technical Specifications, Drawings and other Sections of the Bidding Documents to ascertain the full scope of work included in each item while filling in the rates and amount/prices. We agree that the entered rates and amount/prices shall be deemed to include the full scope as aforesaid, including overheads and profit.
- 8.2 We declare that as specified in the GCC, prices quoted by us on Gem Portal are FIRM.

(In case provisions in the tender are for VARIABLE prices, following shall be applicable.

"We declare that as specified in the GCC, prices quoted by us on Gem Portal shall be subject to adjustment in accordance with SCC Clause entitled 'Price Adjustment')

- 8.3 We understand that if there is discrepancy on the Price quoted on Gem Portal w.r.t. BOQ.xls, The price quoted on the GeM portal shall be considered for evaluation and award purpose only.
- 8.4 We declare that prices left blank on the Gem Portal will be deemed to have been included in the prices of other items. The total for each Schedule and the total of grand summary shall be deemed to be the total price for executing the subject package in complete accordance with the Contract, whether or not each individual item has been priced.
- 8.5 We confirm that our Bid Prices include all taxes, duties, levies and charges as may be assessed on us, our Sub-Contractor/Sub-Vendor and those imposed on our equipment, materials, supplies and services to be used in the performance of the Contract or furnished under the Contract.
- 8.6 We have read the ITB clause regarding restrictions on procurement from a bidder of a country which shares a land border with India and on sub-contracting to contractors from such countries. We certify that we/our Collaborator/JV Partner/Consortium member are/is not from such a country or, if from such a country, have/has been registered with the Competent Authority and we will not sub-contract any work to a contractor from such countries unless such contractor is registered with the Competent Authority. We hereby certify that we fulfill all requirements in this regard and are eligible to be considered.

\*We further confirm that evidence of valid registration by the Competent Authority for us/our Collaborator/JV Partner/Consortium member, as applicable, is enclosed as Annexure...\*\*...

\*Bidder to strike-off, if not applicable.

\*\*Bidder to mention the Annexure no.

9.0 We have read the provisions of bidding documents and confirm we have not taken any deviation to the provisions of the bidding documents. We confirm that any deviation/ variation / additional conditions to the provisions of Bidding Documents read in conjunction with its Amendment(s)/Clarification(s)/Addenda/ Errata found anywhere in our Techno-Commercial Bid and Price Bid, implicit or explicit, save those pertaining to rebates offered, stands unconditionally withdrawn, without any cost implication whatsoever to the Employer, failing which the Bid Security be forfeited.

- 10.0 We hereby agree that we shall furnish all necessary justification to establish the reasonableness of the rates/prices, if required by you.
- 11.0 We undertake, if our bid is accepted, to commence work under the subject package immediately on issue of your Letter of Award/ Service Purchase Order and to complete it within the time specified in the SCC.
- 12.0 We, hereby, declare that only the persons or firms interested in this proposal as principals are named here and that no other persons or firms other than those mentioned herein have any interest in this proposal or in the Contract to be entered into, if the award is made on us, and that this proposal is made without any connection with any other person, firm or party likewise submitting a proposal, is in all respects for and in good faith, without collusion or fraud.
- 13.0 We confirm that we have read and understood the ITB Clause No. 3.0 regarding "Conflict of Interest" and our bid is in compliance to this clause.

In case it is established that we have provided any false information in pursuance of the aforesaid ITB Clause No. 3.0, while competing for this contract, then our bid shall be rejected and bid security shall be forfeited.

We also understand that in case we become successful bidder, if it is established that we have not complied with terms of aforesaid ITB Clause No. 3.0, during execution of contract, this would be considered as fraudulent practice as mentioned in para 5.1 (j) of "Policy for Debarment from Business Dealings" and shall be dealt accordingly.

14.0 (i) We confirm that we fulfill the requirements of **Local content for Class-I Local Supplier**.

The details of the location(s) at which the local value addition are as under:

SI. No.	Description of Goods & Services	Details of the location(s) at which the local value addition is made

- (ii) We confirm that we fulfill the requirements of Local content for Class-I local supplier for Item(s) mentioned at clause no. 41 of GTR in Technical Specifications, as applicable. We further confirm that in case such item(s) are bought-out for us, we shall source the same from Class-I local supplier only.
- (iii) #We undertake that a certificate from the statutory auditor or cost auditor (in the case the bidder is a company) or from a practicing cost accountant or practicing chartered accountant (in respect of bidders other than companies) certifying the percentage of local content shall be submitted by us prior to submission of our last bill for payment.
- (iv) ##We further confirm that we are presently not debarred / banned by any other procuring entity for violation of 'Public Procurement (Preference to Make in India), Order 2017' (PPP-MII Order) dated 15.06.2017 and its subsequent revisions /amendments issued by Department for Promotion of Industry and Internal trade (DPIIT)."

##In case a Bidder has been banned/debarred by any other procuring entity for violation of 'Public Procurement (Preference to Make In India), Order 2017' (PPPMII Order) dated 15.06.2017 and its subsequent revisions / amendments issued by Department of Industrial Policy and Promotion (DIPP), the same may be declared by Bidder by striking off para above and declaring the details of banning using additional sheets.

Bidder may also enclose additional sheets in similar format (if required), for providing details pertaining to local value addition.

Dated this		day of	20
Thanking you	u, we rer	nain,	
			Yours faithfully,
Date:			(Signature)
Place:			(Name)
			(Designation)
			(Common Seal)
Business Ad	dress:		
Fax No.:			
Phone No.:			
Note: 1.	Bidder	rs may note that no prescri	ped proforma has been enclosed for:
	(a) (b) <del>(c)</del>	Financial Documents to b	o Sign the bid) (Legal Documents) e submitted in Attachment 3. - details & data sheets, drawings, compliance to

#### **BID SECURITY**

BIDDER TO FURNISH BID SECURITY IN LINE WITH

ITB CLAUSE 14.0 AND NIT/TENDER ENQUIRY

## DOCUMENTS RELATED TO AUTHORITY TO SIGN THE BID IN ACCORDANCE WITH ITB SUB-CLAUSE 11.3.1(b)

## Bidder's Qualifications (To be uploaded in Pre-Qual/Technical Cover/Envelope) (Qualification Data)

Bidder's Name and Address:

_	
_	

Central Procurement Group-I NTPC Ltd., Plot No. 87, Sector-24, Atal Nagar Nava Raipur, Raipur, Chhattisgarh - 492018

Dear Sirs,

Bidder's Qualification Data	i regarding subject	package as per Clause	No of NII.	

In terms of Item No ....... of NIT, we confirm that we have ...... within preceding 07 (seven) years as on the date of Techno-commercial bid opening:

Details of which are as follows: -

SN	Description	Contract1	Contract2	Contract3
1	Client detail			
	Plant and site Name for which the work was done:			
	2. Client name:			
	3. Address:			
	4. Contact Person			
	5. Phone			
	6. Fax:			
	7. E-mail address			
2	Contract Number & Date of award			
3	Order Value in INR lakhs			

SN	Description	Contract1	Contract2	Contract3
		INRLakh	INR Lakh	INRLakh
4	Executed Value in INR Lakh			
		INRLakh	INR Lakh	INRLakh
5	Whether Contract include work(s) as mentioned in technical QR criteria	Yes* / No*	Yes* / No*	Yes* / No*
6	Date of successful completion of work	DD/MM/YYYY	DD/MM/YYYY	DD/MM/YYYY
7	Whether Documentary evidence/customer certificate in support of above data enclosed?	Yes* / No*	Yes* / No*	Yes* / No*
8	Details of documentary evidence enclosed			

<sup>\*</sup>Please Strike off which is not applicable.

We further understand and agree that any misleading or false information furnished by us may result in summary rejection of our bid:

Date	:	(Designation)
Place	:	(Printed Name)

Note: 1. Bidder has to strictly follow this format while filling this Attachment to establish meeting the Qualification Requirement.

2. Copies of Order/Letter of Award/Contract Agreement/Client Certificate and Performance Certificate from the clients, etc. are to be enclosed clearly establishing the scope of work/ years of successful operation, etc. in support of meeting the Qualifying Requirements.

### (Details pertaining to Financial Qualification of the bidder as per Item No. ...... of NIT)

(A)	We co	nfirm	that ou	r average	annual	turnover	during	the	preceding	three	(3)	financial	years	as o	on the	date	of <sup>-</sup>	Techn	o-C	Comme	rcial	bic
	openin	g is r	not less	than		<mark>La</mark> kh	(Rupee	s		) or	in e	equivalen	t forei	gn c	urren	cy. In	sup	port o	of a	above,	we	are
	enclos	ing au	ıdited fir	nancial sta	atements	and the	details	are	as under:													

S No	Financial Year	Amount in Bidder's Currency	Amount in INR (Lacs)	Exchange Rate as on seven (7) days prior to the date of Techno-Commercial bid opening
1	2023– 2024			
2	2022 – 2023			
3	2021 – 2022			
4	Average Annual Turnover for the preceding three (3) Financial Years as on date of Techno-Commercial Bid Opening			
5	We have enclosed Audited financial statements for the last 3 financial years#		Yes*/No*	

<sup>\*</sup> Bidder to strike off whichever is not applicable.

<sup>#</sup> Any Certificate(s) / Financial Statement(s) / Audited Balance Sheet and P&L Account (wherever applicable) undertaken/ signed by a Member of Institute of Chartered Accountant of India (ICAI), which Bidders submit in support of compliance to Qualifying Requirements (QR), will carry Unique Document Identification Number (UDIN) generated in line with the Gazette Notification of Council of Institute of Chartered Accountant of India (ICAI).

<sup>(</sup>B) Since we do not satisfy the average annual turnover criteria of .......... of NIT on our own, we give below the following details of our Holding Company in terms of NIT Clause no ......... who meet the stipulated turnover requirements and whose Net worth as on the last day of the preceding financial years is at least equal to or more than the paid up share capital of the Holding Company.

- 1. Name and Address of the Holding Company: .....
- 2. Annual Turnover of the Holding Company with following details:

S No	Financial Year	Amount in Holding Company's Currency	Amount in INR (Lacs)	Exchange Rate as on seven (7) days prior to the date of Techno-Commercial bid opening
1	2023– 2024			
2	2022 – 2023			
3	2021 – 2022			
4	Average Annual Turnover for the preceding three (3) Financial Years as on date of Techno-Commercial Bid Opening			
5	We have enclosed Audited financial statements of Holding Company for the last 3 financial years#		Yes*/No*	

<sup>\*</sup> Please Strike off whichever is not applicable.

<sup>#</sup> Any Certificate(s) / Financial Statement(s) / Audited Balance Sheet and P&L Account (wherever applicable) undertaken/ signed by a Member of Institute of Chartered Accountant of India (ICAI), which Bidders submit in support of compliance to Qualifying Requirements (QR), will carry Unique Document Identification Number (UDIN) generated in line with the Gazette Notification of Council of Institute of Chartered Accountant of India (ICAI).

(Details pertaining to Financial Qualification of the Bidder as per Item No & of the N	(Details pertain	ning to Financia	I Qualification	of the Bidder as	per Item No	. & of th	e NIT
--	------------------	------------------	-----------------	------------------	-------------	-----------	-------

Bidder's Name and Address:

То

**Contract Services** 

A) We hereby confirm that net worth of our company as on the last day of the preceding financial year is not less than 100% (hundred percent) of its paid-up share capital.

The Details are as under:

-----

SI. No. Description

As on last day of the preceding financial year

preceding financial year

- 1. Paid-up Share Capital
- 2. Net Worth
- 3. %age of Net worth to Paid-up Share Capital
- 4. Documentary evidence like Annual Reports/Audited financial statements for the last 3 financial years\* in support of above is enclosed at Annexure...... to this Attachment
- 5. Since we are not able to furnish our audited financial statements, on standalone entity basis, we are submitting the following documents for substantiation of our Qualification:
  - (a) Copies of unaudited unconsolidated financial statements of the bidder along with copies of the audited consolidated financial statements of the

Holding Company for the last 3 years enclosed at Annexure...... to this Attachment.

(b) Certificate from the CEO/CFO of the Holding company stating that the unaudited unconsolidated financial statements form part of the consolidated financial statements of the Holding Company, is enclosed as per the format at Appendix-A to this Attachment.

(B) Since we do not satisfy the Financial Criteria on our Own, we give below the following details of our **Holding Company and/or our subsidiary(ies) and/or subsidiaries of our Holding Company**:

1.	Name	and	Address	of	the	Group	Companies
	1.						
	2.						
	3.						

SI. No	Description	As on last day of the preceding financial year
2.	Paid-up Share Capital of Group Companies	
	Y1 Y2	
	Y3	
	10	

<sup>\*</sup> In case where audited results for the last preceding financial year are not available, certification of financial statement from a practicing chartered accountant shall also be considered acceptable.

<sup>#</sup> Any Certificate(s) / Financial Statement(s) / Audited Balance Sheet and P&L Account (wherever applicable) undertaken/ signed by a Member of Institute of Chartered Accountant of India (ICAI), which Bidders submit in support of compliance to Qualifying Requirements (QR), will carry Unique Document Identification Number (UDIN) generated in line with the Gazette Notification of Council of Institute of Chartered Accountant of India (ICAI).

SI. No	Description	As on last day of the preceding financial year
3.	Net Worth of the Group Companies X1 X2 X3	
4.	%age of Net worth to Paid-up Share Capital of the Group Companies X1/Y1 x100 X2/Y2 x100 X3/Y3 x100	
5.	Net worth (Combined) (X1+X2+X3)/(Y1+Y2+Y3) X 100	
6.	Audited financial statements of Group Companies for the preceding financial year in support of above is enclosed at Annexure to this Attachment.	YES/NO
	In case not enclosed, financial results certified by a practicing chartered accountant enclosed	YES/NO Enclosed at Annexure

7. In case financial results certified by a practicing chartered accountant not enclosed, then Audited financial statements for FY 2016-2017 also enclosed.

YES/NO Enclosed at Annexure

Further, a Certificate from the CEO/CFO of the Company stating that "the Financial results of company are under audit as on the date of Techno-Commercial Bid Opening and the certificate from the practicing chartered accountant certifying the financial is not available", is enclosed Annexure ..... as per the format at Appendix-C to this Attachment.

YES/NO

We further confirm that Notwithstanding anything stated above, the Employer reserves the right to assess the capabilities and capacity of the Bidder / its Collaborators / Associates / Subsidiaries / Group companies to perform the contract, should the circumstances warrant such assessment in the overall interest of the Employer.

- (i) Net worth means the sum total of the paid up share capital and free reserve. Free reserve means all reserves credited out of the profits and share premium account but does not include reserves credited out of the revaluation of the assets, write back of depreciation provision and amalgamation. Further any debit balance of Profit and Loss account and miscellaneous expenses to the extent not adjusted or written off, if any, shall be reduced from reserves and surplus.
- (ii) Other income shall not be considered for arriving at annual turnover.

#### **APPENDIX-A TO ATTACHMENT – 3A-1**

Undertaking from Independent Statutory Auditor
(On letter head digitally signed by a person duly authorized to Sign on behalf of the Statutory Auditor)

Ref. No:	Date:
To, Central Procurement Group-I NTPC Ltd., Plot No. 87, Sector-24, Atal Nagar Nava Raipur, Raipur, Chhattisgarh – 492018	
Subject: Authentication of veracity of documents submitted by M/s In support of meeting the Qual Ref: IFB/Tender no Name of the Package/ Tender:	lifying Requirements
Dear Sir, M/s (hereinafter called Bidder) having Registered office at tender of NTPC Ltd. We, M/s	
The tender condition stipulates that the bidder shall submit supporting Documents pertaining to Technical Qualifying Statutory Auditor.	ing Requirement duly verified and certified
In this regard, it is hereby confirmed that we have examined the following documents, which are also attached wit from the Original Documents and/ or Client for authenticity.	th this letter. The same has been verified
We hereby confirm that the following documents are found to be genuine and authentic.  1. Doc ref. no	
*Further, we have examined the books of accounts, records, and other relevant documents, along with other necessirs furnished by M/s (bidder) and hereby certify following:	
This certificate is issued at the request of M/s (Bidder) for the purpose of participating in tender/s.	
Thanking you,	
Seal & Signature:	

<sup>\*</sup> Strike off, whichever is not applicable

#### **APPENDIX-B TO ATTACHMENT - 3A-1**

## Undertaking from Third Party Inspection Agency (On letter head digitally signed by a person duly authorized to Sign on behalf of the TPIA)

Ref.:	Date:
To, Central Procurement Group-I NTPC Ltd., Plot No. 87, Sector-24, Atal Nagar Nava Raipur, Chhattisgarh – 492018	
Subject: Authentication of veracity of documents submitted by M/s in support of meeting the Ref: IFB/Tender no	Qualifying Requirements
Dear Sir,	
M/s (hereinafter called Bidder) having Registered office at intend to parti. The tender condition stipulates that the bidder shall submit supporting Documents pertaining to Qualifying Respecified independent Third Party Inspection Agency as per the list mentioned in the bidding documents.	
In this regard, it is hereby confirmed that we have examined the following documents, which are also attache from the Original Documents and / or Client for authenticity.	d with this letter. The same has been verifie
We hereby confirm that the following documents are found to be genuine and authentic.  1. Doc ref. no	
All the aforesaid documents has been digitally signed by us as a certificate of authenticity.	
We further confirm that we neither have any vested interest in aforesaid tender nor have any conflict of interest. This certificate is issued at the request of M/s (Bidder) for the purpose of participating in the su	
Thanking you,	
Seal & Signature:	
* Strike off which was in not applicable	

<sup>\*</sup> Strike off, whichever is not applicable

# PROFORMA OF CERTIFICATE FROM THE CEO/CFO OF THE HOLDING COMPANY IN ACCORDANCE WITH ITEM NO. ...... OF NIT (To be submitted by Bidder along with the Bid)

Ref.	: Da	ite:	
То			
NTPC Plot N	al Procurement Group-I Ltd., lo. 87, Sector-24, Atal Nagar Raipur, Raipur, Chhattisgarh - 492018		
Dear S	Sir,		
1.0	I, M/s (CEO of the compan Holding Company) is the Holding Company of M/s	y / CFO of the company)*, declare that M/s(Name of the(Name of the Bidder)	
2.0	I hereby confirm and undertake that the unaudited unconsolidated financial statements submitted in respect of the bidder as part of the bid reference no		
3.0	I further, certify that the figures in the unaudited unconsolidated financial statements are true and correct and same have been d reflected in the audited consolidated financial statements and/or Annual Report of the Holding Company.		
		Yours faithfully,	
		(Signature)	
		(Name & Designation)	
		(Name of the Holding Company)	
Note:	*Please Strike off whichever is not applicable.	(Seal of Holding Company)	

#### PROFORMA OF LETTER OF UNDERTAKING

(TO BE STAMPED AS PER INDIAN STAMP ACT)

[To be executed by the Holding Company of Bidder
Supported by Board Resolution and submitted by the Bidder along with
the Bid, in case financial support is being extended by the Holding
Company to the Bidder for meeting the stipulated Financial
Qualifying Requirement as per Item No. ....... of NIT)

Ref.	:	Date:			
То					
NTPC Plot N	ral Procurement Grou C Ltd., lo. 87, Sector-24, Atal Raipur, Raipur, Chhat	Nagar			
Dear S	Sir,				
1.0	We, M/stherein.	declare that we are the Holding Compa	ny of M/s	(Name of the Bidder) and have cor	trolling interest
	for	(Name of the Bidder) proposes to summer of the Project) under bid refe from us for meeting the stipulated Financian	rence no	dated and have s	
2.0	package to M/s the bidding proces	e that we hereby pledge our unconditional incomplete (Name of the Bidder), is. We further agree that this undertoons of the Bidder/Contractor.	n case they are awar aking shall be with	ded the Contract for the said packag out prejudice to the various liabi	e, at the end of lities that M/s

3.0	This undertaking is irrevocable and unconditional, and shall remain in force till the successful execution and performance of the entire Contract and/or till it is discharged by NTPC.			
4.0	We are herewith enclosing a copy of the Board Resolution in support of this undertaking.			
		Yours faithfully,		
		(Signature of Authorized Signatory) on behalf of the Holding Company)		
		(Name & Designation)		
		(Name of the Holding Company)		
		(Seal of Holding Company)		
Witness:				
(1)				
(2)				

### PROFORMA OF CERTIFICATE FROM THE CEO/CFO OF THE COMPANY IN ACCORDANCE WITH ITEM NO. ....... OF NIT

(To be submitted along with the Techno-Commercial Bid)

Ref.	: Date:
NTPC Plot N	al Procurement Group-I Ltd., o. 87, Sector-24, Atal Nagar Raipur, Raipur, Chhattisgarh - 492018
Dear S	Sirs,
1.0	I, Mr
Date	: (Name & Designation)
Place	: (Name of the Company)
Note:	*Strike off whichever is not applicable.

(LIST OF FINANCIAL DOCUMENTS)
(To be uploaded in Pre-Qual/Technical Cover/Envelope)

Bidder	's Name & Address		To,
			NTPC Limited,
The fo	llowing Documents are annexed to this attachment.		
1.	Annual reports for preceding three years as on the date of Tech	no-commercial Bid opening.	
2.	Any other document asked for in the bidding documents.		
Date	<u>:</u>	Signature	
Place	:	Name of Authorised person having F	
		Designation	
		Common Seal	•

### 

(To be uploaded in Pre-Qual/Technical Cover/Envelope)

### **NOT APPLICABLE**

Bidde	r's Nan	ne & Address
<del>To,</del>		
NTPC	_ Limit	
•••••	•••••	<del></del>
		<del></del>
<del>Dear (</del>	Sirs	
The fo	ollowing	g details in respect of each Sub-Contractor proposed by us in our bid are annexed to this Attachment.
1.	Name	e of the Sub-Contractor and the broad scope of work proposed to be sub-contracted to him.
2.	The f	ollowing details of the Sub-Contractor:
	<del>(i)</del>	Similar work executed in Industrial/Infrastructure projects in the last seven (7) years including achievements.
	<del>(ii)</del>	List of plant & equipment proposed for deployment indicating whether the plant of equipment are lying idle and/or will be diverted from other works indicating likely date of release by client.
	<del>(iii)</del>	Technical manpower available for deployment.
	<del>(iv)</del>	Financial status for last three (3) years.
	<del>(v)</del>	Letter of confirmation from the Sub-Contractor, signifying his confirmation to execute the Work.
Date: Place:		Signature

Note: 1. The Bidder shall furnish the above details for each of the agencies/sub-contractors separately as per clause no. .... of BDS.

2. The format of the Letter of confirmation shall be as given at S. No. 13 of Forms and Procedures, Section VIII.

# NIT/IFB/ Tender Enquiry No ...... (EQUIPMENT/ MACHINERY DEPLOYMENT SCHEDULE) (To be uploaded in Pre-Qual/Technical Cover/Envelope)

		`	•			' '			
Bidde	r's Name & Address:				To,				
					NTPC L	_imited,			
SI. No.	Equipment Type/Capacity	Min. Nos required as indica- ted in Technical Specificatio	No. pro- posed to be deployed	No. already available for immedi- deployment	which balance	from where balance	Number intended to be pu- rchased	Period by which New T&P can be deployed	Quantum of work that can be achie- ved during peak peri- od/shift
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.
1.									
2.									
3.									
4. Note:	Further information for equ	uipment (if any)							
	bove list of equipment & maquired as per the direction o								
Date Place	: :					(Name)			

(GENERAL DECLARATION BY BIDDER)
(To be uploaded in Pre-Qual/Technical Cover/Envelope)

To, NTPC Ltd.	
Dear Sirs,	
We hereby confirm that:	
<ol> <li>We have carefully read General Conditions of Technical Specification and Bid Drawings (in Quantity/Schedule of Items and all other Bidding</li> </ol>	ncluding amendments/ errata) and Bill of
<ol> <li>Our technical team/technically competent office availability of construction materials, unski infrastructure/enabling facilities (including available of the contract.</li> </ol>	illed labour, access to site and other
Date:	Signature
Place:	Name of Authorised person having Power of attorney

### E.F.T. Form

Bidders Name and Address:		To, NTF	PC Limited,			
Dear Sirs,						
We, hereby authorise the E details for facilitating the pay			ır payments	through Electronic	Fund Transfer Syst	em. The
(TO		IN CAPITA	L LETTERS	3)		
2. ADDRESS						
3. <b>TELEPHONE NO. (WIT</b>	H STD CODE	 <b>E</b> )				
4. BANK PARTICULARS  A) BANK NAME						
B) BANK TELEPHO	ONE NO. (W	ITH STD C	ODE)			
C) BRANCH ADDR	ESS					
PIN CODE						
D) BANK FAX NO	WITH STD (	CODE)				
E) BRANCH CODE						

F) 9 DIGIT MICR CODE OF THE BANK BRANCH (ENCLOSE COPY OF A CANCELLED CHEQUE)

PERMANEN  E-MAIL Addi  /e hereby decidit is not affe	NK ACING	COUI	JNT NT T	NUM	IBER		E)											]	<u>-</u> '
I) BANK SAV  IF O  PERMANEN  E-MAIL Addit  //e hereby decidit is not affer	NK ACING	COUI	JNT NT T	NUM	IBER		E)											]	$\neg$
I) BANK SAVI IF O PERMANEN E-MAIL Addi Ve hereby decidit is not affer	K AC	COUI	NT T	YPE	(TICI										<u> </u>			<u></u>	7
I) BANK SAVI IF O PERMANEN E-MAIL Addi e hereby decidit is not affe	K AC	COUI	NT T	YPE	(TICI														7
PERMANEN  E-MAIL Addition to the control of the con	TING OTHE	RS, S	CU	RREI		K ON													
PERMANEN  E-MAIL Adda  /e hereby decidit is not affer	TING OTHE	RS, S	CU	RREI		K ON													
PERMANEN  E-MAIL Addition  fe hereby decidit is not affer	OTHE	·			NT														
PERMANEN  E-MAIL Addi  /e hereby decdit is not affe	NT A	·	PEC	IFY			LOA	λN		CAS	SH C	REI	DIT		ОТН	IER	S		
E-MAIL Addi		ccou																	
Ve hereby dec		ccou																	
E-MAIL Add			JNT I	NUM	BER	(PAN	l <b>)</b>												
Ve hereby dec	rocc			<b>-</b>		· · · · ·			<u> </u>			l				<del></del>			_
edit is not affe	rocc					<u> </u>													
edit is not affe	1622	for In	tima	tion	rega	rding	relea	ase of	payr	nent	s								
We hereby dec edit is not affe sponsible														1		$\Box$		<u> </u>	
ATE									(6	.IITL	IOP!	<b>SE</b> I	SIGI SIG	NATU					
									(,-	.011	iOiXi	OLL	<i>J</i> 510	1471	OI	,			
						Nan	ne:					1			Т	$\overline{\top}$	Τ		$\top$
									0	FFIC	IAL S	STA	MP						
ANK CERTIFION  is certified that  e Bank particu	t abo	ve me						a bank	< acc	ount	no					١	with	our	bran
ATE																			
								A				SEC	NAT SIG			<b>(</b> )			
						Nan	ne:								<del></del>	<del></del>	<u> </u>	 	<del>_</del>
								ļ			1 1								

Encl: Cancelled cheque.

**DETAILS OF PF, ESI, PAN and GST REGN.** (To be uploaded in Pre-Qual/Technical Cover/Envelope)

To,									
NTPC	d.								
Dear S									
The de	ils of our registration are as under:								
(a)	PF no. (If asked for in the tender)								
	The PF no. allotted by concerned RPFC under EPF scheme 1952 is as under:								
	PF Number								
	ote: Copy of PF registration certificate issued by the concerned RPFC duly attested bidder under his seal and signature to be submitted.	ed by the							
(b)	SI registration number, if applicable (If asked for in the tender)								
	our ESI registration number to cover our employees under the ESI Act:								
	ESI Registration Number								
	ote: Copy of ESI registration duly attested by the bidder under his seal and signature ubmitted.	to be							
(c)	PAN number								
	Our PAN number is as under:								
	Permanent Account Number								
	ote: Copy of card indicating PAN number duly attested by the bidder under his gnature to be submitted.	seal and							
(d) (	STIN, if applicable:								
	our <b>GSTIN</b> is								
	GSTIN (location)								
	GSTIN (location)								
	GSTIN (location)								
	Note: Copy of registration to be enclosed.								
Date:	(Signature)								
Place:	(Name)								
	(Designation)								
	(Company Seal)								

#### **DECLARATION REGARDING GST**

Bidder's Name and Address:	То	
	N	ITPC Ltd.
	•	
	••	
Doclaration regarding GST	•	•••••

### <u>Declaration regarding GST</u>

### A. Applicable GST

We hereby declare and confirm that we have considered the following GST while quoting the Price in the BOQ:

SI. No.	Item Description	HSN Code	GST Rate (%)
1.	HIRING OF MMU & MCH SERVICES FOR NTPC TTPS FOR A PERIOD OF 4 YEARS		0%

As the subject work pertains to deployment of Ambulance which comes under GST Exemption thus the GST % considered is NIL. However, Bidders are requested to indicate the applicable GST% in Attachment 09 above.

**Note:** During Execution of the Contract applicable GST shall be paid/reimbursed by the Employer on submission of (GSTIN) Invoice.

### B. GST Rate on Free Issue Material as per GST act (if applicable)

We hereby declare that the GST rate on free issue material shall be as under:

SI. No.	Item Description	Value (Rs.)	GST Rate
1			
2.			
3.			

### C. GST applicable under RCM (If applicable)

We hereby declare and confirm that on following supplies, GST under RCM is applicable.

SI. No.	Item Description	Value on which GST under RCM is applicable (Rs.)
1		ирріюцью (110.)
2		
3		
3		
4		

Date	Signature
Place	Name
	Designation
	Company Seal

### (Declaration on Local (Indigenous) Content) (To be accepted through Undertaking at Attachment-13)

(i) We confirm that we fulfil the requirements of Local content for Class-I Local Supplier/Class-II Local Supplier.

The details of the location(s) at which the local value addition are as under:

SI. No.	Description of Goods & Services	Details of the location(s) at which the local value addition is made

- (ii) We confirm that we fulfil the requirements of Local content for Class-I local supplier for Item(s) mentioned at clause no. 41 of GTR in Technical Specifications, as applicable. We further confirm that in case such item(s) are bought-out for us, we shall source the same from Class-I local supplier only.
- (iii) #We undertake that a certificate from the statutory auditor or cost auditor (in the case the bidder is a company) or from a practicing cost accountant or practicing chartered accountant (in respect of bidders other than companies) certifying the percentage of local content shall be submitted by us prior to submission of our last bill for payment.
- (iv) ##We further confirm that we are presently not debarred / banned by any other procuring entity for violation of 'Public Procurement (Preference to Make in India), Order 2017' (PPP-MII Order) dated 15.06.2017 and its subsequent revisions /amendments issued by Department for Promotion of Industry and Internal trade (DPIIT)."

##In case a Bidder has been banned/debarred by any other procuring entity for violation of 'Public Procurement (Preference to Make In India), Order 2017' (PPPMII Order) dated 15.06.2017 and its subsequent revisions / amendments issued by Department of Industrial Policy and Promotion (DIPP), the same may be declared by Bidder by striking off para above and declaring the details of banning using additional sheets.

Bidder may also enclose additional sheets in similar format (if required), for providing details pertaining to local value addition.

	Dated this	day of	20
	Thanking you, we re	emain,	Yours faithfully,
Date:			(Signature)
Place:			(Name)
			(Designation)
			(Common Seal)

## (Declaration on exemption from meeting the Local (Indigenous) Content)

(Indigenous) Content) (To be submitted with technical envelope)PACKAGE
<del>FOR</del> PROJECT
BIDDING DOCUMENT NO

Dear Sirs

We have read the provisions of "Preference to Make In India and Eligibility for Evaluation/granting of purchase preference to local suppliers" enclosed with the Bid Data Sheets. In terms of the requirement of the aforesaid provisions, we hereby declare the following:

1.0 In order to avail exemption from meeting stipulated Local Content requirement to categorize a Bidder/Supplier as 'Class-I local supplier' for Item(s) for complete scope of work, we confirm that we are manufacturing the item(s) in India under a license from a foreign manufacturer who holds intellectual property rights and there is a technology collaboration agreement / transfer of technology agreement between the technology owner and us for indigenous manufacturing of the item(s) as per details below:

SI. No. of BOQ	<del>Description of</del> <del>Goods</del>	Licensing Organisation /Technology Owner	Details of the location(s) at which the local manufacturing is done

**2.0** Further, we hereby confirm the following:

Whether the bidder is presently debarred / banned by any other	Yes*/ No*
procuring entity for violation of 'Public Procurement (Preference to	
Make In India), Order 2017' (PPP-MII Order) dated 15.06.2017	
issued by Department of Industrial Policy and Promotion (DIPP).	

<sup>\*</sup> Strike off, whichever is not applicable

- 3.0 We agree to furnish any information as a proof of the above to your satisfaction as and when required.
- Note: 1) Continuation sheets of like size and format, may be used as per Bidder's requirement and shall be annexed to this Attachment.

**INTEGRITY PACT** 

**ATTACHMENT-12** 

### (INTEGRITY PACT)

TENDER ID / REF. NO
Between
NTPC Ltd., a Govt. of India Enterprise (hereinafter referred to as "The Employer")
and
(hereinafter referred to as "The Bidder/Contractor ")
and
(hereinafter referred to as "JV Partner(s)/ Consortium Member(s)" (if applicable)
Preamble
The Employer awarded the Contract for
This Integrity Pact is an agreement between the Employer and the bidder/Contractor/JV Partners/Consortium members, committing the persons/officials of the Parties not to resort to any corrupt

Т practices in any aspect/stage of contract.

In order to achieve these goals, the Employer will appoint Independent External Monitor(s) (IEM), who will monitor the processes as stipulated in the SOP for implementation of Integrity Pact issued by CVC from time to time.

#### Section 1 **Commitments of the Employer**

- The Employer Commits itself to take all measures necessary to prevent corruption and to observe the following principles in this regard: -
  - No employee of the Employer, either in person or through family members including a) relatives, will in connection with the bidding for or the execution of a contract, demand or accept a promise for or accept for him/herself or for a third person, any material or immaterial benefit to which he/she is not legally entitled to.

- b) The Employer shall, during the bidding process treat all Bidders with equity and reason. The Employer will, in particular, before and during the bidding process, provide to all Bidders the same information and will not provide to any Bidder confidential/additional information through which the Bidder(s) could obtain an advantage in relation to the bidding process or the contract execution.
- c) The Employer will exclude from the process all known prejudiced persons.
- 2. If the Employer obtains information on the conduct of any of its employees which is a criminal offence under the Bharatiya Nyaya Sanhita (BNS) / The Prevention of Corruption Act (PC Act) or if there be a substantive suspicion in this regard, the Employer will inform the Chief Vigilance Officer.

### Section 2 Commitments and Undertakings by the Bidder/Contractor

- 1. The Bidder/Contractor commits and undertakes to take all measures necessary to prevent malpractices & corruption. He commits himself to observe the following principles during his participation in the bidding process and during the execution of the contract:
  - a) The Bidder/ Contractor undertakes not to, directly or through any other person or firm offer, promise or give or influence to any employee of the Employer associated with the bidding process or the execution of the contract or to any third person on their behalf any material or immaterial benefit which he/she is not legally entitled, in order to obtain in exchange any advantage of any kind whatsoever during the bidding process or during the execution of the contract.
  - b) The Bidder/ Contractor undertake not to enter into any undisclosed agreement or understanding, whether formal or informal with other Bidders. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other action to restrict competitiveness or to introduce cartelization in the bidding process.
  - c) The Bidder/Contractor undertakes not to commit any offence under the relevant Anticorruption Laws of India; further the Bidder/Contractor will not use improperly, any information or document provided by the Employer as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically for purposes of competition or personal gain and will not pass the information so acquired on to others.
  - d) The Bidder/ Contractor will, when presenting his bid, undertakes to disclose any and all payments made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the bidding process and / or award of the contract.
  - e) The Foreign Bidder/ Contractor, when presenting his bid, undertakes to disclose the name and address of agents and representative in India. Further, Indian Bidder/ Contractor when presenting his bid, undertakes to disclose the same and address of its foreign principals or associates.
- 2. The Bidder/ Contractor will not instigate and allure third persons/parties to commit offences outlined above or be an accessory to such offences.

### **Section 3** Disqualification from Bidding Process and Exclusion from Future Contracts

- 1. If the Bidder(s)/ Contractor(s), before award or during execution has committed a transgression through a violation of any provisions of Section 2 so as to put his reliability or credibility as Bidder into question, the Employer shall be entitled to disqualify the Bidder(s)/ Contractor(s) from the bidding process or to terminate the contract, if signed on that ground.
- 2. If the Bidder/ Contractor has committed a transgression through a violation of Section 2 such as to put his reliability or credibility into question, the Employer shall be entitled to exclude including debarring the Bidder/ Contractor for any future tenders/contract award process. The imposition and duration of the exclusion will be determined by the severity of the transgression. The severity will be determined by the Employer taking into consideration the full facts and circumstances of each case particularly taking into account the number of transgressions, the position of the transgressors within the company hierarchy of the Bidder and the amount of the damage. The exclusion will be imposed for a period not exceeding two (02) years.
- 3. A transgression is considered to have occurred if the Employer after due consideration of the available evidence concludes that no reasonable doubt is possible
- 4. The Bidder with its free consent and without any influence agrees and undertakes to respect and uphold the Employer's absolute rights to resort to and impose such exclusion and further accepts and undertakes not to challenge or question such exclusion on any ground, including the lack of any hearing before the decision to resort to such exclusion is taken. This undertaking is given freely and after obtaining independent legal advice.
- 5. Subject to full satisfaction of the Employer, the exclusion of Bidder/ Contractor could be revoked by the Employer if the Bidder/ Contractor can prove that he has restored/ recouped the damage caused by him and has installed a suitable corruption prevention system in his organization.

### SECTION 4 Compensation for Damages including Forfeiture of Earnest Money Deposit/ Security Deposit / Performance & Advance Bank Guarantees

- If the Employer has disqualified the Bidder/ Contractor from the bidding process or has terminated the contract pursuant to Section 3, the Employer shall forfeit the Earnest Money Deposit/Bid Security, encash Contract Performance Bank Guarantees in addition to excluding the bidder from the future award process and terminating the contract.
- 2. In addition to 1 above, the Employer shall be entitled to take recourse to the relevant provisions of the contract related to Termination of Contract due to Contractor's Default.

### **Section 5** Previous Transgressions

1. The Bidder swears on oath that no previous transgression impinging on anti-corruption principles / any malpractice as mentioned in Section-2 has occurred in the last three years reckoned from the date of bid submission in any other Public/Government organization. The date of such transgression would be the date on which cognizance of the said transgression was taken by competent authority. The transgression(s), for which cognizance was taken even before the said period of three years, but are pending conclusion, shall also be considered to fall within last three years.

2. If the Bidder makes incorrect statement on previous transgression as mentioned above in para 1, Bidder can be disqualified from the bidding process or the contract, if already awarded, can be terminated on this ground.

### Section 6 Company Code of Conduct

Bidders are also advised to have a company code of conduct (clearly rejecting the use of bribes and other unethical behaviour) and a compliance program for the implementation of the code of conduct throughout the company.

### **Section 7** Independent External Monitors (IEM)

- 1. The Employer will appoint competent and credible Independent External Monitor for this Pact. The task of the IEMs is to review independently and objectively, whether and to what extent the parties comply with the obligations under this agreement.
- 2. The IEMs are not subject to instructions by the representatives of the parties and performs his functions neutrally and independently. He shall report to CMD of the Employer, or a person authorized by him.
- 3. The roles & responsibilities of the IEM shall be as per the SOPs issued by CVC from time to time and available in its website <a href="https://cvc.gov.in/">https://cvc.gov.in/</a>.
- 4. As soon as the IEMs notices, or believes to notice, a violation of this agreement, he will so inform the Management of the Employer (CMD of the Employer or a person authorized by him) and request to discontinue or to take corrective action, or to take other relevant action. The IEMs can in this regard submit non-binding recommendations. Beyond this, the IEMs has no right to demand from the parties that they act in a specific manner, refrain from action or tolerate action. However, Independent External Monitor shall give an opportunity to the bidder/contractor to present its case before making its recommendations to the Employer
- 5. The IEMs will submit a written report to CMD of the Employer or a person authorized by him within 30 days from the date of reference or intimation to him by the Employer and, should the occasion arise, submit proposals for correcting problematic situations.
- 6. The Bidder / Contractor accepts that they shall not approach courts while the matter / complaint / dispute has been referred to IEM in terms of this pact and they shall await IEM's decision before approaching any court.
- 7. The word "IEM" will include Singular or Plural.

#### Section 8 Pact Duration

This Pact comes into force from the date of signing by all the parties. It shall expire for the Contractor 12 months after the final payment under the respective contract, and for all other unsuccessful bidders 6 months after the contract has been awarded.

#### Section-9 Miscellaneous Provisions

- 1. This Pact is subject to Indian Law. The place of performance and jurisdiction shall be New Delhi.
- 2. Should one or several provisions of this Pact turn out to be invalid; the remainder of this Pact remains valid. In this case, the parties will strive to come to an agreement to their original intentions.
- 3. The actions stipulated in this Integrity Pact are without prejudice to any other legal action that may follow in accordance with the provisions of the extant law in force relating to any civil or criminal proceedings.
- 4. If the Contractor is a JV Partnership / Consortium, this agreement must be signed by all the partners of JV / Consortium Partners as the case may be.

The Parties hereby sign this Integrity Pact at ......on this ...... day of......20.......

Employer	Bidder/ Contractor	Joint Venture Partner(s)/ Consortium member(s) (As Applicable)
Witness	Witness	Witness
1	1	1
2	2	2

### (UNDERTAKING FOR COMPLIANCE OF IMPORTANT CONDITIONS OF TENDER BY BIDDER)

(To be uploaded online in Technical Cover/Envelope)

To,

NTPC Ltd., CPG-1, USSC Raipur

Dear Sirs,

We hereby confirm that, we have carefully read the provisions of the following undertakings and accepting the same:

	T	
SI.	Undertaking	Provisions of Undertaking
No.	Туре	
1.	General Technical Evaluation (GTE) Conditions	Bidders shall be required to accept the following mandatory General Technical Evaluation (GTE) condition of the Tender prior to the submission of Bid:  "Do you certify full compliance to all provisions of Bidding Document?"
		By accepting above GTE, Bidder shall certify their compliance to all provisions of Bidding Documents including but not limited to the following important provisions:  (a) Full compliance on Qualifying Requirements.  (b) Fraud Prevention Policy of NTPC.  (c) Policy for Debarment from Business Dealings of NTPC.  (d) ITB Clause "Restrictions on procurement from a Bidder of a country which shares a land border with India"  (e) Anti-Bribery and Anti-Corruption (ABAC) Policy of NTPC
		Acceptance of above GTE shall be considered as Bidder's confirmation that any deviation to the provisions of Bidding Documents found anywhere in their Bid Proposal, implicit or explicit, shall stand unconditionally withdrawn, without any cost implication whatsoever to the Employer, failing which the bid shall be rejected and bid security shall be forfeited.
2.	Declaration on Conflict of Interest	Bidders shall certify their compliance to Clause "Conflict of Interest" by accepting the following condition:
		"Do you certify full compliance to all provisions of Bidding Document?"
		Acceptance of the above condition shall be considered as Bidder's confirmation that Bidder has read and understood the Clause regarding "Conflict of Interest" and its bid is in compliance to this clause.

		In case it is established that Bidder has provided any false information in pursuance of the aforesaid Clause, while competing for this contract, then its bid shall be rejected and EMD/bid security shall be forfeited.
		In case of a successful bidder, if it is established that the Bidder has not complied with terms of aforesaid Clause, during execution of contract, this would be considered as fraudulent practice as mentioned in para 5.1 (j) of "Policy for Debarment from Business Dealings" and shall be dealt accordingly.
3.	Declaration on Qualifying Requirements	Bidders are required to confirm acceptance of the same by accepting the following condition:
		"Do you certify full compliance on Qualifying Requirements"
		Acceptance of above condition shall be considered as bidder's confirmation to the following:
		a) The number of reference Plants/Orders quoted by Bidder in the bid, for establishing compliance to the specified Qualifying Requirement (QR), are in accordance with the provision specified above.
		b) The reference Plants/ Orders/ declared, shall only be considered for evaluation/ establishing compliance to Qualifying Requirement (QR). No change or substitution in respect of reference Plants/Orders for meeting the specified Qualifying Requirement (QR) shall be offered by the bidder.
4.	Declaration on Safety Policy	Bidders are required to confirm acceptance of the same by accepting the following condition:
	,	"Do you accept the Safety Policy of NTPC".
		Acceptance of above condition shall be considered as bidder's confirmation that they shall abide by Safety Policy of the Employer as per the provisions of ITB Sub-Clause 11.4.10.
5.	Declaration on Debarment from Business	Bidders are required to confirm acceptance of the same by accepting the following condition:
	Dealings Policy	"Do you accept Debarment from Business Dealings Policy of NTPC"
		Acceptance of above condition shall be considered as bidder's confirmation to the following conditions:
		(1) Bidder has read the contents of Debarment Policy (version mentioned in SCC) displayed on the website <a href="www.ntpc.co.in">www.ntpc.co.in</a> and agreed to abide by this policy.
		a) Bidder has not been Banned / Blacklisted as on date of submission of bid by Ministry of Power or Deptt. Of Expenditure, Ministry of Finance.
		b) Bidder has not employed any public servant dismissed / removed or person convicted for an offence involving corruption or abetment of such

		offences
		offences.
		c) Bidder's Director(s) / Owner(s) / Proprietor / Partner(s) have not been convicted by any court of law for offences involving corrupt and
		fraudulent practices including moral turpitude in relation to business
		dealings with Government of India or NTPC or NTPC's group companies
		during the last five years.
		(2) Bidder further confirms as under: that if at any point subsequent to award of Contract, the declarations
		given above are found to be incorrect, NTPC / Employer shall have the
		full right to terminate the Contract and take any action as per applicable
		laws for breach of contract including forfeiture of Bid
	D. d	Security/Performance Bank Guarantee.
6.	Declaration on Fraud Prevention	Bidders are required to confirm acceptance of the same by accepting the following condition:
	Policy	"Do you accept the Fraud Prevention Policy of NTPC".
		Acceptance of above condition shall be considered as bidder's confirmation that they shall abide by Fraud Prevention Policy of the
		Employer displayed on NTPC's website http://www.ntpctender.com
		indicating his compliance to the provisions of ITB Sub-Clause 29.
7.	Declaration	Bidders are required to confirm acceptance of the same by accepting the
	on Local Content	following condition:
	Comon	"Confirm that you are a LOCAL SUPPLIER, and the LOCAL
		CONTENT included in the PACKAGE FOR COMPLETE SCOPE OF
		WORK meets the MINIMUM LOCAL CONTENT requirements of the
		Tender."
		Acceptance of above condition shall be considered as Bidder's
		confirmation that Bidder is meeting the requirement of fulfil the
		requirements of Local content for Class-I Local Supplier.
		In case aforesaid Confirmation/Certificate furnished by
		Contractor/Vendor is not in line with the declaration in respect of Local content in their bid, same shall be treated as false declaration and will be
		dealt in line with the Fraud Prevention Policy of NTPC.
8.	Declaration	Bidders are required to confirm acceptance of the same by accepting the
	on	following condition:
	Restrictions	"Do you certify full compliance on clause as per tender documents on
	on procurement	Restrictions on procurement from a Bidder of a country which shares a
	from a Bidder	land border with India?" / "Do you certify full compliance to all provisions
	of a country	of Bid Documents?"
	which shares	
	- II	l Annanatanana afi alagua agaalitian alaali laa aanaaliti ah aanaaliti ah aanaali aanaa ah aanaali aa aanaali
	a land border	Acceptance of above condition shall be considered as Bidder's confirmation that Bidder has read and understood the ITB Clause
	a land border with India	Acceptance of above condition shall be considered as Bidder's confirmation that Bidder has read and understood the ITB Clause regarding "Restrictions on procurement from a Bidder of a country which
		confirmation that Bidder has read and understood the ITB Clause

	In case it is established that Bidder has provided any false information in pursuance of the aforesaid ITB Clause, while competing for this contract, then its bid shall be rejected.
	In case of a successful bidder, if it is established that the Bidder has not complied with terms of aforesaid ITB Clause, during execution of contract, this would be a sufficient ground for immediate termination of the contract as per GCC Clause titled 'Termination for Contractor's Default' and shall be dealt accordingly.
Declaration on acceptance of	Bidders are required to unconditionally accept all the conditions of the "Integrity Pact (IP)" as per Attachment-12 to the Bidding Documents which has been pre-signed by the Employer.
(IP)"	Bidders shall certify their compliance on "Integrity Pact" by accepting the following condition:
	"Do you certify full compliance to all provisions of Bidding Document?"
	On Bidder's acceptance to the above condition, Bidder confirms to have read, understood and unconditionally accept & commit to all the contents, terms, conditions and undertakings mentioned in the Integrity Pact which has been presigned by the Employer and enclosed with the Bidding Documents. Where the Joint Venture(s) / Consortium are permitted to participate in the bid, acceptance of above condition by bidder shall mean that all the JV Partner(s)/ Consortium members have read, understood and unconditionally accepted & committed to all the contents, terms, conditions and undertakings mentioned in the Integrity Pact which has been presigned by the Employer and enclosed with the Bidding Documents.
	On Acceptance of the above condition, Integrity Pact shall be considered signed by the Bidder / JV Partner(s)/ Consortium members and the same shall come into force from the date of submission of bid.
	It may also be noted that subsequent to Employer's evaluation of Bids, resulting into award of Contract to a particular Bidder, the Integrity Pact so submitted shall form an integral part of the Contract.
Declaration regarding insolvency, bankruptcy	Bidders are required to confirm acceptance of the same by accepting the following condition:
and	"Declaration regarding insolvency, bankruptcy and Liquidation
Liquidation	The Bidder shall not be eligible for bidding, if the Bidder has become the subject of proceedings under any bankruptcy or insolvency laws either by way of voluntary insolvency initiation or upon a judicial order being passed to that effect, thereby admitting the Bidder to Corporate Insolvency Resolution Process (CIRP) or Liquidation proceedings under Insolvency and Bankruptcy Code, 2016 or has a receiver appointed over its properties under any law for the time
	Declaration regarding insolvency, bankruptcy and

being in force in accordance with the guidelines of the Reserve Bank of India issued under the Banking Regulation Act, 1949.

The aforesaid ineligibility provision owing to the pendency of CIRP, Liquidation, appointed receiver shall also be applicable to any Associate, Collaborator, Technology Provider or Bidder's Parent/Holding/Subsidiary company from whom the Bidder has taken, or intends to take, technical and/or financial support for qualification in the bid.

In case of a Foreign Company who is participating either as a Bidder or an Associate, Collaborator, Technology Provider which is undergoing insolvency, bankruptcy or liquidation proceedings, as per the extant laws of the respective jurisdiction, shall also not be eligible for bidding or associating or collaborating or providing Technology or partnership with the Bidder.

If, at the time of bid submission, any Bidder or its Associate, Technology Provider Bidder's Collaborator, or Parent/Holding/Subsidiary Company, from whom the Bidder has taken, or intends to take technical and/or financial support for qualification in the bid, was not undergoing CIRP, Liquidation, Bankruptcy or similar proceedings but subsequently during the period of evaluation of bids, including but not limited to technical, commercial and financial evaluation, or any time before the work is awarded, any such application is admitted by the Adjudicating Authority under the IBC, 2016 or any similar proceedings have started by any Judicial / Quasi-Judicial Body, the Bidder shall, with immediate effect, be considered as ineligible and his bid shall be rejected forthwith.

An undertaking as per enclosed Proforma (Attachment-3L of Techno-commercial bid form, Section-VII) to the effect that the Bidder or its Associate, Collaborator, Technology Provider or Bidder's Parent/Holding/Subsidiary Company, from whom the Bidder has taken, or intends to take, technical and/or financial support for qualification in the bid, is not undergoing any Insolvency, Liquidation or Bankruptcy proceedings, shall be submitted by the Bidder along with its Techno-Commercial bid on the letter head of the Bidder duly signed by the authorized representative of the Bidder. Further, any Foreign Company which is acting as an Associate, Collaborator or Technology Provider, shall also submit an undertaking along with the Techno-Commercial bid of the Bidder that they are not undergoing insolvency, bankruptcy or liquidation as per the relevant laws of their respective jurisdiction.

Further, the Bidder, from the submission of bid until the award of work, shall immediately inform the Employer of any proceedings / admission / orders passed for admitting the Bidder or any of its Associate, Collaborator or Technology Provider or Bidder's Parent/Holding/Subsidiary Company (from whom the Bidder has taken or intends to take technical and/ or financial support for qualification of bid) to CIRP by the Adjudicating Authority under IBC, 2016 or any similar proceedings under other applicable laws (in cases where IBC, 2016 is not applicable).

Any suppression of such material facts or false declaration shall immediately render the Bidder liable for rejection of his bid, forfeiture of bid security/EMD and banning of business dealing as per terms and conditions of the Policy & Procedure for Debarment from Business Dealings.
---

Date:	Signature
Place:	Name of Authorised person
	having Power
	of attorney
	Designation
	Common Seal

2. PROFORMA FOR BANK GUARANTEE & INSURANCE SURETY BOND
FOR EARNEST MONEY DEPOSIT

### PROFORMA FOR BANK GUARANTEE FOR EARNEST MONEY DEPOSIT

(On Non-Judicial stamp paper of appropriate value)

Ref. :	Date : Bank Guarantee No. :
То,	
NTPC Limited	
Dear Sir,	
In consideration of NTPC Ltd., having its Registered O Area, Lodi Road, New Delhi-110 003 (hereinafter or repugnant to the subject or context include its success	called the "Employer" which expression shall unless
under Bidding document No	- , -
•	-
Registered/Head Office at**	·
wishes to participate in the said bid for	
Bank Guarantee against Bid Security for a	n amount of Rs*valid upto
	by the Bidder in lieu of cash deposit as a condition
precedent for its participation in the said bid.	
We, the	bank incorporated under law and having one
of our branches at#ar	nd having our Registered Office/Head Office a
(address) do here-by ur	nconditionally and irrevocably guarantee and undertake
to pay to the "Employer" immediately on demand with	out any demur, reservation, protest and recourse to the
extent of the said sum of Rs* (Rupees	only). Any such claim/demand
made by the said "Employer" on us shall be conclus	ive and binding on us irrespective of any dispute o
difference raised by the Bidder.	
This guarantee shall be irrevocable and shall remain va	ılid upto@
this guarantee is required, the same shall be extended	to such required period(s) on receiving instructions fron
M/s**	
guarantee is issued.	

day of	20 at
	Yours faithfully,
Witness:	
1(Signature)	(Signature)
(Name)	(Name)
	(Designation with
(Official Address)	Bank Seal)
Stamp	Power of Attorney No
Note :	Date

- 1. (\*) The amount shall be as specified in the bidding documents
  - (#) Complete mailing address of the Head Office of the Bank to be given
  - (@) This date shall be forty five (45) days beyond the validity of bid i.e 225 days.
  - (\*\*) Write the name and addresses of all the Joint Venture partners, in case the Bid is submitted by a Joint Venture in terms of Qualifying Requirements.
- 2. The Bank Guarantee shall be from a Bank as per provisions of the Bidding Documents.
- 3. The BG should be on Non-Judicial Stamp paper/ e-stamp paper of appropriate value as per Stamp Act prevailing in the State(s) where the BG is submitted or is to be acted upon or the rate prevailing in the State where the BG is executed, whichever is higher. The Stamp Paper/ e-Stamp Paper shall be purchased in the name of Bidder/ Bank issuing the guarantee.
- 4. While getting the Bank Guarantee issued, Bidders are required to ensure compliance to the points mentioned in Bank Guarantee Verification Check List in the Bidding Documents. Bidders are required to fill up this Check List and enclose the same along with the Bank Guarantee.
- 5. In case, Bank Guarantee is getting issued from State Bank of India, Bidder to take note of NTPC letter ref. NTPC/FC/CS/BG/01 dated 03.09.2014 and SBI Letter Ref. CAG-I/AMT-1/2014-15/370 dated 04.09.2014 (attached with Section-III of Bidding Documents).
- 6. The details of secure SFMS (in case of BGs issued from within India) or SWIFT (in case of BGs issued from outside India) sent by Bidder's Bank to Employer's Beneficiary Bank details of which are given in ITB must be furnished with the BG.

## Form of Insurance Surety Bond towards Bid Security (To be stamped in accordance with Stamp Act of India)

			Insurance Sur	ety Bond No		
			Date			
То						
[Employer's Name	e and Address]					
Dear Sirs,						
M/s for [Name of Packa	Invitation for Bids [Bidder's Name] (h ge]	ereinafter calle	having its ld the 'Bidder')	Registered/Heawish to particip	pate in th	e said bid
As an (*)	irrevocable Insurand	ce Surety Bo	nd against B	Bid Security for	or an a	mount of
condition preceden	valid(**) t for participation in ontingencies as menti	the said bid	required to which amount	be submitted is liable to b	by the B	idder as a
	havin					
 Limited	guaranto (hereinafter called (*)	ee and under the 'I	ake to pay im Employer') the	nmediatèly on amount	demand t of	by NTPC
recourse. Any such	demand made by the rence raised by the I	'Employer' sha	III be conclusive	e and binding o	on us irres	spective of
(@ same shall be exter	ety Bond shall be ur    ) If any funded to such required  [Bidder's	rther extension period (not ex	of this Insurace	ance Surety Bo ear) on receivir	nd is red ng instruc	quired, the tions from
	of the Insurer, thro	•				•

(Signature)
(Name)
(Designation with Insurer Stamp)
Authorised Vide Power of Attorney No
Date

- NOTE: 1. (\*) The amount shall be as specified in the Bid Data Sheets.
  - (\*\*) This shall be the date of opening of Techno-Commercial bids.
  - (#) Complete mailing address of the Head Office of the Insurer to be given.
  - (@) This date shall be forty five (45) days after the last date for which the bid is valid.
  - The Insurance Surety Bond shall be from an Insurer as per guidelines issued by Insurance Regulatory and Development Authority of India (IRDAI) as amended from time to time.
  - 3. The Employer shall be the Creditor, the Bidder shall be the Principal debtor and the Insurance company/Insurer shall be the Surety in respect of the Insurance Surety Bond to be issued by the Insurer.
  - 4. The Insurance Surety Bond should be on Non-Judicial stamp paper/e-stamp paper of appropriate value as per Stamp Act prevailing in the state(s) where the Insurance Surety Bond is submitted or is to be acted upon or the rate prevailing in State where the Insurance Surety Bond is executed, whichever is higher. The Stamp Paper/e-stamp paper shall be purchased in the name of Bidder/Insurer issuing the Insurance Surety Bond.
  - 5. While getting the Insurance Surety Bond issued, Bidders are required to ensure compliance to the points mentioned in Form of Bank Guarantee/Insurance Surety Bond Verification Check List enclosed in this Section of Bidding Documents. Further, Bidders are required to fill up this Form and enclose the same with the Insurance Surety Bond.

3. List of banks	s from which bank	guarantees for E	Bid Security / EMD	can be accepted

## THE BANKS FROM WHICH BANK GUARANTEES FOR BID SECURITY / EMD CAN BE ACCEPTED

### **UPDATED SCHEDULED COMMERCIAL BANK LIST**

### A STATE BANK OF INDIA

### **B NATIONALISED BANKS**

1Bank of Baroda

2Bank of India

3Bank of Maharashtra

4Canara Bank

5Central Bank of India

6Indian Overseas Bank

7Indian Bank

8Punjab National Bank

9Union Bank of India

10Punjab & Sind Bank

11UCO Bank

### C SCHEDULED PRIVATE BANKS (INDIAN BANKS)

1Axis Bank Ltd

2Bandhan Bank Limited

3CSB Bank

4City Union Bank

5DCB Bank Ltd

6Dhanlaxmi Bank Ltd

7Federal Bank Ltd

8HDFC Bank Ltd

9ICICI Bank Ltd

10IndusInd Bank Ltd

11IDFC FIRST Bank Limited

12Jammu & Kashmir Bank Ltd

13Karnataka Bank Ltd

14Karur Vysya Bank Ltd

15Kotak Mahindra Bank

16Lakshmi Vilas Bank Ltd

17Nainital Bank Ltd

18RBL Bank Limited

19South Indian Bank Ltd

20Tamilnad Mercantile Bank Ltd

21Yes Bank Ltd

22IDBI Bank Ltd.

### D SCHEDULED PRIVATE BANKS (FOREIGN BANKS)

1 AB Bank Ltd

2 Abu Dhabi Commercial Bank PJSC

- 3 American Express Banking Corporation
- 4 Australia & Newzealand Banking Group Limited
- 5 Barclays Bank Plc
- 6 Bank of America
- 7 Bank of Bahrain & Kuwait B.S.C.
- 8 Bank of Ceylon
- 9 Bank of China Limited
- 10 Bank of Nova Scotia
- 11 BNP Paribas
- 12 Citi Bank NA
- 13 Cooperatieve Rabobank UA
- 14 Crédit Agricole Corporate and Investment Bank
- 15 Credit Suisse AG
- 16 CTBC Bank Co Ltd
- 17 DBS Bank India Ltd
- 18 Deutsche Bank A.G.
- 19 Doha Bank Q.P.S.C
- 20 Emirates NBD Bank (PJSC)
- 21 First Abu Dhabi Bank PJSC
- 22 FirstRand Bank Ltd
- 23 HSBC Ltd
- 24 Industrial & Commercial Bank of China Ltd
- 25 Industrial Bank of Korea
- 26 JP Morgan Chase Bank, National Association
- 27 JSC VTB Bank
- 28 KEB Hana Bank
- 29 Kookmin Bank
- 30 Krung Thai Bank Public Company Ltd
- 31 Mashreg Bank PSC
- 32 Mizuho Bank Ltd
- 33 MUFG Bank, Ltd
- 34 NatWest Markets Plc
- 35 PT Bank Maybank Indonesia TBK
- 36 Qatar National Bank (Q.P.S.C.)
- 37 Sberbank
- 38 SBM Bank (India) Ltd
- 39 Shinhan Bank
- 40 Societe Generale
- 41 Sonali Bank Ltd
- 42 Standard Chartered Bank
- 43 Sumitomo Mitsui Banking Corporation
- 44 United Overseas Bank Ltd
- 45 Westpac Banking Corporation
- 46 Woori Bank
- \*Note Any Addition/ Deletion/ Modification in Bank list shall be as per changes in Second Schedule List by RBI from time to time.

4. BANK GUARANTEE/INSURANCE SURTY BOND VERIFICATION CHECKLIST

### BANK GUARANTEE/INSURANCE SURETY BOND VERIFICATION CHECK LIST

1.	Bank Guara	ntee/Insurance Surety Bond No. & Date :	
2.	Name of Iss	uing Bank/Insurer :	
3.	Amount of E	G/Insurance Surety Bond :	
4.	Nature of BO	G/Insurance Surety Bond & No. of Pages :	
5.	Validity of B	G/Insurance Surety Bond :	
6.	Vendor Refe	rence :	
	Name		
	Address		
	Telephone		
	Fax		
	Email		
7.	Bank/Insure	r Reference	
	Name		
	Address		
	Telephone		
	Fax		
	Email		

SI. No.	Details of Checks	Yes/No
1.	Is the BG/INSURANCE SURETY BOND on Non-judicial stamp paper of appropriate value, as per Stamp Act?	
2.	Whether date, purpose of purchase of stamp paper and name of the purchaser are indicated on the back of stamp paper under the Signature of Stamp Vendor?	
	(The date of purchase of stamp paper should be not later than the date of execution of BG/INSURANCE SURETY BOND and the stamp paper should be purchased either in the name of the executing Bank/Insurance Company or the Bidder on whose behalf the BG/INSURANCE SURETY BOND has been issued.)	
3.	In case of BG/INSURANCE SURETY BONDs from Banks abroad, has the BG been executed on Letter Head of the Bank.	

4.	Has the executing officer of BG/INSURANCE SURETY BOND indicated his name, designation and Power of Attorney No. / Signing Power No., on the BG/INSURANCE SURETY BOND?	
5.	Is each page of BG/INSURANCE SURETY BOND duly signed / initialed by executant and whether stamp of Bank is affixed thereon?	
6.	Whether the last page is signed with full particulars including two witness under seal of Bank as required in the prescribed proforma?	
7.	Does the Bank Guarantee/Insurance Surety Bond compare verbatim with the Proforma prescribed in the Bidding Documents?	
8.	Are the factual details such as Bidding Documents No. / Specification No., Amount of BG/INSURANCE SURETY BOND, validity of BG/INSURANCE SURETY BOND correctly mentioned in the BG/INSURANCE SURETY BOND?	
9.	Whether overwriting / cutting, if any on the BG/INSURANCE SURETY BOND have been properly authenticated under signature & seal of executants?	
10.	Whether BG/INSURANCE SURETY BOND has been issued by a Bank in line with the provisions of Bidding Documents?	
11.	In case BG/INSURANCE SURETY BOND has been issued by a Bank other than those specified in Bidding Document, is the BG/INSURANCE SURETY BOND confirmed by a Bank/Insurance Company in India acceptable as per Bidding Document?	

Signature of Bidder
Name
Designation
Sool

**Note:** The Bidder is required to fill up this form and enclose along with the Bank Guarantee/Insurance Surety Bond.

5 FORM OF BANK G	UARANTEE IN LIEU OF	CONTRACT DEDEOR	MANCE CHAPANTEE
5. FORM OF BANK G		RITY DEPOSIT	MANCE GUARANTEE
	(BG to be stamped in a	ccordance Stamp Act)	

#### PROFORMA FOR BANK GUARANTEE FOR SECURITY DEPOSIT

То
NTPC Ltd.
In consideration of the NTPC Ltd. having its registered office at NTPC Bhawan, SOCPE Complex 7, Institutional Area, Lodi Road, New Delhi (hereinafter called the "Corporation" which expression shall unless repugnant to the subject or context include its administrators, successors and assigns) having agreed under the terms and conditions of the Award Letter bearing No. Dated
WeBank, further agree that the Corporation shall be the sole judge of and as to whether the said Contractor has committed any breach or breaches of any of the terms and conditions of the said Contract and the extent of loss, damage, costs, charges and expenses caused to or suffered by or that may be caused to or suffered by the Corporation on account thereof and the decision of the Corporation that the said Contractor has committed such breach or breaches and as to the amount or amounts of loss, damage, costs charges and expenses caused to or suffered by or that may be caused to or suffered by the Corporation from time to time shall be final and binding on us.
We, the said Bank, further agree that the Guarantee herein contained shall remain in full force and effect during the period that would be taken for the performance of the said Contract and till all the dues of the Corporation under the said Contract or by virtue of any of the terms and conditions governing the said Contract have been fully paid and its claims satisfied or discharged and till the Employer certifies that the terms and conditions of the said contract have been fully and properly carried out by the said Contractor and accordingly discharges this Guarantee subject, however, that the Corporation shall have no claim under the Guarantee after 90 (Ninety) days from the date of expiry of the Defects Liability period as provided in the said Contract, i.e(**)(date) or from the date of cancellation of the said contract, as the case may be, unless a notice of the claim under this guarantee has been served on the Bank before the expiry of the said period in which case the same shall be enforceable against the bank notwithstanding the fact, that the same is enforced after the expiry of the said period.

The Corporation shall have the fullest liberty without affecting in any way the liability of the bank under this Guarantee or indemnity, from time to time to vary any of the terms and conditions of the said Contract or to extend time of performance by the said Contract or to postpone for any time and

from time to time any of the powers exercisable by it against the said contractor and either to enforce or forbear from enforcing any of the terms and conditions governing the said contract or Securities available to Corporation and the said Bank shall not be released from its liability under these presents by any exercise by the Corporation of the liberty with reference to the matters aforesaid or by reason of time being given to the said Contractor or any other forbearance, act or omission on the part of the Corporation or any indulgence by the Corporation to the said Contractor or any other matter or thing whatsoever which under the law relating to sureties would but for this provision have effect of so releasing the Bank from its such liability.

It shall not be necessary for the Corporation to proceed against the Contractor before proceeding against the Bank and the Guarantee herein contained shall be enforceable against the Bank, notwithstanding any security which the Corporation may have obtained or obtain from the Contractor shall at the time when proceedings are taken against he Bank hereunder be outstanding or unrealized.

previous consent of the Corporation in wr said contractor or the said Bank shall not of this guarantee is required the same sh	o revoke this Guarantee during its currency except with the riting and agree that any change in the constitution of the discharge our liability hereunder. If any further extension of hall be extended to such required period on receiving on whose behalf this guarantee is issued.
·	
WITNESS	For and on behalf of (the Bank)
1	Signature
2	Name & Designation
	Authorization No.
	Date and Place
	Bank's Seal
Notes :	
* FOR PROPRIETARY CONCERNS	
Shri	_son of resident of
and style of at	carrying on business under the name hereinafter called "the said the context requires otherwise include his heirs, executors,
* FOR PARTNERSHIP CONCERNS	
and defined and danger morales and	a partnership firm with its r called "the said Contractor" which expression shall unless r heirs executors, administrators and legal representatives); Shri S/O (ii) Shri

#### \* FOR COMPANIES

M/s	a company registered under the companies Act
1956 and having its registered office in the Stat	e of (hereinafter called "the said
contractor "which expression shall unless the co	ntext requires otherwise include its administrators
successors and assigns).	

#### **GENERAL:**

- 1. (\*\*) The Date will be Three Months beyond the expiry of the warranty period as specified in the order.
- 2. The Bank Guarantee shall be from a bank as per provisions of bidding documents.
- 3. The Stamp Paper of appropriate value shall be purchased in the name of the Bidder/Bank issuing the guarantee.
- 4. BG shall be on non judicial stamp paper of appropriate value as per stamp Act prevailing in the state(s) where the BG is submitted or is to be acted upon or the rate prevailing in the state where the BG is executed, whichever is higher.
- 5. While getting the Bank Guarantee issued, Bidders are required to ensure compliance to the points mentioned in the Bank Guarantee Verification Check List in the bidding documents. Bidders are required to fill up this check List and enclose the same along with the Bank Guarantee.
- 7. The Bank Guarantee (BG) shall be accompanied with the BG forwarding letter in the format attached as below.

### (BG forwarding letter from Bank to Unified Treasury in Bank's letterhead)

To
Unified Treasury (BG Group)
Administrative Building, NCPS, Dadri
NTPC Limited,
PO. Vidyut Nagar
Distt: Gautam Budh Nagar,
Uttar Pradesh- 201008.

Sub: Submission of Bank Guarantee Ba	nk Guarantee No.
Date of Issue	dd.mm.yyyy
Guarantee Amount	Currency Amount
Date of Expiry of BG	dd.mm.yyyy
Last date of lodgement of claim	dd.mm.yyyy
Name, Address and IFSC code of BG	Name:
issuing Bank	Address:
	IFSC code:
Contract/Letter of Award/PO No.	
Name & Address of the Applicant /	Name:
Contractor	Address:

We confirm that SFMS has been sent to your beneficiary bank as below:

ICICI Bank Limited, Connaught Place Branch, 9A, Phelps Building, Inner Circle, New Delhi - 110001 IFSC Code: ICIC0000007

We also confirm the genuineness of the signatures appearing on the said guarantee/extension and further also confirm that the same has been signed by the competent authority of the bank.

Signature with Seal.

## Form of Insurance Surety Bond towards Performance Security

(To be stamped in accordance with Stamp Act of India)
Insurance Surety Bond No. .....
Date.....

To,

[Employer's Name & Address]

days after expiry of its validity.

Dear Sirs,

to as the 'Employer' which expression shall unless repugnant to the context or meaning thereof, include its successors, administrators and assigns) having awarded to M/s...... [Contractor's as the 'Contractor', which expression shall unless repugnant to the context or meaning thereof, include its successors administrators, executors and assigns), a Contract by issue of Employer's Notification of Award No. ...... dated.......... and the same having been unequivocally accepted by the contractor, resulting into a Contract bearing No...... dated ......, valued at ...... for ...... and the Contractor having agreed to provide a Contract Performance Guarantee the said value of the Contract to the Employer. We .....[Name & Address of the Insurer].....having its at......(hereinafter referred to as the 'Insurer', which expression shall, unless repugnant to the context or meaning thereof, include its successors, administrators, executors and assigns) do hereby guarantee and undertake to pay the Employer, on demand any and all amount payable by the Contractor to the extent of ......(\*)..... as aforesaid at any time up to ......[days/month/year] without any condition, demur, reservation, contest, recourse or protest and/or without any reference to the Contractor. Any such demand made by the Employer on the Insurer shall be conclusive and binding notwithstanding any difference between the Employer and the Contractor or any dispute pending before any Court, Tribunal,

Arbitrator or any other authority. The Insurer undertakes not to revoke this Insurance Surety Bond during its currency and or any period extended under the contract, without prior consent of the Employer and further agrees that the guarantee herein contained shall be enforceable till ninety (90)

The Employer shall have the fullest liberty, without affecting in any way the liability of the Insurer under this Insurance Surety Bond, from time to time to extend the performance of the Contract by the Contractor for the purpose of which, the Insurer shall be liable to extend the validity of the present Insurance Surety Bond without any demur, condition, protest and the Insurer shall at no point in time have an option of revoking the same, The Employer shall have the fullest liberty, without affecting this Insurance Surety Bond, to postpone from time to time the exercise of any powers vested in them or of any right which they might have against the Contractor, and to exercise the same at any time in any manner, and either to enforce or to forbear to enforce any covenants, contained or implied, in the Contract between the Employer and the Contractor or any other course or remedy or security available to the Employer. The Insurer shall not be released of its obligations under these presents by any exercise by the Employer of its liberty with reference to the aforesaid or any of them or by reason of any other act or forbearance or other acts of omission or commission on the part of the Employer or any other indulgence shown by the Employer or by any other matter or thing whatsoever which under law would, but for this provision, have the effect of relieving the Insurer.

The Insurer also agrees and undertakes that the Employer at its option shall be entitled to enforce this Insurance Surety Bond against the Insurer as a Surety, in the first instance without proceeding

against the Contractor and notwithstanding any security or other guarantee that the Employer may have in relation to the Contractor's liabilities.

Notwithstanding anything contained hereinabove or restricted to	it shall remain in force upto and including nded from time to time for such period (not
Dated this day of 20. <b>WITNESS :</b> 1	
(Signature)	(Signature)
(Name)	(Name)
(Official Address)	(Designation with Insurer Stamp) Authorised Vide Power of Attorney No Date
2(Signature)	
(Oignature)	
(Name)	
(Official Address)	

#### Notes:

- 1. (\*) This sum shall be three percent (03%) of the Contract Price.(@) This date will be ninety (90) days beyond the Defect liability period as specified in the Contract.
- 2. The Insurance Surety Bond shall be from an Insurer as per guidelines issued by Insurance Regulatory and Development Authority of India (IRDAI).
- 3. The Employer shall be the Creditor, the Contractor shall be the Principal debtor and the Insurance company/Insurer shall be the Surety in respect of the Insurance Surety Bond to be issued by the Insurer.
- 4. The Insurance Surety Bond should be on Non-Judicial stamp paper/e-stamp paper of appropriate value as per Stamp Act prevailing in the state(s) where the Insurance Surety Bond is submitted or is to be acted upon or the rate prevailing in State where the Insurance Surety Bond is executed, whichever is higher. The Stamp Paper/e-stamp paper shall be purchased in the name of Bidder/Insurer issuing the Insurance Surety Bond.
- 5. While getting the Insurance Surety Bond issued, the Contractor is required to ensure compliance to the points mentioned in Form of Bank Guarantee/ Insurance Surety Bond Verification Check List. Further, the Contractor is required to fill up this Form and enclose the same with the Insurance Surety Bond.

6. PROFORMA FOR EXTENSION OF BANK GUARANTEE

#### PROFORMA FOR EXTENSION OF BANK GUARANTEE/INSURANCE SURETY BOND

Ref.:	(On non-judicial sta		priate value)	
NTPC Lii	mited			
Dear Si	rs,			
Sub.:	Extension of Bank Guarantee/Ir for [indic Bond] on accound Bidder)	ate value of Ba favourin it of M/s	ank Guarantee/Insura ng yourselves,	nce Surety expiring (Name of
		for (In:	sert Project	Name)
	dated (herein Surety Bond)	Project, Con after called oriç	itract Noginal Bank Guarante	e/Insurance
office a extend of for a function	request of M/s	ring its head office oned Guarantee/Bo ars/month from r terms and co	e at	do hereby tedto expire on iginal Bank
	treat this as an integral part of the been attached.	original guarantee		
			(Signatur	e)
			(Name)	
			(Designation with Bar	
			Authorised Vide Power of Attorney No. Dated	
Date:			Seal of Bank	

#### Note:

- 1. @ The extension of the Bank Guarantee/Insurance Surety Bond should be forwarded to the Unit/ Project/ Corporate Centre, from where the extension has been sought.
- 2. The extension of BG/Insurance Surety Bond should be on Non-Judicial stamp paper/e-stamp paper of appropriate value as per Stamp Act prevailing in the State(s) where the BG/Insurance Surety Bond is submitted or is to be acted upon or the rate prevailing in the State where the BG/Insurance Surety Bond is executed, whichever is higher. The Stamp Paper/e-Stamp paper shall be purchased in the name of Bidder/Bank/Insurer issuing the guarantee/bond.

7. PROFORMA BANK GUARANTEE FOR LUMPSUM ADVANCE

# PROFORMA BANK GUARANTEE FOR LUMPSUM ADVANCE

10,
NTPC Limited
In consideration of the NTPC Limited,having its registered office at NTPC Bhawan, SCOPE Complex, 7, Institutional Area, Lodi Road, New Delhi-110 033 (hereinafter called "the Employer" which expression shall unless repugnant to the subject or context include its successors and assigns) having agreed under the terms and conditions of the Award Letter No. 01/CC/ /AL dated issued by the Employer which have been unequivocally accepted by*
Ponk
incorporated under and having one of our branches at
(hereinafter referred to as "the said Bank") do hereby guarantee the due
recovery by the Employer of this said advance with interest thereon as provided according
to the terms and conditions of the Contract. If the said Contractor fails to utilize the said
advance for the purpose of the Contract and/or the said advance together with Interest
thereon as aforesaid is not fully recovered by the Employer, We
Bank hereby unconditionally and irrevocably undertake to pay to the Employer on demand
and without demur to the extent of the said sum of Rs/- (Rupees only), any claim made by the Employer on us for
the loss or damage caused to or suffered by the Employer by reason of the Employer not
being able to recover in full the said sum of Rs/- (Rupeesonly) with interest as aforesaid.
2. We, Bank further agree that the Employer shall
be the sole judge of and as to whether the said Contractor has not utilized the said advance or any part thereof for the purpose of the Contract and the extent of loss or damage caused to or suffered by the Employer on account of the said advance together with interest not being recovered in full and the decision of the Employer that the said Contractor has not utilized the said advance or any part thereof for the purpose of the Contract and as to the amount or amounts of loss or damage caused to or suffered by the Employer shall be final and binding on us.

<sup>\*</sup>Refer Note at the end of Proforma.

- 3. We, the said Bank, further agree that the Guarantee herein contained shall remain in full force and effect during the period that would be taken for the performance of the said Contract and till the said advance with interest has been fully recovered and its claims satisfied or discharged and till Employer certifies that the said advance with interest has been fully recovered from the said Contractor, and accordingly shall have no claim under this Guarantee after 30 (thirty) days from the date of satisfactory completion of the said Contract (as per the mutually agreed Work schedule) i.e. up to and inclusive of \_\_\_\_\_\_\_ (date) unless a notice of the claim under this Guarantee has been served on the Bank before the expiry of the said period i.e. \_\_\_\_\_\_ (date) in which case the same shall be enforceable against the Bank notwithstanding the fact, that the same is enforced after the expiry of the said period.
- 4. The Employer shall have the fullest liberty without effecting any way the liability of the Bank under this Guarantee or Indemnity, from time to time, to vary any of the terms and conditions of the said Contract or the advance or to extend time of performance by the said Contractor or to postpone for any time and from time to time any of the powers exercise able by it against the said Contractor and either to enforce or forbear from enforcing any of the terms and conditions governing the said Contract or the advance available to the Employer and the said Bank shall not be released from its liability under these presents by any exercise by the Employer of the liberty with reference to the matters aforesaid or by reasons of time being given to the said Contractor or any other forbearance, act or omission on the part of the Employer or any indulgence by the Employer to the said Contractor on of any other matter or thing whatsoever which under the law relating to sureties would, but for this provision, have the effect of so releasing the Bank from its such liability.
- 5. It shall not be necessary for the Employer to proceed against the Contractor before proceeding against the Bank and the Guarantee herein contained shall be enforceable against the Bank notwithstanding any security, which the Employer may have obtained or obtain from the Contractor shall at the time when proceedings are taken against the Bank hereunder, be outstanding or unrealised.
- 6. We, the said Bank, lastly undertake not to revoke this Guarantee during its currency except with the previous consent of the Employer in writing and agree that any change in the Constitution of the said Contractor or the said Bank shall not discharge our liability hereunder.

If any	further extens	ion of this	Guarante	e is required	the same sh	all	be exter	ıded to
such	required	periods	on	receiving	instructions	;	from	M/s.
					,	on	whose	behalf
this G	uarantee is iss	ued.						

Page 3 of 4 Notwithstanding anything contained herein before our liability under this Guarantee is restricted to Rs. only) together with interest. Our undertaking shall commence from the date of execution and shall remain in force upto Dated this \_\_\_\_\_\_ day of \_\_\_\_\_\_ 20 \_\_\_\_ In presence of For and on behalf of (the Bank) WITNESS Signature 1.\_\_\_\_\_ Name 2.\_\_\_\_\_ Designation \_\_\_\_\_ Authorisation No. Seal of the Bank \_\_\_\_\_ The above guarantee is accepted by the Employer. For an On behalf of the NTPC Limited ( Super Thermal Power Project) NOTES: \*For Proprietary Concerns Shri \_\_\_\_\_son of \_\_\_\_resident carrying the name business under under the \_\_\_\_at\_\_\_ and stvle of (hereinafter called "the said Contractor" which expression shall unless the context requires otherwise include his heirs, executors, administrators and legal representatives). \* For Partnership Concerns \*M/s. \_\_\_\_\_a partnership firm with its office \_\_\_\_\_ (hereinafter called "the said Contractor" which expression shall unless the context requires otherwise include their heirs, executors, administrators and legal representatives); the names of their partners Shri \_\_ (ii) Shri \_\_\_\_\_ S/o

etc.

<u>* For</u>	Compan	<u>ies</u>										
*M/s					a	company	under	the			,	
and	having	its	registered	office					in	the	State	of
			(hereinafter	called '	"the said	d Contract	tor" wh	ich e	xpres	sion s	hall uı	nless

the context requires otherwise include its administrators, successors and assigns.)

1 Bidder to fill up the check list as per the proforma enclosed for submitting the Bank Guarantees.

<sup>2</sup> BG shall be on non judicial stamp paper of appropriate value as per stamp Act prevailing in the state(s) where the BG is submitted or is to be acted upon or the rate prevailing in the state where the BG is executed, whichever is higher.

8. LIST OF BANKS FROM WHICH BANK GUARANTEES FOR ADVANCE
/ SECURITY DEPOSIT AND BANK GUARANTEE TO BE FURNISHED BY
ASSOCIATE CAN BE ACCEPTED

# THE BANKS FROM WHICH BANK GUARANTEES FOR ADVANCE / SECURITY DEPOSIT AND BANK GUARANTEE TO BE FURNISHED BY ASSOCIATE CAN BE ACCEPTED

#### **UPDATED SCHEDULED COMMERCIAL BANK LIST**

#### A STATE BANK OF INDIA

#### **B NATIONALISED BANKS**

1Bank of Baroda

2Bank of India

3Bank of Maharashtra

4Canara Bank

5Central Bank of India

6Indian Overseas Bank

7Indian Bank

8Punjab National Bank

9Union Bank of India

10Punjab & Sind Bank

11UCO Bank

## C SCHEDULED PRIVATE BANKS (INDIAN BANKS)

1Axis Bank Ltd

2Bandhan Bank Limited

3CSB Bank

4City Union Bank

5DCB Bank Ltd

6Dhanlaxmi Bank Ltd

7Federal Bank Ltd

8HDFC Bank Ltd

9ICICI Bank Ltd

10IndusInd Bank Ltd

11IDFC FIRST Bank Limited

12Jammu & Kashmir Bank Ltd

13Karnataka Bank Ltd

14Karur Vysya Bank Ltd

15Kotak Mahindra Bank

16Lakshmi Vilas Bank Ltd

17Nainital Bank Ltd

18RBL Bank Limited

19South Indian Bank Ltd

20Tamilnad Mercantile Bank Ltd

21Yes Bank Ltd

22IDBI Bank Ltd.

## D SCHEDULED PRIVATE BANKS (FOREIGN BANKS)

- 1 AB Bank Ltd
- 2 Abu Dhabi Commercial Bank PJSC
- 3 American Express Banking Corporation
- 4 Australia & Newzealand Banking Group Limited
- 5 Barclays Bank Plc
- 6 Bank of America
- 7 Bank of Bahrain & Kuwait B.S.C.
- 8 Bank of Ceylon
- 9 Bank of China Limited
- 10 Bank of Nova Scotia
- 11 BNP Paribas
- 12 Citi Bank NA
- 13 Cooperatieve Rabobank UA
- 14 Crédit Agricole Corporate and Investment Bank
- 15 Credit Suisse AG
- 16 CTBC Bank Co Ltd
- 17 DBS Bank India Ltd
- 18 Deutsche Bank A.G.
- 19 Doha Bank Q.P.S.C
- 20 Emirates NBD Bank (PJSC)
- 21 First Abu Dhabi Bank PJSC
- 22 FirstRand Bank Ltd
- 23 HSBC Ltd
- 24 Industrial & Commercial Bank of China Ltd
- 25 Industrial Bank of Korea
- 26 JP Morgan Chase Bank, National Association
- 27 JSC VTB Bank
- 28 KEB Hana Bank
- 29 Kookmin Bank
- 30 Krung Thai Bank Public Company Ltd
- 31 Mashred Bank PSC
- 32 Mizuho Bank Ltd
- 33 MUFG Bank, Ltd
- 34 NatWest Markets Plc
- 35 PT Bank Maybank Indonesia TBK
- 36 Qatar National Bank (Q.P.S.C.)
- 37 Sberbank
- 38 SBM Bank (India) Ltd
- 39 Shinhan Bank
- 40 Societe Generale
- 41 Sonali Bank Ltd
- 42 Standard Chartered Bank
- 43 Sumitomo Mitsui Banking Corporation
- 44 United Overseas Bank Ltd
- 45 Westpac Banking Corporation
- 46 Woori Bank
- \*Note Any Addition/ Deletion/ Modification in Bank list shall be as per changes in Second Schedule List by RBI from time to time.



एन टी पी सी लिमिटेड (भारत सरकार का उद्यम)

NTPC Limited
(A Govt. of India Enterprise)

केन्द्रीय कार्यालय/Corporate Centre

Date: 03<sup>rd</sup> September 2014

Ref. No.: NTPC/FC/CS/BG/01
Deputy General Manager,
State Bank of India,
CAG Branch,
12 th floor, Jawahar Vyapar Bhavan, 1, Tolstoy Marg,
New Delhi 110 001
Kind Atten: Sh. Sandeep Mishra

Sub: Format of the Bank Guarantee (BG) issued by State Bank of India - reg.

Dear Sir.

NTPC Limited is India's largest Power Company and a 'Maharatna PSU' with a significant presence in the entire value chain of power generation business. The procurement process of NTPC requires its participating Bidders to submit Bank Guarantees (BGs) as Bid security/other securities in a fixed format provided by NTPC.

It has been observed recently that BGs issued by various branches of State Bank of India are inserting the following additional clause.

#### QUOTE

Notwithstanding anything contrary contained in any law for the time being in force or banking practice, this guarantee shall not be assignable or transferable by the beneficiary. Notice or invocation by any person such as assignee, transferee of agent of beneficiary shall not be entertained by the bank. Any invocation of guarantee can be made only by the beneficiary directly.

#### UNQUOTE

The inclusion of the aforesaid clause in the BGs restricts the rights of NTPC under the BG and it may not be possible for NTPC to accept the aforesaid clause in the BGs submitted to us by our Bidders. It may also be mentioned that incorporation of the above additional clause in the BG results in the BG being returned by NTPC and consequently rejection of the bids of parties that have submitted such BGs.

In view of the above, it is requested that please take up at appropriate levels so that suitable instructions are issued to all your branches not to incorporate any such additional clause and henceforth BGs may be issued strictly as per NTPC format only.

Kindly acknowledge the receipt of this letter

Yours faithfully,

(K.P.Gupta) General Manager (Finance)

Copy for Kind information: ED(CC&M) for kind of the

एन टी पी सी भवन स्क्रीप काम्पलेक्स, 7, इंस्टीट्यूशनल एरिया, लोगी रोड, नई विल्ली-110003 टेल/Tel.: 24360100, फैक्स/Fax: 011-24361018 NTPC Bhawan, SCOPE Complex, 7, Institutional Area, Lodhi Road, New Delhi-110003, वेबसाइट/Website: www.nlpc.co.in



कॉरपोरेट लेखा समूह शाखा. जवाहर व्यापार भवन, 11-12 वां तल, 1, टॉलस्टाय मार्ग, नई दिल्ली—110 001 Corporate Accounts Group Branch, Jawahar Vyapar Bhawan, 11th & 12th Floor, 1, Tolstoy Marg, New Delhi-110 001

Tel.: 23374525, 23374505, 23374541 (AMT-1), 23353022 (DGM & COO), 23701043, 23359506 (A & A), 23352995 (CS), 23352968 (IB) Fax: 23353101 (Sectt.), 23352793 (CS), 23353029 (IB)

Shri K.P. Gupta, General Manager (Finance), NTPC Limited Scope Complex, 7, Institutional Area, Lodhi Road, New Delhi: 110 003.

CAG-I/AMT-1/2014-15/370

04.09.2014

Dear Sir.

# Format of the Bank Guarantee (BG) issued by State Bank of India

We refer to your letter dated 3<sup>rd</sup> September 2014 wherein you have requested for excluding bidders/vendors of NTPC from insertion of additional Clause restraining assignment/transferability of BG.

Looking at our relationship with NTPC, as a very special case, we have since obtained waiver from our Authorities for excluding NTPC from insertion of the referred clause for BGs issued in your favour.

We are taking steps to issue suitable instructions to our offices for exclusion of this clause for BGs issued in favour of NTPC. In case any bidder or vendor submits to you a Bank Guarantee issued by any of our Branches containing the additional clause as mentioned above, request you to please bring it to our notice and advise us so that we can take-up with the concerned Branch for excluding it.

This is for your information and necessary action please.

Yours faithfully,

(Sandeep Mishra)

Deputy General Manager &

It min

Relationship Manager, AMT-1

I: VMTIWTPC/Consortium/Gen Core do

9. FORM OF BANK GUARANTEE FOR	REMOVAL OF THE SITE	PLANT AND E	QUIPMENT FROM

# FORM OF BANK GUARANTEE FOR REMOVAL OF PLANT AND EQUIPMENT FROM THE SITE

To,
NTPC Limited,
In consideration of the NTP.C. Ltd., (
WeBank further agree that the Employer shall be the sole judge of and as to whether the and the decision of the Employer that the said Contractor has so failed shall be final and binding on us.
We, the said bank further agree that the Guarantee herein contained shall remain in full force and effect till the Employer certifies that the said plant and equipment have been brought back to the site or the said loan of Rs

It shall not be necessary for the Employer to proceed against the Contractor before making a demand on the Bank and the guarantee herein contained shall be enforceable against the Bank, notwithstanding any security which the Employer may have obtained from the Contractor and in force at the time of making such demand on the Bank.

<sup>\*</sup> Refer Note at the end of proforma.

We, the said Bank lastly undertake not to revoke this Guarantee during its currency except with the previous consent of the Employer, in writing and agree that any change in the Constitution of the said Contractor or the said Bank shall not discharge our liability hereunder.

Dated this	da	y of	20	
			of the Banke Bank	
In presence of		Name Designation		
Witness:		ramoneanon res		
1 2				
	NTPC Limited,	rantee is accepted by Super Thermal Pow	ver Project)	
	For and on beh (NTPC Limited, (		Power Project)	
NOTE:		Designation)		
* For Proprietary Cor	ncerns_			
carrying at(he	on business under ereinafter called. "t	the name and style of he said Contractor" wh	residenich expression shall ur s administrators and l	 iless
* For Partnership Co	<u>ncerns</u>			
atunless the context	(hereinafter call requires otherwi	ed "the said Contract se include their re	firm with its o or" which expression s spective heirs execu of partners being	shall tors,

Page	3	of	3
------	---	----	---

(ii) Shrietc.	S/o
* For Companies	
M/sa co	
(hereinafter called "the said Cor context requires otherwise include its administration	tractor" which expression shall unless the

<sup>1</sup> Bidder to fill up the check list as per the proforma enclosed for submitting the Bank Guarantees.

<sup>2</sup> BG shall be on non judicial stamp paper of appropriate value as per stamp Act prevailing in the state(s) where the BG is submitted or is to be acted upon or the rate prevailing in the state where the BG is executed, whichever is higher.

10. FORM OF HYPOTHECATION DEE	ED

# FORM OF HYPOTHECATION DEED (ON NON-JUDICIAL STAMP PAPER OF APPROPRIATE VALUE)

To. NTPC Limited Engineering Office Complex, Plot No. A-8, Sector-24, NOIDA - 201 301 Distt. Gautam Budh Nagar (U.P.) Dear Sir, In consideration of ...........[Employer's Name] ......... (hereinafter referred to as the 'Employer', which expression shall, unless repugnant to the context or meaning thereof include its successors, administrators and assigns) having awarded to M/s......[Contractor's Name]\* ...... with its Registered/Head Office at ....... (hereinafter referred to as the 'Contractor' which expression shall unless repugnant to the context or meaning thereof, include its successors, administrators, executors and assigns), a Contract, by issue of Employer's Letter of Award No. ...... dated ...... and the same having been unequivocally accepted by the Contractor, resulting into a Contract bearing No. ...... dated dated valued at ......(hereinafter called the .Contract.) and the Employer having agreed to make an interest bearing advance (said 'Advance') of Rs.\_\_\_\_ (Rupees only) to the Contractor for plant and equipment described in the Schedule hereto specifically acquired by the Contractor for the Works and brought to Site against hypothecation of the said plant and equipment in the name of the Employer. The Contractor hereby declares that he has paid in full the purchase price of each and every one of the Plant & Equipment described in the Schedule hereto and that the same are the absolute property of the Contractor and that the same have not been sold, pledged, mortgaged or transferred by him and the same is free from encumbrances. The Contractor hereby hypothecates, assigns and transfers to the Employer, the plant and equipment described in the Schedule hereto in favour of the Employer as security for the due repayment of the said advance with interest thereof. The Contractor hereby agrees that he shall repay to the Employer the said advance of Rs. only) together with interest thereon as aforesaid and agrees that the said advance be recovered by the Employer by making deductions in the manner provided in Clause .... of the General Conditions of Contract and other conditions of the Award letter from the claims made by the Contractor against the Employer for on account payment.' The Contractor further agrees that so long as any amount remains payable to the Employer by the Contractor in respect of the said advance of Rs. only, he shall not sell, pledge, hypothecate, transfer, part with the Plant and Equipment described in the Schedule hereto. The Contractor also agrees that if the said advance of Rs.\_\_\_\_\_ shall not be repaid by the Contractor or recovered in the manner described above by the said \_\_\_\_\_ day of due to any reason whatsoever or the said Contract has been determined earlier or cancelled or if the Contractor shall sell, pledge, mortgage, transfer, part with and equipment or any part thereof or the Contractor or any of the partners is adjudged insolvent or the Contractor is to be wound up

or makes any composition or arrangement with its creditors or the Contractor shall commit breach of any

of the terms and conditions or covenants as herein contained or if any of the said plant and equipment or if any other property what-so-ever belonging to the Contractor has been sold or attached for a period of not less than twenty-one (21) days in execution of the decree of any court for payment of money, the whole of the said advance of Rs. \_\_\_\_\_\_\_ or such part thereof as may have remained unpaid or unrecovered together with interest thereon shall forthwith become due and payable. The Contractor also agrees that the Employer may on the happening of any of the aforesaid events or in the event of the said advance or any part thereof becoming due and payable and has not been paid or recovered or cannot be recovered as provided in the said conditions, seize and take possession of the said plant and equipment (and either remain in possession thereof without removing the same or else may remove and same) and sell the said plant and equipment or any of them either by public auction or private contract and may out of the sale proceeds retain the balance of the said advance and interest thereon remaining unpaid and unrecovered and all costs, charges and expenses and payments incurred or made in maintaining, defending or protecting the rights of the Employer hereunder and shall pay over the surplus, if any, to the Contractor.

The Contractor also agrees that he shall at all times during the continuance of the security and at the expense of the Contractor insure and keep insured the plant and equipment described in the Schedule hereto for the full value thereof in the joint names of the Contractor and the Employer with an insurance company to be approved by the Engineer-in-Charge against the risk of loss or damage from whatever cause arising other than the Excepted Risks. During the continuance of the security, the Contractor shall pay all premia and sums of money necessary for keeping such insurance on foot and the insurance policy and receipts in original for premia paid shall be deposited with the Engineer-in-Charge and the Contractor shall assign all his rights, title and interest in the policy to the Employer.

The Contractor also agrees that the he shall not permit or suffer the said plant and equipment or any part thereof to be destroyed or damaged or used or to be used or to deteriorate in a greater degree than it would deteriorate by reasonable wear and tear thereof in the performance of the Contract.

In the event of any damage or loss happening to the said plant and equipment or any part thereof from whatever cause other than the Excepted Risks, the Contractor agrees that he shall forthwith have the same repaired or replaced as the case may be or arrange for payment of the entire amount recovered or to be recovered from the insurance company to the Employer towards the payment of the said advance of Rs. \_\_\_\_\_

Upon repayment or recovery in full of the amount secured on account of this hypothecation deed the said plant and equipment secured hereunder shall stand released from hypothecation but this is without prejudice to the right of the Employer under any other conditions of the Contract.

#### SCHEDULE ABOVE REFERRED TO

SI. No.	Particulars of Plant and Equipment	Nos.	Purchase price/ price considered reasonable by Engineer-in-Charge	Total Price	Advance (75% of Col.5)	
1	2	3	4	5	6	

Dated this day of 20 at	
WITNESS	
(Signature)	(Signature)
	(Name)
(Name)	Name of Authorised person
(Official Address)	having Power of attorney  Designation  Common Seal
NOTE:	
* For Proprietary Concerns	
Shri son carrying at called "the said Contractor" which expression shall heirs, executors, administrators and legal representations.	on business under the name and style of (hereinafter I unless the context requires otherwise include his
* For Partnership Concerns	
	being (i)Shris/o
* For Companies	

11. PROFORMA OF "CONTR	RACT AGREEMENT"	

# PROFORMA OF "CONTRACT AGREEMENT" (to be executed on proper non-judicial stamp paper)

Lim Off Nev sha	is Contract Agreement made this					
Act	t 1956 having its registered office at(OR)					
Ind	S(Partnership Firm) registered under the lian Partnership Act 1932 having its Head Office at					
Pri	S a proprietary concern having its ncipal Place of Business at and owned donormal controlled by its Sole Proprietor namely					
(he	ereinafter referred to as the "Contractor" which expression shall include its ministrators, successors, executors and permitted assigns) of the other part.					
 the	WHEREAS NTPC desirous of execution of the work at					
pro and awa	D WHEREAS the Contractor had participated in the above referred bidding vide their sposal No					
une	and the documents referred to therein, which have been equivocally accepted by the Contractor resulting into a concluding "Contract", reinafter called the "Contract".					
NOW '	NOW THEREFORE THIS DEED WITNESSETH AS UNDER:					
1.0	AWARD OF CONTRACT					
1.1	The Employer has already awarded the CONTRACT to the Contractor for the work of					

#### 2.0 **CONTRACT**

The Contract shall be performed strictly as per the terms and conditions stipulated herein, in the Contract Documents and in the Letter of Award (hereinafter collectively referred to as "Contract).

2.1	Contract	<b>Documents</b>	shall mean:
-----	----------	------------------	-------------

	Α.	Notice Inviting Tender No
		i) General Conditions of Contract for O&M Works including all amendments issued vide its letter(s) No.(s)
		ii) Special Conditions of Contract(Section - V).
		iii) Technical Specifications and Drawings including amendments issued vide its Letter No
		iv) Schedule of Quantities* (Section - VII).
		v) Integrity pact (IP) signed between the Employer and the Bidder / Contractor
	В.	Contractor's Proposal No datedincluding its amendments if any received and opened on
	D.	Agreed Minutes of Meeting held onbetween Employer/NTPC and the Contractor.*
2.2	LETTER	OF AWARD: The Letter of Award shall mean the Employers letter no.

All the aforesaid Contract Documents and Letter of Award above shall form an integral part of this Contract Agreement, in so for as the same or any part thereof is not in conflict with the Documents (Section I, II, III, IV, V, VI & VII) in Para 2.1 and 2.2 above and what has been specifically agreed to by the Employer and brought out in its Letter of Award and subsequent amendment if any. Any matter in the Contractor's Proposal referred to in sub-clause B of Para 2.1 above inconsistent therewith, contrary or repugnant thereto or any deviations taken by the Contractor in its "Proposal" but not agreed to specifically by the Employer in its Letter of Award shall not be given effect

...... dated ......together with its amendments if any.

to and shall be deemed to have been withdrawn by the Contractor without any cost implication to EMPLOYER., For the sake of brevity, this Contract Agreement alongwith its aforesaid Contract Documents and the Letter of Award shall be referred to as the "Contract".

#### 3.0 **CONDITIONS & COVENANTS**

3 1	The scope of	f work under the	Contract shall include	
J. I	1116 36006 0	ı work under ine	Contract Shall include	

- 3.2 The scope of work under the Contract as specified above, consideration, terms of payment, loans and advances, price variation, security deposit, taxes wherever applicable, insurance, agreed time schedule, compensation for delay and all other terms and conditions are contained in the Contract and the Contract shall be duly performed by the Contractor strictly and faithfully in accordance with the terms of this Contract.
- 3.3 The scope of Works shall also include all such items which are not specifically mentioned in the Contract, but which are necessary for the satisfactory completion of the entire scope of works envisaged under this contract unless otherwise specifically excluded from the scope in the Contract.
- 3.4 The progress of work shall conform to the agreed work schedule.
- 3.5 This Contract Agreement constitutes full and complete understanding between the parties and terms of these presents. It shall supersede all prior correspondence to the extent of inconsistency or repugnancy to the terms and conditions contained in the Contract Agreement. Any modifications of the Contract Agreement shall be effected only by written instruments signed by the authorized representatives of both the parties.
- 3.6 Time is the essence of the Contract and it shall be strictly adhered to.
- \*\*3.7 It is expressly understood and agreed by and between the Contractor and the Employer that the Employer is entering into this agreement solely on its own behalf and not on behalf of any other person or entity. In particular, it is expressly understood and agreed that the Govt. of India is not a party to this Agreement and has no liabilities, obligations or rights hereunder. It is expressly understood and agreed that the Employer is an independent legal entity with power and authority to enter into Contracts solely on its own behalf under the applicable laws of India and the general principles of Contract Law. The Contractor expressly agrees, acknowledges and understands that the Employer is not an agent, representative or delegate of the Govt. of India. It is further understood and agreed that the Govt. of India is not and shall not be liable for any acts, omissions, commissions, breaches or other wrongs arising out of the Contract. Accordingly, Contractor expressly waives, releases and foregoes any and all actions or claims, including cross claims, impeder claims, or counter claims against the Govt. of India arising out of this Contract and covenants not to due the Govt. of India s to any manner, claim, cause of Action or thing whatsoever arising of or under this agreement.

4.0	The total cor	ntract price	for the	entire	scope	of this cor	ntract as	detailed	ın	Claus	e No.
			of	Lette	r of	Award	is				
	(	)									

5.0	The Terms of Payment is governed by Clause of GCC (Section IV).					
6.0	NO WAIVER OF RIGHTS:					
6.1	Neither the inspection by the Employer or the Engineer-in-Charge or any of the officials, employees or agents nor any order by the Employer or the Engineer-in-Charge for payment of money or any payment for or acceptance of, the whole or any part of the Works by the Employer or the Engineer-in-Charge nor any extension of time nor any possession taken by the Engineer-in-charge shall operate as Waiver of any provisions of the contract, or of any power herein reserved to the Employer, or any right to damages herein provided, nor shall any waiver of any breach in the contract be held to be a waiver of any other or subsequent breach.					
7.0	SETTLEMENT OF DISPUTES					
7.1	It is specifically agreed by and between the parties that all the differences or disputes arising out of the Contract or touching the subject matter of the Contract shall be decided by process of Settlement of Disputes as specified in Clause 7 of the General Conditions of the Contract as amended and the provisions of the Arbitration & Conciliation Act, 1996 shall apply and Delhi Courts alone shall have exclusive jurisdiction in all matters arising under this Contract. The arbitrator shall give reasoned/speaking award.					
7.2	Governing Laws					
	The laws applicable to this contract shall be the laws in force in India.					
7.3	Notice of Default					
	Notice of default given by either party to the other party under the Contract shall be in writing and shall be deemed to have been duly and properly served upon the parties hereto if delivered against acknowledgement or by telex or by registered mail with acknowledgement due addressed to the signatories at the addresses mentioned herein above.					
	IN WITNESS WHEREOF, the parties through their duly authorised representatives have executed these presents (execution there-of has been approved by the competent authorities of both the parties) on the day, month and year first above mentioned at#					
	FOR AND ON BEHALF OF NTPC LIMITED					
WITN	ESSES:					
	: : : : : : : : : : : : : : : : : :					
	ame) : (Name)					

(Designation)		(Designation)				
	•	(Company's Stamp)				
	:	FOR AND ON BEHALF OF M/S				
1(Signature)		: (Contractor's Signature)				
(Name)	:	(Name)				
(Designation)	:	(Designation)				
	•	(Company's Stamp)				

# NOTE:

# Here mention the place where contract is signed.

<sup>\*</sup> Strike whichever is not applicable.

<sup>\*\*</sup> Applicable in cases of Global Tenders.

12. PROFORMA OF "INDEMNITY BOND" FOR "EMPL	OYER ISSUE MATERIALS"

# PROFORMA OF INDEMNITY BOND" FOR "EMPLOYER ISSUE MATERIALS"

(On non-judicial paper of appropriate value and to be stamped in accordance with Stamp Act.

The stamp paper to be in the name of Executing Contracting Firm/ Company)

Name] Proprie as the include Name]	ond of indemnity made this
by issu Contra the red Materia (herein	EAS [Employer's Name] has awarded to the Contractor, a Contractor of Employer's Letter of Award No
the Co	VHEREAS one of the conditions for the issue of the 'Employer Issue Materials' is that intractor shall furnish an Indemnity Bond in favour of the Employer covering the full for the total quantities of 'Employer Issue Materials' which shall remain in the safe y of the Contractor during the execution of the Contract.
NOW <sup>-</sup>	ΓHIS Indemnity Bond witnessth as follows:
1.0	THAT in consideration of the various Employer Issue Materials as aforesaid issued/ to be issued free of cost by Employer to the Contractor from time to time as per requirements for the purpose of the performance of the said Contract valued at Rs, the Contractor hereby undertakes to indemnify and keep Employer indemnified, for the full Value of the said Employer Issue Materials. The Contractor hereby acknowledges the receipt of the said Employer Issue Materials as per details given in Schedule attached hereto. Further the Contractor agrees to acknowledge the receipt of the subsequent Employer Issue Materials as will be issued by Employer in the form of schedules consecutively numbered which shall be attached to this Indemnity Bond so as to form integral part of this Bond.
2.0	That in terms of the said Contract, the maximum quantity of "Employer Issue Materials" at any point of time during the currency of the Contract shall not exceed the quantity as is identified herein below in column 'd' and its value for the purpose of Indemnity Bond as per clause

SI. No.	Name of Items of Employer Issue Materials	Total Qty. in Cont- ract	Max. Qty. at any point of time	Rate @ Rs.	Total amount (Rs. in Millions) for total Qty. in the Contract	
a.	b.	C.	d.	e.	f. (c x e)	
1.						
2.						
3.						
∑f = Total Value of this I.B. = Total Value in Rs Millions						

- 3.0 Notwithstanding the above maximum quantity (Column 'd' above) of 'Employer Issue Materials' that remain in the custody of the Contractor at any point of time, the actual issuance of materials with the aforesaid total limit shall be governed by the actual programme of execution of work as may be agreed to between the Contractor and the Employer from time to time. The issuance of lesser quantities and/or the availability of balance unused quantity at site of 'Employer Issue Materials' shall not in any way dilute the obligation of the Contractor under this Indemnity Bond except that its value in such case will stand reduced to the value of such materials actually with the Contractor computed at the same unit rate as mentioned in para 2.0 above.
- 4.0 That the value of Indemnity Bond as brought out in para 2.0 and 3.0 above are linked with the following unit rate of these materials.
  - a) ...... + 25%.
  - b) ...... + 25%.
- 4.1 In the event of any upward revision of the aforesaid rate by the concerned authorities, the value of the Indemnity Bond shall be enhanced proportionately by executing fresh bond.
- 5.0 That the Contractor undertakes to keep these 'Employer Issue Materials' at the Employer's project site at a place duly notified by the Engineer-in-Charge and shall not take out these materials or allow the same to be taken out of the project site under any circumstances whatsoever.
- That Contractor shall remain absolutely responsible for the safe custody and protection of the said 'Employer Issue Materials' against all risks whatsoever till these are duly incorporated in the Works as per terms of the contract and non-utilized materials will be promptly returned to Employer in accordance with said Contract and as such the Contractor do hereby undertakes to indemnify and shall keep Employer indemnified against any loss or damage or conversion that may be caused or done to the said 'Employer Issue Materials' while in the Contractor's possession/custody. These materials shall however, at all times, be available for inspection by the Engineer-in-Charge from time to time.

- 7.0 Further, Employer shall have the absolute right at all times to take possession of the 'Employer Issue Materials' in whatever form the Employer Issue Materials may be, if in its opinion, the 'Employer Issue Materials' are likely to be endangered, mis-utilized or converted to uses other than those specified in the Contract, by any acts of omission on the part of the Contractor or any other person or on account of any reason whatsoever and the Contractor binds itself and undertakes to comply with the directions of Employer to promptly return the 'Employer Issue Materials' without any demur or reservation, protest or contest.
- That the Contractor shall keep the 'Employer Issue Materials' as a 'Trustee' on the Employer's behalf and the ownership of these materials shall always vest in Employer.
- 9.0 That the 'Employer Issue Materials' shall exclusively be used by the Contractor for performing the Works under the Contract and for no other work or purpose whatsoever, otherwise it will be treated as criminal breach of trust. Should however, at any time, any loss/damage occur to the 'Employer Issue Materials' in part or in full or the same or any part thereof is misused or converted or used for any other purposes other than the contractual purpose by the Contractor or the surplus unused materials and the wastage/scrap are not returned to Employer in terms of the Contract, then Employer shall be entitled to recover from the Contractor, the compensation at the specified rates under the Contract for and in respect of such misuse, loss, damage, or conversion or any other unauthorized use not intended under the Contract, without prejudice to any other remedies which may be available to Employer including deduction from any payment/dues to or any sum which at any time hereinafter may become due to the Contractor under the Contract.
- 10.0 In the event of any misuse, loss or damage as aforesaid, the assessment for such misuse, loss or damage and the assessment of the compensation thereof would be made by Employer or its authorized representatives and the said assessment shall be final and binding on the Contractor.
- This Indemnity Bond shall be valid till six (6) calendar months after the scheduled date of completion of work under the Contract and shall be extended from time to time till the entire work under the Contract is successfully completed or earlier upon determination of contract and all the surplus/wastage/ scrap materials are fully returned and the account for 'Employer Issue Materials' is finally settled between the Contractor and Employer, whichever event is later.
- 12.0 It is clearly understood and agreed to by the Contractor that non-observance of the obligations under this Indemnity Bond by the Contractor shall Inter-alia constitute a criminal breach of trust on the part of the Contractor and he shall be liable for all legal/penal consequences thereof.
- 13.0 Now the condition of this Bond is that the Contractor shall duly and punctually comply with all the terms and conditions of this bond to the satisfaction of Employer, then, the above bond shall be void, but otherwise, it shall remain in full force and virtue.
- 14.0 That this bond shall not be irrevocable during its validity period and the Contractor shall not revoke this bond till it is discharged by Employer in writing.

	WITNESS			
	(Cign of up)	(Sig	nature)	
	(Signature)	(Na	me of Contractor)	
	(Name)	Nan	ne of the Authorized perso	on
	(Official Address)	hav Des	ing Power of Attorney signation	
Note	s:			
	* FOR PROPRIETORY CONCERNS			
	s s			
calle	d "the said Contractor" which expression shale, executors, administrators and legal representa  * FOR PARTNERSHIP CONCERNS	I unless the c		. (hereinafter
shall repre	unless the context requires otherwise includes the names of their partners being	after called "t le their heirs,	he said Contractor" whic , executors, administrato	h expression ors and legal
	hson of Sh			
	* FOR COMPANIES			
unde in at	er the Companies Act, 1956 and having its regist the State of(hereinafter as the context requires otherwise include its adm	ered office atr called "the s	and its he aid Contractor" which exp	ead office
** Sp	pecify as applicable.			

13. LETTER ( THE "INDE	OF UNDERTAK EMNITY BOND'	ING TO BE G	GIVEN BY CO YER FOR "E	ONTRACTOR W MPLOYER ISSU	HILE FURNISHING JE MATERIALS"

# LETTER OF UNDERTAKING TO BE GIVEN BY CONTRACTOR WHILE FURNISHING THE "INDEMNITY BOND" TO EMPLOYER FOR "EMPLOYER ISSUE MATERIALS"

To:		From:
The	Engineer-in-Charge	M/s
		(Contractor)
(	project)	(Project)
		Name of Contract
	(State)	
Dea	ır Sir,	
Sub	: Undertaking to be Submitted along	with INDEMNITY BOND for "EMPLOYER ISSUE
	MATERIALS" under Contract No.	dated
1.0		se No of SCC forming integral part of relating to "Employer Issue Materials", we
		and unconditional INDEMNITY BOND equivalent
	·	Materials" required for incorporation in the Works
	• •	s vide your LOA No dated
	or awarded to us	s vide your LOA No dated
2.0	of Employer Issue Materials that will	IITY BOND is dependent upon maximum quantity remain with us at any point of time during the sed on the prevailing market value of Employer
	a:	plus 25%.
	b :	plus 25%.
3.0	We agree that in the event of the	e aforesaid total quantity of "Employer Issue
	Materials" is to be increased during t	the execution of the contract for performance of
	the work or for the market value of t	the "Employer Issue Materials" increase for any
	reasons whatsoever, the amount of af	oresaid INDEMNITY BOND shall be enhanced by
	us without any demur corresponding	ly, in accordance with the various provisions in
	clause of the aforesa	id conditions of Contract.

- 4.0 We further confirm and undertake to increase the value of the aforesaid INDEMNITY BOND in accordance with para 3.0 above within 30 days of the receipt of notice from Employer for enhancement of the value of the said Indemnity Bond failing which Employer shall have the absolute right to invoke the said Indemnity Bond which will be honoured by us without any demur, contest or protest. Further we undertake to extend the validity of the INDEMNITY BOND as required from time to time by Employer till the entire material is incorporated in the Works and the unutilised material including wastage, scrap etc. are returned to the Employer and the reconciliation of the total Employer Issue Materials is completed in all respects.
- 5.0 This undertaking is irrevocable and shall remain in force till the execution and performance of the entire contract and/or till it is discharged by Employer.

Thanking you,	
3,7	Yours faithfully,
	(Signature of Authorised Signatory)
	Name & Designation
	Name of Contractor
	Name of the Work
Date:	Contract No
Place:	Date of Award
	Seal of the Contractor

14. LETTER OF CONFIRMATION BY THE PROPOSED SUB-CONTRACTOR

	PACKAGE POWER PROJECT/STATION
NIT/Ter	nder NO
Bidder's Name & Address	To,
	NTPC Limited,
	***************************************
Dear Sirs,	
I / We M/s@ have been a sub-contractor for the portion of work relating	proposed by M/s
We agree to work as subcontractor to M/s of the work relating to \$ under to	@@ for the aforesaid portion Package subject to award of Contract being approved by NTPC.
Date : Place :	Signature Name of Authorised person having Power of attorney Designation Common Seal
@ Write Name of the sub-contractor as pro	posed by the main Bidder.
@@ Write Name of the main Bidder.	
\$ Write Particulars of the portion of the work for	which the Sub-Contractor has been proposed.
Note : To be filled by Sub-Contractor(s) individu	uallv.

15. PROFORMA FOR MATERIAL ACCOUNTING & RECONCILIATION

#### PROFORMA FOR MATERIAL ACCOUNTING & RECONCILIATION

		Name of Materials
		Reconciliation
1.	Name of the Contractor	:
2.	Name of the Project	:
3.	Name of the Work	:
4.	Contract No. & Date	:
5.	Location of the Contractor's Stock / godown	:
6.	Total Estimated Requirement in the Contract	:
7.	Value of the Material Security	:
8.	Indemnity Bond furnished towards the value of Security towards other Materials	:
9.	Value of security towards Materials under this Performance	:
	and or and remained	·
Not	e: i. Full Separate proforma for	a.
		b.

ii. Same proforma to be used till it is filled by succeeding reconciliation.
Fresh Proforma for each reconciliation is prohibited.

Seal .....

								raye 2 01 2
SI. No.	Date of Reconci- liation	Cumulative Qty. issued till last reconcilia- tion	Cumulative Qty. incor- porated in the Works as certified by the Engr.	Qty. retur- ned	Qty. avai- lable in stock of con- tractor	Unaccounted C-(D+E+F) of unacc- ounted matl. (Col. G) effect ed. If so; amount recovered and bill/	Whether Outstand- recovery (cumulative till date)	Remarks ing reco- veries e
 A	В	C	D	E	F	MB No. G	H I	J
		tion shall be do eer-in-Charge)	ne at minimum fre	equency of t	hree (3) m	(Signature of C Authorised Site Name & Design	e Representative)	

#### PROFORMA OF CERTIFICATE OF FINAL AMENDMENT TO THE CONTRACT

#### (To BE ISSUED BY USSC/CC/Site C&M DEPARTMENT)

#### **CERTIFICATE NO. CCP - 01**

LETTER OF AWARD/ NOA/

NAME OF PACKAGE:

		CONTRACTNO.:	
NAME OF CONTR This is to certify th details mentioned I	at amendments have been	<b>DATED:</b> issued to the aforesaid contract as pe	r the
	Amendment No.	Date	
1.			
2.			
3.			
4.			
5.			
amendment issued		No dated is the	idst
Date Place		Name	

# PROFORMA FOR DRAWING RECEIPT CERTIFICATE (TO BE ISSUED BY EXECUTING DEPARTMENT/EIC)

#### **CERTIFICATE NO.CCP- 02**

NAME OF PACKAGE:	LETTER OF AWARD/ NOA/ CONTRACT NO.:
NAME OFCONTRACTOR: Project:	DATED:
This is to certify that we have received all the the Contractor in requisite number along with enclosed herewith, asper provisions stipulated i	the reproducible as detailed in Annexure
	Signature
Date Place	Name

### PROFORMA FOR QA DOCUMENTS RECEIPT CERTIFICATE

(TO BE ISSUED BY FQA)

#### **CERTIFICATE NO. CCP-03**

NAMEOF PACKAGE:	LETTER OF AWARD/ NOA/ CONTRACT NO.:
NAMEOFCONTRACTOR: Project:	DATED:
This is to certify that the QA documents as per to mentioned LOA/ Contract has been received in I	
	Signature
Date Place	Name Designation

#### PROFORMA FOR O&M MANUAL RECEIPT CERTIFICATE

#### (TO BE ISSUED BY EXECUTING DEPARTMENT/EIC)

#### **CERTIFICATE NO. CCP - 04**

NAME OF PACKAGE:	LETTER OF AWARD/ NOA/ CONTRACT NO.:
NAME OF CONTRACTOR: Project:	DATED:
This is to certify that we have received from Manuals in requisite number including the list vendors in respect of the above LOA/contract received is enclosed along with the distribution at	of spare parts along with the names of . The consolidated list of such manuals
Date Place	Signature

#### PROFORM FOR SCOPE COMPLETION CERTIFICATE

#### (TO BE ISSUED BY EXECUTING DEPARTMENT / EIC)

#### **CERTIFICATE NO. CCP-05**

NAME OF PACKAGE:	LETTER OF AWARD/ NOA/CONTRACT NO.:
NAME OFCONTRACTOR: Project:	DATED:
<ol> <li>This is to certify that the scope of the above Contract read in conjunction with the follows.</li> <li>Final Amendment No. (As per CCP 2. Approved drawings including site rung 3. Approved Bill of Materials</li> <li>Material Dispatch Clearance Certificates.</li> <li>Measurement Book</li> <li>As Built Drawings</li> <li>Any other documents (specify)</li> <li>It is further certified that the following have Given in the Contract Documents and the 1. Mandatory Spares</li> <li>Recommended Spares</li> <li>Special Tools &amp;Tackles</li> </ol>	wing documents: -01) piping schemes, if any.  te (s)  e been supplied, as per the details
Date Place	Signature

#### PROFORMA OF SHORTFALL IN EQUIPMENT PERFORMANCE CERTIFICATE

#### (TO BE ISSUED BY EXECUTING DEPARTMENT/EIC)

CERTIFICATE NO. CCP - 07					
NAME OF PACKAGE:		LETTER O	F AWARD/ T NO.:	NOA/	
NAME OF CONTRACTOR: DATED: PROJECT:					
This is to certify that the following shortfall in equipment performance as compared to the guaranteed parameters have been assessed and agreed to with the contractor in respect of the above mentioned LOA/ Contract.					
S. No	Guaranteed Parameter	Guaranteed value	Assessed Value	Shortfall, if any.	liquidated damages Annual
1	2	3	4	5	6
Further, it is also confirmed that liquidated damages for shortfall in equipment performance in respect of above Items, have been recovered fully from the contractor and no other dues are outstanding for shortfall in equipment performance.  Signature					
Place	counter signed by	Site Accounts	Nam	ne	
			Sig	nature	

#### PROFORMA OF "MATERIAL RECONCILATION" CERTIFICATE

## (TO BEISSUED BY EXECUTING DEPARTENT/EIC AND SITE MATERIALS MANAGEMENT)

#### **CERTIFICATE NO. CCP-08**

NAME OF PACKAGE:	LETTER OF AWARD/ NOA/ CONTRACT NO.:
NAME OFCONTRACTOR: PROJECT:	DATED:
This is to certify that the materials issued to mentioned LOA/Contract have been reconciled documents and no other recovery of material is	with the stipulations under the contract
Date Place Date Place	Signature
To be counter signed by materials manage	<u>ment</u>
	Signature Name Designation

### PROPORMA OF "PAYMENT RECONCILIATION" CERTIFICATE (TO BE ISSUED BY SITE FINANCE)

NAME OF PACKAGE:

#### **CERTIFICATE NO. CCP - 09**

LETTER OF AWARD/ NOA/

	CONTRACT NO.:
NAME OFCONTRACTOR:: PROJECT:	DATED:
This is to certify that all the payments released mentioned LOA/Contract have been reconcidocuments and statement of Accounts and observed that there are no recoveries pending	iled with the provisions of the contract or other Certificates of Contractor. It is
	Signature
Date Place	Name Designation

#### **Enclosure to CCP-09**

The list of recoveries and claims as advised by site Erection Department should include all recoveries and claims on any account whatsoever, including the following:

- 1. Liquidated damages for delay.
- 2. Liquidated damages for shortfall in Performance as observed during shop-testing (by inspection deptt.)
- 3. Liquidated damages for shortfall in performance as observed during performance guarantee tests conducted at site and other site tests.
- 4. All recoveries /claims on account of variations/deviations to scope of contract permitted or otherwise taken place during execution of the contract as listed in certificate No.CCP.05 for contract closing (Certificate by site Erection for contract closing).
- 5. Recoveries on account of reconciliation of payments made under the contract.
- 6. All the claims against the contractor regarding clearance of materials from site and vacation of the premises allotted for site office, stores.
- 7. All claims in respect of Training/Transportation/Accommodation/Services provided by site in respect of above LOA/Contract.
  - Recoveries on account of settlement of insurance claims
  - Recoveries on account of reconciliation of materials issued to the Contractor.
  - 10. All recoveries on account of demurrage, transportation insurance premiums etc. and other recoveries as informed by T&CC group on account of port clearance, transportation etc.
  - 11. All recoveries on account of wastage and scrap.
  - 12. All recoveries/claims (if any) on account of maintenance of equipment.
  - 13. All recoveries / claims (if any) on account of price variation.
  - 14. All recoveries/claims (if any) on account of statutory dues paid on behalf of the Contractor by NTPC.
  - 15. Royalty charges.
  - 16. All recoveries/ claims (if any) on account of hiring out of NTPC's plant and equipment.
  - 17. All recoveries/claims (if any) on account of water and electricity charges (if applicable).
  - 18. Any other recoveries/claim against specific instructions.

#### PROFORMA OF RECONCILIATION CERTIFICATE FOR PAYMENTS BY SITE

## (TO BE ISSUED BY SITE ACCOUNTS/REGIONAL OFFICE ACCOUNTS IN CASE OF FOREIGN CONTRACTORS)

CERTIFICATE CCP- 09A	
NAME OF PACKAGE:	LETTER OF AWARD/ NOA/ CONTRACT NO.:
NAME OFCONTRACTOR:	DATED:
PROJECT /REGIONAL OFFICE:	
This is to certify that,	
,	ne above mentioned LOA/ Contract have been as of the Contract Documents and Statement of ficates of the Contractor.
No recoveries are pending from Site Erection Department as list	m the Contractor under any of the items advised by sted overleaf.
	Signature
Date Place	Name Designation

#### Enclosure to CCP- 09A

The list of recoveries and claims as advised by Site Erection Department should include all recoveries and claims on any account whatsoever including the following:

- 1. All the claims against the Contractor regarding clearance of material from site and vacation of premises allotted for site office, stores.
- 2. All claims in respect of Training/ Transportation/ Accommodation/ Services provided by Site in respect of the above mentioned LOA/ Contract.
- 3. Recoveries on account of settlement of insurance claims.
- 4. Recoveries on account of reconciliation of materials issued to the Contractor.
- 5. All recoveries on account of wastage and scrap.
- 6. All recoveries/ claims (if any) on account of statutory dues paid on behalf of the Contractor by NTPC.
- 7. All recoveries / Claims (if any) on account of hiring out of NTPC's plant and equipment.
- 8. All recoveries / claims (if any) on account of water and electricity charges (if applicable)
- 9. Any other recoveries/claims against specific instructions.

### PROFORMA OF RECONCILIATION CERTIFICATE FOR PAYMENTS BY CORPORATE FINANCE

[TO BE ISSUED BY CORPORATE FINANCE (I.F. DEPTT.) FOR LOA/CONTRACT ON FOREIGN CONTRACTOR]

#### **CERTIFICATE CCP- 09B**

NAME	OF PACKAGE:	LETTER OF AWARD/ NON CONTRACT NO.:
NAME	OF CONTRACTOR:	DATED:
PROJI	ECT:	
This is	s to certify that,	
1)	Contractor from Corporate Finance (I.F.	entioned LOA/ Contract released to the Deptt.) have been reconciled with the and Statement of Accounts and/or other
2)	No recoveries are pending from the Cor Site Erection Department as listed overle	tractor under any of the items advised by eaf.
		Signature
		Name  Designation

#### **Enclosure to CCP-09B**

The list of recoveries and claims as advised by Site Erection Department should include all recoveries and claims on any account whatsoever, including the following:

- 1. Liquidated damages for delay.
- 2. Liquidated damages for shortfall in performance as observed during shoptesting (by Inspection Deptt.)
- 3. Liquidated damages for shortfall in performance as observed during performance guarantee tests conducted at site and other site tests.
- All recoveries/claims on account of variation / deviations to scope of contract permitted or otherwise taken place during execution of the Contract as listed in certificate No. CCP-05 for contract closing (certificate by Site Erection for Contract Closing)
- 5. Recoveries on account of reconciliation of payments made under the contract.
- 6. Reconciliation on account of settlement of insurance claims.
- 7. All recoveries / claims (if any) on account of price variation.
- 8. Royalty charges
- 9. Any other recoveries/ claims against specific instructions.

# PROFORMA OF "CUSTOMS RECONCILIATION" CERTIFICATE [TO BE ISSUED BYACCOUNTS DEPTT. OFT&CC OFFICE FOR LOA/CONTRACT ON FOREIGN CONTRACTOR]

#### **CERTIFICATE NO-CCP09C**

NAME	OFPACKAGE:	LETTER OF AWARD/ NOA/ CONTRACT NO.:
	E OF CONTRACTOR: ECT/ REGION:	DATED:
This is	to certify that:	
1)	All the payments released by this **. mentioned LOA/ Contract have been debit (***) enclosed for reconciliation/ settlement	ted to the Project/ Region as per details
2)	All the payments released towards the payment of Customs Duty have been completely reconciled with the Customs Authorities by the Contractor. No amount is due to the Customs Authorities and no recoveries are pending from the Contractor under any of the items noticed.	
	(This is applicable for ve	endor clearance)
3)	All documents required from the Contract Payment with the Customs Authorities are in order. No recoveries are pending items noticed.	have since been received and those
	(This is applicable where the cle	arance is done by NTPC)
		Signature
	Name of T&CC Office from where payments The details will include amount, date when pa	id, reasons for payment and when debit was

Note: Strike out whichever is not applicable and initial.

### PROFORMA OF CERTIFICATE REGARDING LABOUR PAYMENTS AND STATUTORY REQUIREMENTS TO BE FURNISHED BY CONTRACTOR.

#### (TO BE ISSUED BY THE CONTRACTOR)

#### **CERTIFICATE NO. CCP - 10**

<u>GERTII IOATE ITO</u>	<u></u>
NAME OF PACKAGE:	LETTER OF AWARD/ NOA/ CONTRACT NO. :
NAME OF CONTRACTOR: PROJECT:	DATED:
This is to certify that we have made all labour partial of the above mentioned LOA/ Contract and no of from us.	,
Further we confirm that all Statutory requirement case any default is reported against us, we shall	·
Date Place	Signature Name Designation

## PROFORMA OF "NODEMAND CERTIFICATE" BYCONTRACTOR (TO BEISSUED BYTHE CONTRACTOR)

#### **CERTIFICATE NO. CCP-11**

NAMEOF PACKAGE:	LETTER OF AWARD/ NOA/ CONTRACT NO.:
NAME OFCONTRACTOR: PROJECT:	DATED:
We, M/s	the full and final payment due and aforesaid LOA/Contractincluding amendments, if any, and we further confirm that we have not the said Contract.
Notwithstanding any protest recorded by u measurement books, and/or final bills etc., we v protest in future under this contract.	
We are issuing this "NO DEMAND CERTIFIC knowledge and with our free consent without a coercion etc.	
Date Place	Signature

(This certificate shall be accompanied by the Power of attorney of the signatory)

## PROFORMA OFCERTIFICATE FORCOMPLETION OFWARRANTYPERIOD (TO BEISSUED BY EXECUTING DEPARTMENT/EIC)

#### **CERTIFICATE NO. CCP-12**

NAME OF PACKAGE:	LETTER OF AWARD/ NOA/ CONTRACT NO.:
NAME OF CONTRACTOR: PROJECT:	DATED:
This is to certify that the warranty period for the completed in line with the provisions of the contr	
	Signature
Date Place	Name Designation

#### PROFORMA OF "CERTIFICATE FOR RETURN OF BGs/ INDEMNITY BONDS ETC."

#### (TO BEISSUED BY SITE FINANCE)

#### **CERTIFICATE NO. CCP-13**

NAME OF PACKAGE:	LETTER OF AWARD/NOA/ CONTRACT NO.:
NAME OF CONTRACTOR: PROJECT:	DATED:
	ndemnity bonds/ Insurance policies/ Collaborator's ementioned LOA/ Contract have been returned in
	Signature
Date Place *Delete whichever is not applicable.	Name

## DECLARATION OF ABSENCE OF CONFLICT OF INTEREST WITH INDEPENDENT ENGINEER

To:

[Empl	oyer's Name and Address]		
Dear	Sirs,		
1.0	the contract	(Name of the Contractor) have been awarded for (Name of the package) vide Notification (s) of Award	
2.0	'Panel of Experts as Inde Contract, as amended from them as 'Independent Engir 1	e contract, we hereby propose the following Experts from the ependent Engineer' enclosed in the Special Conditions of a time to time by Ministry of Power, for appointment of one of neer' for the Contract:	
	3		
3.0		not have any conflict of interest with the aforesaid not been engaged for providing any services to us	
4.0		any form of conflict of interest (possible or actual) which may g the tenure of Independent Engineer, the same will be duly	
5.0	We understand that the mechanism of Resolution of Dispute through Independent Engineer may be put in abeyance, if any conflict of interest with us is found out which have been intentionally concealed, and the matter may be referred to Ministry of Power. Further, action may be taken against us in respect of Fraud Prevention Policy of NTPC.		
Date		Signature	
Place	e :	Printed Name(Designation)(Common Seal)	

# DECLARATION OF ABSENCE OF CONFLICT OF INTEREST WITH CONCILIATION COMMITTEES OF INDEPENDENT EXPERTS (CCIE)

To : [Emp	loyer's Name and Address]	
Dear	Sirs,	
1.0	awarded the contract for	(Name of the Contractor) have been (Name of on (s) of Award No dated
2.0	order, as per the list enclosed in	tract, we hereby propose the following CCIEs, in priority n the Special Conditions of Contract, as amended from r, for finalization of CCIE by CEA:
	1 2 3	
3.0		have any conflict of interest with the aforesaid been engaged for providing any services to us
4.0	•	orm of conflict of interest (possible or actual) which may e conciliation proceedings by CCIE, the same will be
5.0	conflict of interest with us is for	ay withdraw from the conciliation proceedings, if any und out which have been intentionally concealed, and finistry of Power. Further, action may be taken against n Policy of NTPC.
Date	· :	Signature
Plac	e :	Printed Name
		(Designation)
		(Common Seal)

19. PROFORMA OF "TRIPARTITE INTEGRITY PACT"	

#### TRIPARTITE INTEGRITY PACT

TENDER ID / REF. NO.
Between
1. NTPC Ltd., a Govt. of India Enterprise (hereinafter referred to as "The Employer")
2 (hereinafter referred to as "Contractor ")
(hereinafter referred to as "JV Partner(s)/ Consortium Member(s)" (if applicable)
and
3 (hereinafter referred to as "Sub-contractor")
The Employer, Contractor, JV Partners/Consortium Members and Sub-contractor are collectively referred to herein as 'Parties'
Preamble
The Employer awarded the Contract forto the Contractor, as per organizational systems and procedures. The Contractor with the approval of Employer subcontracted the work for to the Sub-contractor.
This Tripartite Integrity Pact ('Integrity Pact') is an agreement between the Employer, Contractor/JV Partners/Consortium members and Sub-contractor, committing the persons/officials of the Parties not to

Partners/Consortium members and Sub-contractor, committing the persons/officials of the Parties not to resort to any corrupt practices in any aspect/stage of contract.

The Employer values full compliance with all relevant laws and regulations, and the principles of economical use of resources, and of fairness and transparency in its relations with its Contractor(s) & Sub-contractor(s). In order to achieve these goals, the Employer will appoint Independent External Monitor(s) (IEM), who will monitor the processes as stipulated in the SOP for implementation of Integrity Pact issued by CVC from time to time.

#### Section 1 Commitments of the Employer

- 1. The Employer Commits itself to take all measures necessary to prevent corruption and to observe the following principles in this regard:
  - a) No employee of the Employer, either in person or through family members including relatives, will in connection with the bidding for or the execution of a contract, demand or accept a promise for or accept for him/herself or for a third person, any material or immaterial benefit to which he/she is not legally entitled to.

- b) The Employer will exclude from the process all known prejudiced persons.
- 2. If the Employer obtains information on the conduct of any of its employees which is a criminal offence under the Bharatiya Nyaya Sanhita (BNS) / The Prevention of Corruption Act (PC Act) or if there be a substantive suspicion in this regard, the Employer will inform the Chief Vigilance Officer.

#### Section 2 Commitments and Undertakings by the Contractor/Sub-contractor

- The Contractor/Sub-contractor commits and undertakes to take all measures necessary to prevent malpractices & corruption. He commits himself to observe the following principles during the execution of the contract:
  - a) The Contractor/Sub-contractor undertakes not to, directly or through any other person or firm offer, promise or give or influence to any employee of the Employer associated with the execution of the contract or to any third person on their behalf any material or immaterial benefit which he/she is not legally entitled, in order to obtain in exchange any advantage of any kind whatsoever during the execution of the contract.
  - b) The Contractor/Sub-contractor undertakes not to commit any offence under the relevant Anti-corruption Laws of India; further the Contractor will not use improperly, any information or document provided by the Employer as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically for purposes of competition or personal gain and will not pass the information so acquired on to others.
- The Contractor/ Sub-contractor will not instigate and allure third persons/parties to commit offences outlined above or be an accessory to such offences.

#### Section 3 Disqualification from Bidding Process and Exclusion from Future Contracts

- 1. If the Contractor(s), during execution has committed a transgression through a violation of any provisions of Section 2 so as to put his reliability or credibility as Contractor into question, the Employer shall be entitled to terminate the contract on that ground.
- 2. If the Contractor/ Sub-contractor has committed a transgression through a violation of Section 2 such as to put his reliability or credibility into question, the Employer shall be entitled to exclude including debarring the Contractor/ Sub-contractor for any future tenders /contract award process. The imposition and duration of the exclusion will be determined by the severity of the transgression. The severity will be determined by the Employer taking into consideration the full facts and circumstances of each case particularly taking into account the number of transgressions, the position of the transgressors within the company hierarchy of the Contractor/ Sub-contractor and the amount of the damage. The exclusion will be imposed for a period not exceeding two (02) years.
- 3. A transgression is considered to have occurred if the Employer after due consideration of the available evidence concludes that no reasonable doubt is possible.
- 4. The Contractor/Sub-contractor with its free consent and without any influence agrees and undertakes to respect and uphold the Employer's absolute rights to resort to and impose such

- exclusion and further accepts and undertakes not to challenge or question such exclusion on any ground, including the lack of any hearing before the decision to resort to such exclusion is taken. This undertaking is given freely and after obtaining independent legal advice.
- 5. Subject to full satisfaction of the Employer, the exclusion of Contractor/ Subcontractor could be revoked by the Employer if the Contractor/ Subcontractor can prove that he has restored/ recouped the damage caused by him and has installed a suitable corruption prevention system in his organization.

### SECTION 4 Compensation for Damages including Forfeiture of Security Deposit / Performance & Advance Bank Guarantees

- 1. If the Employer has terminated the contract pursuant to Section 3, the Employer shall forfeit/encash the Security Deposit/ Performance & Advance Bank Guarantees.
- 2. In addition to 1 above, the Employer shall be entitled to take recourse to the relevant provisions of the contract related to Termination of Contract due to Contractor's Default.

#### **Section 5** Previous Transgressions

- 1. The Contractor/ Sub-contractor swears on oath that no previous transgression impinging on anticorruption principles / any malpractice as mentioned in Section-2 has occurred in the last three years reckoned from the date of bid submission in any other Public/Government organization. The date of such transgression would be the date on which cognizance of the said transgression was taken by competent authority. The transgression(s), for which cognizance was taken even before the said period of three years, but are pending conclusion, shall also be considered to fall within last three years. In case of Sub-contractor, the date of transgression shall be last three years from the date of request to Employer for Sub-contractor approval.
- 2. If the Contractor makes an incorrect statement on previous transgression as mentioned above in para 1, the awarded contract , can be terminated on this ground. In case the Sub-contractor makes incorrect statement on previous transgression, notwithstanding anything to the contrary contained in the contract between the Contractor and the Sub-contractor, the contract placed on them shall be terminated by the Contractor by itself and/or at the instance of the Employer.

#### **Section 6** Company Code of Conduct

Contractor/ Sub-contractor are also advised to have a company code of conduct (clearly rejecting the use of bribes and other unethical behaviour) and a compliance program for the implementation of the code of conduct throughout the company.

#### Section 7 Independent External Monitors (IEM)

1. The Employer will appoint competent and credible Independent External Monitor for this Pact. The task of the IEMs is to review independently and objectively, whether and to what extent the Parties comply with the obligations under this agreement.

- The IEMs are not subject to instructions by the representatives of the parties and performs his functions neutrally and independently. He shall report to CMD of the Employer, or a person authorized by him.
- 3. The roles & responsibilities of the IEM shall be as per the SOPs issued by CVC from time to time and available in its website https://cvc.gov.in/.
- 4. As soon as the IEMs notices, or believes to notice, a violation of this agreement, he will so inform the Management of the Employer (CMD of the Employer or a person authorized by him) and request to discontinue or to take corrective action, or to take other relevant action. The IEMs can in this regard submit non-binding recommendations. Beyond this, the IEMs has no right to demand from the parties that they act in a specific manner, refrain from action or tolerate action. However, Independent External Monitor shall give an opportunity to the bidder/contractor to present its case before making its recommendations to the Employer
- 5. The IEMs will submit a written report to CMD of the Employer or a person authorized by him within 30 days from the date of reference or intimation to him by the Employer and, should the occasion arise, submit proposals for correcting problematic situations.
- 6. The Contractor /Sub-contractor accepts that they shall not approach courts while the matter / complaint / dispute has been referred to IEM in terms of this pact and they shall await IEM's decision before approaching any court.
- 7. The word "IEM" will include Singular or Plural.

#### Section 8 Pact Duration

This Pact comes into force from the date of signing by all the parties. It shall expire for the Contractor 12 months after the final payment under the respective contract, and for all other unsuccessful bidders 6 months after the contract has been awarded.

#### **Section-9 Miscellaneous Provisions**

- 1. This Pact is subject to Indian Law. The place of performance and jurisdiction shall be New Delhi.
- 2. Should one or several provisions of this Pact turn out to be invalid; the remainder of this Pact remains valid. In this case, the parties will strive to come to an agreement to their original intentions.
- The actions stipulated in this Integrity Pact are without prejudice to any other legal action that may
  follow in accordance with the provisions of the extant law in force relating to any civil or criminal
  proceedings.
- 4. If the Contractor is a JV Partnership / Consortium, this agreement must be signed by all the partners of JV / Consortium Partners as the case may be.
- 5. The bilateral Integrity Pact dtd. .....singed between the Employer & the Contractor at the time of bidding shall also be biding on the Employer & Contractor.

6.	The Parties hereby agree that in the event of an inconsistency between the terms of this Integrity
	Pact and the terms of the contract between the Contractor and the Sub-contractor, the terms of
	this Integrity Pact shall prevail.

The Parties hereby sign this Integrity Pact at ......on this ...... day of......20......

Employer	Contractor	Joint Venture Partner(s) /Consortium member(s) (as applicable)	Sub-contractor
Witness	Witness	Witness	Witness
1.	1.	1.	1.
2.	2.	2.	2.

#### Ref. No.: SBD/CIVIL/OTE(2)/CPG-1-REV. 00

### **Annexure-B**

### Index

Chapter	Contents	Page
No		
	Safety Rules	1
Section -	1	
	Safety Management	7
Section -	2	
1	Safety in the workplace and equipment	27
2	Safety in material handling and waste disposal	34
3	Safety in welding and gas cutting	39
4	Safety in the use of electricity	43
5	Safety in the use of hand tools and power operated tools	47
6	Safety in the use of ladders and stairs	50
7	Safety in the use of lifting appliances and machines	51
8	Safety in the use of transport, earthmoving equipment and the	66
	other construction machinery	00
9	Safety in the use of runways and ramps	69
10	Safety in storage, handling and use of explosives	70
11	Safety in excavation and tunneling work	78
12	Safety in piling work	91
13	Safety in erection, use and dismantling of scaffolds	93
14	Safety in the construction of structural formwork	98
15	Safety in concreting work	101
16	Safety in construction, repair and maintenance of steep roofs	105
17	Safety in construction of catch platforms, hoardings & chutes	106
18	Safety in the work on or adjacent to water	107
19	Safety in the building of cofferdams & caissons	108
20	Safety in demolition work	109
21	Fire Extinguishers & other appliances of fire fighting	112

Appendix:		
Annexure I	Indian Standards on Safety	114
Annexure II	Format describing the Basic Structure of Safety Plan	116
Annexure III	Permit Formats	117
Annexure IV	Definitions	125

## NTPC SAFETY RULES

## FOR CONSTRUCTION AND ERECTION OF POWER PLANTS

## **INTRODUCTION:**

NTPC Limited is a Maharatna organization taking lead in realizing the power dreams of the Nation with a vision "To be one of the World's largest and best power utilities, Powering India's growth". Safety is one of the prime concerns of NTPC and it always strives towards accident free construction, erection, commissioning, operation and maintenance of its power projects. In this process, NTPC has already formulated Safety policy and guidelines for smooth execution of all its project activities.

In order to strengthen the existing Safety Rules for Construction and Erection and thereby curbing the chances of accidents in Construction & Erection works at various projects of NTPC, the existing safety rules have been revised for strict implementation. These Safety Rules lay down the safety requirements for safe execution of project activities, responsibilities of the contracting agencies, and all concerned involved in Construction and Erection.

#### A. RESPONSIBILITIES OF CONTRACTORS FOR IMPLEMENTATION OF SAFETY RULES:

The Safety Rules for Construction & Erection as outlined hereunder, while setting out a broad parameter of safety norms, are not exhaustive. The contractor and his agencies are advised to refer to the following statutory provisions as amended from time to time for details and strict compliance therewith.

## **FOR GREENFIELD PROJECTS:**

- (a) Building and Other Construction Workers (regulation of employment and conditions of service) Act, 1996 (briefly referred to as BOCW Act),
- (b) Building and other construction workers (regulation of employment and conditions of service) Central Rules, 1998 (briefly referred to as BOCW Rules) as adopted by the various State Governments,

FOR EXPANSION, MODIFICATION, ALTERATION AND, OR CONSTRUCTION ACTIVITY WITHIN AN EXISTING PLANT OPERATING AS PER APPROVED SITE PLAN UNDER THE FACTORIES ACT;

- (a) Factories Act, 1948,
- (b) Factories Rules, as adopted by the various State Governments
- (c) BOCW Act
- (d) BOCW Rules

The contractor is also required to ensure compliance with all the relevant Acts/Rules in addition to above.

It shall be incumbent on the contractor to ensure that the requirements of safety, statutory or otherwise specified, are fully met. Thus the onus of implementation of the norms so prescribed shall squarely rest with the contractor concerned or, on his behalf, his sub-contractor or any other agency deployed by him, indemnifying NTPC from all the liabilities that may arise out of any failure to comply with the above mentioned Acts/Rules or any contravention thereof by the contractor or any other sub-agency on his behalf.

Safety cannot be ensured solely through Rules and Regulations or Codes. It is the responsibility of the Contracting Agency to ensure that basic safety principles are incorporated in the planning stage of their mobilization, execution, installation of machines, equipment, storage, etc., and initiate and maintain *safety programs*. It is desirable to have a planned programme and secure adequate cooperation of senior management, EICs, sub-contracting agencies, supervisory personnel and workers involved to ensure the implementation of the provisions of these Rules in true spirit so as to achieve the ultimate goal of *accident prevention*.

It shall also be the responsibility of the contracting agency to provide amenities and safety requirements on each construction job in order to reduce or to eliminate hazards of construction activities and also to provided necessary *first aid* facilities as well as Ambulance van (in case of major agencies) for prompt transportation of injured persons to a physician or hospital.

It is also mandated that the authorized representative of NTPC, namely, the Engineer-in-charge, may, at his convenience, exercise such superintendence, supervision and, or control as may be deemed necessary, but this shall not absolve the contractor of his basic responsibility for strict compliance with the norms, standards and, or legal provisions as applicable under the Factories Act/Rules and the Building and other construction (regulation of employment and conditions of service) Act/Rules.

Section wise checklist of provisions of BOCW Act/Rules is given hereunder for ready reference of the contractor. (This list has been prepared in chronological order with primary importance to Section of Act and secondary importance to Rules)

- S Refers relevant Sections in BOCWA
- R Refers relevant Rules in BOCWR

SI. No.	ITEMS	RELEVANT SECTIONS / RULES IN BOCWA AND BOCWR AND RBOCWR		
1	Registration of establishment	S – 7, R – 23 to 27		
2.	Display of registration certification at workplace	R – 26 (5)		
3.	Hours of work	S – 28 R – 234 to 237		
4.	Register of overtime	S – 28; S – 29 R – 241(1) Form XXII		
5.	Weekly rest and payment at rest	R – 235		
6.	Night shift	R – 236		
7.	Maintenance of workers registers and records	S – 30 R – 238		
8.	Notice of commencement and completion	S – 46 R – 239		
9.	Register of persons employed as building workers	R – 240		
10.	Muster roll and wages register	R – 241(1) (a); Form XVI and XVII		
11.	Payment of wages	R – 248		
12.	Display of notice of wages regarding	R – 249		
13.	Register of damage or loss	R – 241(1)(a); Form XIX, XX, XXI		
14.	Issue of wages book	R – 241(2)(a); Form XXIII		
15.	Service certificate for each workers	R – 241(2)(b); Form XXIV		
16.	Display an abstract of BOCWA and BOCWR	R – 241(5)		
17.	Annual return	R – 242; Form XXV		
18.	Drinking water	S – 32		
19.	Latrines and Urinals	S – 33 R - 243		
20.	Accommodation	S – 34		
21.	Creches	S – 35		
22.	First-aid boxes	S – 36 R – 231 and Schedule III		
23.	Canteens	S – 37 R – 244		
24.	Food stuff and other items served in the canteens	R – 245		
25.	Supply of tea and snacks in work place	R – 246		
26.	Food charges on no loss no profit basis	R - 247		
27.	Delhi BOCW welfare Board Rules	R – 250 to 296		
28.	Safety committee	S – 38 R – 208		

		1		
29.	Safety officer	S – 38 R – 209 and Schedule VII		
30.	Reporting of accidents and dangerous occurrences	S – 39,R – 210		
31.	Procedure for inquiry in to the causes of accidents	R – 211		
32.	Responsibility of employer	S - 44 R – 5		
33.	Responsibility of Architects, Project engineer and Designers	R – 6		
34.	Responsibility of workmen	R – 8		
35.	Responsibility for payment of wages and compensation	S – 45		
36.	Penalties and Procedures	S – 47; S – 55		
37.	Excessive noise, vibration etc.	R – 34		
38.	Fire Protection	R – 35		
39.	Emergency action plan	R – 36		
40.	Fencing of motors	R – 37		
41.	Lifting of carrying of excessive weight	R – 38		
42.	Health, Safety and Environmental Policy	R – 39		
43.	Dangerous and Harmful Environment	R – 40		
44.	Overhead protection	R – 41		
45.	Slipping, Tripping, Cutting, Drowning and Falling Hazards	R – 42		
46.	Dust, Gases, Fumes, etc.	R – 43		
47.	Corrosive substance	R – 49		
48.	Eye Protection	R – 45		
49.	Head Protection and other protection apparel	R – 46; R – 54		
50.	Electrical Hazards	R – 47		
51.	Vehicular traffic	R – 48		
52.	Stability of structure	R – 49		
53.	Illumination	R – 50; R – 124		
54.	Stacking of materials	R – 51		
55.	Disposal of debris	R – 52		
56.	Numbering and marking of floors	R – 53		
57.	Lifting appliances and gears	R – 55 to 81		
58.	Runways and Ramps	R – 82 to 85		
59.	Working on or adjacent to water	R – 86 & 87		

60.	Transport and earthmoving equipment's	R – 88 to 95		
61.	Concrete work	R – 96 to 107		
62.	Demolition	R – 108 to 118		
63.	Excavation and Tunneling works	R – 119 to 168		
64.	Ventilation	R – 153		
65.	Construction, repair and maintenance of step roof	R – 169 to 171		
66.	Ladders and Step ladders	R – 172 to 174		
67.	Catch platform and hoardings, chutes, safety belts and nets	R – 175 to 180		
68.	Structural frame and formworks	R – 181 to 185		
69.	Stacking and unstacking	R – 186 & 187		
70.	Scaffold	R – 188 to 205		
71.	Cofferdams and Caissons	R – 206 to 211		
72.	Explosives	R – 212 & 213		
73.	Piling	R – 214 to 222		
74.	Medical Examination for building and other construction worker, Crane operator an Transport vehicle drivers	R – 81; R – 223(a)(iii) and Schedule		
75.	Medical examination for occupational health hazards	R – 233(a)(iv)		
76.	Charging of workers for Medical Examination	R – 223(b)		
77.	Occupational health centres and Medical officers	R – 225 and Schedule X & XI		
78.	Ambulance van & room	R – 226 & 227 and Schedule IV & V		
79.	Stretchers	R – 228		
80.	Occupational health service for building workers	R – 229		
81.	Medical examination for occupational health hazards	R – 223(a)(iv)		
82.	Emergency care services and emergency treatment	R – 232		
83.	Panel of experts and agencies	Central Rule 250		
84.	Power of inspectors	Central rule 251		

## **B. RESPONSIBILITIES AND DUTIES OF WORKERS**

- (a) It shall be the responsibility of the worker to comply with the requirements of safety as laid down for him and the group of workers to which he belongs and fully cooperate in the discharge of the responsibility that has been assigned to the contractor.
- (b) If he discovers any defects in the lifting appliance, lifting gear, lifting device or those concerning any transport equipment or other construction equipment or tools as well as the physical work conditions, he will report such defects promptly to his employer or NTPC Engineer or other person in authority;
- (c) No building worker shall, unless duly authorized or in case of absolute necessity, remove or interfere with any fencing, guards, gangways, gear, ladder, hatch covering, life saving appliances, lighting or other things whatsoever required and provided for safety and health. If any of the aforesaid things is removed, the persons engaged in the work shall restore such thing at the end of the period during which its removal was necessary;
- (d) Every worker shall use only means of access provided in accordance with the approved norms and no person shall authorize or order another to use such means of access or method other than those approved;
- (e) Workers shall use such means of access and egress for going to and exiting from the workplace as provided.

SECTION - I SAFETY MANAGEMENT

#### 1.0 SAFETY MANUAL AND SAFETY POLICY:

- 1.1 The Safety policy of the contracting agency should reflect the commitment of the concerned agency towards safety and health of the workers specified for the particular site.
- 1.2 The Contractor shall have Safety Plan detailing the safety norms evolved through Safety Policy and Job Safety Analysis (JSA) or Hazard Identification & Risk Assessment (HIRA) of all package activities and constitute a Safety management program. Contracts shall also ensure POWRA (point of work risk assessment) before start of any activity.
- 1.3 The safety management programme in the form of Safety Manual shall give details of provisions proposed by the agency w.r.t. Job Safety Analysis (JSA) or Hazard Identification and Risk Assessment (HIRA) to ensure safety of the employees and elimination of health hazards. The Safety Manual including safety policy duly signed by the head/senior executive of the agency shall be submitted to the concerned Engineer-Incharge(EIC), NTPC before start of their project activities at site.
- **1.4** Each contracting agency shall have facilities for conducting the above safety management programme, commensurate with magnitude of the work under contract.

#### **2.0** APPOINTMENT OF SAFETY OFFICER/SAFETY SUPERVISOR:

- 2.1 Each contracting Agency shall provide a sufficient number of qualified, suitable and experienced persons to manage all safety related matter on Site relating to the works. Irrespective of manpower employed by the agency whether temporary, casual, probationer, regular or permanent or on contract, Agency shall deploy a qualified Safety Officer/executive, responsible for carrying out the safety management programme before start of the work.
- **2.2** The safety officer shall create an organization, commensurate with the project activities, consisting of other staff as required for suitable deployment.
- **2.3** The schedule of requirement of safety personnel is given below.

No. of Workers	No. of Safety Supervisors	No. of Safety Officers
Up to 100	1	1
101 to 250	2	1
251 to 500	4	1
501 to 1000	6	2
1000 to 2000	6+ One additional supervisor up to every additional 250 workers	3
2000-3000	10+ One additional supervisor up to every additional 250 workers	4
3000-4000	14+ One additional supervisor up to every additional 250 workers	5
Above 4000	18 + One additional supervisor up to every additional 250 workers	5 + one safety officer up to addition 1000 workers

- **2.4** The qualification and experience of the safety personnel should meet the following criteria.
  - a) Safety Supervisor: (i) Possesses recognized degree in any branch of Engineering. OR
     (ii) Diploma in any branch of Engineering with at least one year construction experience.
  - b) Safety Officer/Safety Executive: Qualification as given under BOCW Act/rules and minimum experience of three years.
  - 2.5 In case contractor fails to employ the required safety professionals, the department may at the cost and risk of the contractor deploy additional/required safety professionals. The cost incurred towards this shall be deducted from contractor's bill at following the rates or actual whichever is higher.

Safety Engineer
 Safety Supervisor
 Rs. 1500/day.
 Rs. 1000/day.

## 3.0 MEETING FOR SAFETY AFTER AWARD OF THE CONTRACT:

Representatives of contracting agency along with safety Officer/executive shall meet the concerned EIC of the particular activity prior to start of construction activities for the purpose of discussing safety standards and requirements applicable to the work under contract. The person representing the agency should be a responsible person for all their site activities.

## **4.0 PERSONAL PROTECTIVE EQUIPMENT:**

- 4.1 The contracting agency should ensure sufficient inventory of personal protective equipment (PPEs) prior to initial mobilization as specified in the Bidding Documents. After identifying the need of the required PPEs for various activities performed at the site, an additional inventory of approx. 20% of required PPEs should be maintain during the execution of the work. A PPE plan shall be prepared which gives fair idea regarding issue of PPEs to various personnel as per the following 'PPE Selection Matrix'.
- **4.2** Mandatory PPEs: Wearing of Safety Helmet, Safety Shoes and reflective jacket is mandatory for all work at site and it should be ensured that all employees and project visiting personnel shall invariably wear safety helmet, safety shoes & reflective jacket.

#### PPE Matrix (apart from mandatory PPEs, i.e., Safety Helmet & Safety Shoes)

	Type of Protection					Domonko if	
Activity	Hand	Eye	Ear	Body	Respiratory	Others	Remarks, if any
Gas Welding &	LG	WG	-	LA	*SCBA/	-	* for confined
Cutting					OLBA		space
Electric Arc	LG	HMWS	-	LA	*SCBA/	-	* for confined
Welding					OLBA		space

Rigging	CG	SG	-				
Working at Height	-	SG	-	DLFBH	-	*FAS	* for vertical columns
Grinding & Chipping	CG	FS / SG	-	LA	-	-	
Working in High Noise	-	-	EP / EM	-	-	-	
Handling of Cement Concrete	RG	SG	-	-	DM	-	
Blasting	CG	SG	EP*	-	-	-	* at noise area
Excavation	CG	SG	-	-	DM	-	*Gum boot in place of Safety shoe for foot
Chemical Handling	PVCG	CSG	-	PVCA	-	-	*Full body rubber suit with hood
Electrical and C&I	ERG*	SG	-	-	-	-	*For high voltages
Sand/shot blasting	CG	-	EP/ EM	CA	SAMH	-	

ABBREVIATIONS: FS: Face Shield, CSG: Chemical splash goggles, HMWS: Helmet mounted welder's shield, GB: gum boot, DLFBH: Double lanyard full body harness, SG: Safety goggles, DM: Dust mask, SAMH L Supplied air mask/hood, EP/EM: Ear plug/Ear Muff, CG: Cotton hand gloves, LG: Leather hand gloves, LA: Leather apron, RG: Rubber gloves, PVCG: PVC Gloves, PVCA: PVC Apron, SCBA: Self-contained breathing apparatus, WG: Welding goggles, ERG: Electrical Rubber Gloves. OLBA: Online breathing apparatus

- **4.3** The above-mentioned PPEs should be made available with contractor at site and issued to the concerned workers on the day of employment. All PPEs shall comply with ISI standards with valid test certificates.
- **4.4** At least two breathing apparatus sets (complying requirement as per IS: 10245) shall be provided at each site where excavation/tunneling works and Welding/ Cutting operations in confined areas are being carried out, to rescue the victims under exposure to harmful gases/vapors, if any.

## **5.0 SAFETY COMMITTEE:**

- 5.1 Safety committee shall be formed within each contracting agency comprising of worker representatives with equal no. of management representatives as per the provisions of BOCW Act/rules. This committee in each agency shall meet at least once in every month. The safety officer of the concerned agency shall coordinate these meetings. NTPC Safety officer shall be special invitee for Safety Committee meetings. The safety committee functioning shall be in line with the provisions of BOCW Act/Rules.
- 5.2 Apart from the above, each agency shall organize safety meetings every day before start of day's work to educate & motivate the workers about the necessity of safety. Case study of accident/incident can be shared in these meetings.
- **5.3** The contractor shall also regularly organize safety meetings for all job supervisors/foremen.
- **5.4** Weekly meeting with agencies' Safety Officers to be organized by safety department of NTPC and minutes to be recorded, circulated and compliance status to be checked on regular basis.

#### **6.0 SAFETY MESSAGE PROPAGATION:**

- 6.1 Contracting agencies shall arrange for display of safety hoardings depicting suitable safety cartoons/messages/ cautionary notices at appropriate places of project site to remind the workers to perform their duties safely. Minimum one safety message board/hoarding of appropriate size for every 10 workers to be provided and maintained by the concerned agency.
- **6.2** Apart from safety hoardings, each agency should maintain a safety bulletin board at all their work locations. Such safety bulletin boards should depict the activities being planned for the day, good practices, permit details etc.
- **6.3** Safety suggestion boxes shall be kept at each contractor's office at site for obtaining safety suggestions from the workers. Best suggestions should be implemented and may be rewarded suitably to encourage the workers for safety.

#### 7. COMPETENCY OF EMPLOYEES:

- **7.1** Throughout the course of the contract, persons employed by agency shall be physically fit, qualified/experienced to perform their assigned duties/ jobs.
- **7.2** Employees shall not, knowingly be permitted to work in a manner that their ability or alertness is so impaired because of fatigue, illness or any other reason, that it may expose them and or others to injury.
- **7.3** No worker, vehicle operator shall be less than 18 years of age. And the vehicle operator shall have a valid license as per requirements of Motor Vehicle Act.
- **7.4** Contractor shall comply with all applicable state/central laws and codes related to employment of operators for Hoist, Shovel, Crane, Tractor, Bull-dozer, any other howling heavy equipment/vehicle.

#### **8.0 SAFETY INDUCTION AND TRAINING:**

- **8.1** Each worker deployed by the agency shall be given 2-days induction training which shall include the medical examination and instructions related to particular job, fire fighting, first-aid and reporting of accidents. All employees shall be given safety training as per BOCW Act/Rules.
- 8.2 The contracting agency shall also impart job specific skill based safety training to all its employees (Minimum one day) on various related safety topics using internal/external safety professionals/consultants as per the matrix given below. Record of such trainings and attendance particulars shall be maintained in a register for ready reference to statutory authorities/engineer-in charge.

## TRAINING MATRIX:

Name of topic	Executives	Super visors	Skilled Workmen	Other Workers
Safety Induction	Υ	Υ	Υ	Υ
Accident_ Causes, factors, cost	Υ	Υ	Υ	-
Industrial hazards & Accident Prevention	Υ	Υ	Υ	-
Investigating, reporting, records	Υ	Υ	-	-
Personal Protective Equipment	-	Υ	Υ	Υ
Construction Safety & Role of Supervisory personnel	-	Υ	-	-
Permit to Work (PTW)	-	Y	Y	У
Statutory Provisions (BOCW Act/Rules, Factories Act 1948 etc.)	Υ	Y	У	У
Material handling	-	У	Υ	Υ
Emergency Management	Υ	Υ	Υ	-
Electrical Safety	-	Υ	Υ	-
Fire safety	Υ	Υ	Υ	Υ
First Aid & CPR (cardio pulmonary resuscitation)	-	Υ	Υ	Y (Selected)
Safety in Welding & Cutting	-	-	Υ	-
Safety Audit	Υ	Υ		-
Safety in Lifting Tools & Tackles	-	Υ	Υ	У
Safety in Working at height	-	Υ	Υ	Υ
Safety in Confined space work	-	Υ	Υ	Υ
Defensive Driving	-	γ*	γ*	γ*

<sup>\*</sup>for construction vehicle operators, helpers & crane operators

Y=Yes

- **9.1** CLIMS (Contract Labor Information Management System) will be the criterion for entering or gate pass system if implemented at site.
- 9.2 The contractor shall ensure that all personnel working at site having a photo Identity card before they are engaged for any work and properly mentioned details like validity, Category/designation and work area etc. This ID card should be issued only after ensuring their screening test, medical fitness and safety induction training. Id card gate pass shall be indicated with 3 nos. of offence marks. With each offence the gate pass of concerned workmen/ supervisor will be punched giving on the spot indication of persons indulging in unsafe actions.
- **9.3** Drinking of Alcoholic beverages is strictly prohibited. Employees under the influence of any intoxicants, even to the slightest degree, shall not be permitted to remain at work. Each contractor should maintain 'breath analyzer' to determine the intoxicated workers at site.

#### **10 SAFETY AUDIT**

- 10.1 Internal Safety Audit once in every six months by the contracting agency and external safety audit as once in a year by third party shall be conducted, with prior intimation to EIC and NTPC Safety Deptt. The external auditing agency should be reputed safety institution or a certified Safety Auditor under any statutory legislation. The audit report along with time bound action plan should be submitted to Engineer-in-charge and NTPC Safety Dept.
- **10.2** Apart from above, Electrical Safety Audit shall be conducted quarterly by a team comprising of Electrical engineer, Safety representative of contractor and NTPC Electrical Erection representative covering the following and submit the report to EIC.
  - i) Electrical incidents investigation findings and remedial measures implemented.
  - ii) Adequacy of power supply requirements
  - iii) Power distribution system in place
  - iv) Updated electrical single line diagram including the IP44 DBs arrangement.
  - v) Electrical protection devices ELCBs, O/L protections etc.
  - vi) Earth or ground connection and earth pit maintenance details
  - vii) Education and training of electrical personnel undertaken
  - viii) Any other point appropriate to the site conditions.

## 11. SAFETY BUDGET

Every contracting agency should clearly estimate and allocate a separate budget head for safety requirements every year and make the safety activity plan for the year and submit to NTPC EIC & Head of Safety. Budget allocations should be practically adequate to the site safety requirements and the details shall be intimated to the concerned EIC and safety deptt. before start of the work under the contract and subsequently, every year by 15th of April. Engineer-in Charge in consultation with Head of Safety shall review and monitor the effective utilization of allocated budget for safety related activities by the Contractor.

## 12. REPORTING AND INVESTIGATION OF ACCIDENTS AND DANGEROUS OCCURRENCES:

- **12.1 Reporting of accidents:** Notice of any accident (the prescribed format is annexed to the manual) to a worker at the building or construction site that
  - (a) Causes loss of life; or
  - (b) Disables a worker from working for a period of **48 hours** or more immediately following the accident;

Shall forthwith be sent by Telegram, Telephone, Fax, Email or similar other means including special Messenger within **four hours** in case of **fatal accidents** and **72 hours** in case of **other accidents**, besides the Engineer-in-charge, to:

- I. The Regional Labour Commissioner (Central);
- II. The Board with which the worker involved was registered as a beneficiary;
- III. Director General of Building and other construction (regulation of employment and conditions of service) Act/Rules; and
- IV. The next of kin or other relative of the worker involved in the accident;
- **12.2** Further, notice of accident shall be sent in respect of an accident which
  - (a) Causes loss of life; or
  - (b) Disables the injured worker from work for more that 10 days to
    - (1) The Officer-in-charge of the nearest Police Station;
    - (2) The District Magistrate or, if the District Magistrate by order so desires, to
    - (3) The Sub-Divisional Magistrate;
- 12.3 Where any accident causing disablement that subsequently results in death, notice thereof in writing of such death, shall be sent the Authorities mentioned above within 72 hours of such death.
- 12.4 In case of an accident causing minor injury, first-aid shall be administered and that resulting in disability of 48 hours or more, the injured worker shall be given first-aid and immediately transferred to a Hospital or other place for medical treatment.
- **12.5** All near-miss accidents shall be reported to NTPC Engineer In-charge and Safety Officer as per prescribed format.
- **12.6 Reporting of dangerous occurrences:** The following classes of dangerous occurrences shall be reported to the Inspector having jurisdiction, whether or not any disablement or death caused to the worker, namely:
  - (a) Collapse or failure of lifting appliances, or hoist, or conveyors, or similar equipment for handling of building or construction material or breakage or failure of rope, chain or loose gears; or overturning of cranes used in construction work;
  - (b) Falling of objects from height;
  - (c) Collapse or subsidence of soil, any wall, floor, gallery, roof or any other part of any structure, platform, staging, scaffolding or means of access including formwork;
  - (d) Contract work, excavation, collapse of transmission;
  - (e) Explosion of receiver or vessel used for storage at pa pressure than atmospheric pressure, of any gases or any liquid or solid used as building material;

- (f) Fire and explosion causing damage to any place on construction site where building workers are employed;
- (g) Spillage or leakage of any hazardous substance and damage to their container;
- (h) Collapse, capsizing, toppling or collision of transport equipment;
- (i) Leakage or release of harmful toxic gases at the construction site;
- (j) In case of failure of a lifting appliance, loose gear, hoist or building and other construction work, machinery and transport equipment at a construction site, such appliances, gear, hoist, machinery or equipment and the site of such occurrence shall, as far as practicable, be kept undisturbed until inspected by the Authorities;
- 12.7 Every notice given for fatal accidents shall be followed by a written report to the concerned Statutory Authorities and the Engineer In-charge in the specified Form annexed as Schedule, under acknowledgement.
- 12.8 Incident / injury statistics shall be maintained by all agencies cause wise.

## 12.9 Investigation of accidents and dangerous occurrences

Besides reporting, it shall be the responsibility of the contractor to constitute a team (members as per the gravity of the incident) of responsible person to thoroughly investigate all incidents involving near-miss accidents, lost-time and reportable accidents and dangerous occurrences with a view to finding out the causative factor, taking remedial measures and fixing responsibility, and make a copy of the investigation report along with action-plan, specifying a definite time-frame for implementation of the findings, available to the Engineer in-charge forthwith.

## 13. MEDICAL AND FIRST AID AMENITIES:

- 13.1 It is the responsibility of each contracting agency to ensure the availability of suitable arrangements at their work site for rendering prompt and efficient First aid to injured persons.
- **13.2** Arrange one trained and certified first aid for every twenty workers in each shift.
- 13.3 Ambulance with proper equipment for prompt transportation of the injured persons to a physician or a hospital shall be provided before start of the work in cases where 500 or more than 500 workers are employed. For smaller contracts, where less than 500 workers are employed, Contractor shall have a tie-up with suitable Agency for providing Ambulance with proper equipment for prompt transportation of the injured persons to a physician or a hospital in case of an Accident / Emergency. Further, Contractor shall submit a proof of the same to EIC/Safety Officer of NTPC.
- 13.4 Deploy one full time construction medical officer (qualification as per Schedule XI of BOCW Central Rules -1998) for cases where 500 or more workers are employed (upto one thousand workers) and one additional construction medical officer for additional one thousand workers or part thereof. For smaller contracts, where less than 500 workers are employed, Contractor shall have a tie-up with suitable Hospital / Nursing home in the vicinity of the

Project/Site where work is being executed, for providing adequate medical treatment by qualified medical officers and nursing staff, as and when required. Further, Contractor shall submit a proof of the same to EIC/Safety Officer of NTPC.

Notwithstanding anything stated above, Contractor/Agency shall strictly comply with the requirements of relevant BOCW Act/ BOCW Rules/ Factory Act/Factory Rules/ any other statutory Act/Rules/Law with regards to providing suitable medical facilities to the workers.

In case contractor fails to employ the required construction medical officer alongwith Additional staff, corresponding payment for the same shall not be made and/or necessary action as per provisions of the Bidding documents shall be taken by NTPC.

- **13.5** Additional staff including one nurse, one dresser-cum compounder, one sweeper-cum-ward boy with each construction medical officer for full working hours
- **13.6** The Telephone nos. of Medical officer, Hospital(s) or ambulance shall also be conspicuously displayed at each work site.
- **13.7** First-aid kits as approved by medical officer shall be provided at accessible points in the ratio of at least one kit for every 50 employees.
- **13.8 Health Management:** The site manager shall implement health examinations for the working personnel on a regular basis.

Types of health examination	Target	Frequency		
General health examination	All workers	Annual		
Occupational health examination (Audiometric, PFT, Vision etc.)	Worker engaging in noise, dust, vibration, harmful light generating work	Annual		
Occupational health examination (Vision)	Personnel involved in operation of Cranes, heavy vehicles	Annual		
Occupational health examination (Vertigo/Height pass)	Workers engaged at Height Works	At the time of induction training and every year		

# 14. TESTING & EXAMINATION OF LIFTING, TOOLS, TACKLES, PRESSURE VESSELS AND OTHER EQUIPMENT:

**14.1** All the lifting equipment, tools, tackles, pressure vessels etc. shall be tested & examined as per BOCW or Factories Act and rules made there under.

- **14.2** The records & certificates of such testing & examination shall be maintained and readily available for reference to statutory authorities/engineer-in-charge.
- **14.3** Proper color coding system should be maintained and marking should be done accordingly on all lifting tackles.
- **14.4** Regular testing of ELCBs and RCCBs by competent electrician must be ensured by agencies and record should be maintained.

#### 15. EMERGENCY MANAGEMENT PLAN

- **15.1** The contractor shall ensure that an Emergency Management Plan is prepared to deal with emergencies arising out of:
  - a. Fire and explosion;
  - b. Collapse of lifting appliances and transport equipment;
  - c. Collapse of building, sheds or structure etc.;
  - d. Gas leakage or spillage of dangerous goods or chemicals;
  - e. Drowning of workers, sinking vessels, and
  - f. Landslides getting workers buried; floods, storms and other natural calamities.
- 15.2 While arrangements shall be made for emergency medical treatment and evacuation of the victim in the event of an accident or dangerous incident occurring, the chain of command and the responsible persons of the contractor with their telephone numbers and addresses for quick communication shall be adequately publicized and conspicuously displayed in the workplace.
- **15.3** It is also required that there is a tie-up with the hospitals and fire stations located in the neighborhood for attending to the casualties promptly and emergency vehicle kept on standby duty during the working hours for the purpose.
- 15.4 It shall be the responsibility of the contractor to keep the Local Law & Order Authorities informed and seek urgent help, as the case may be, so as to mitigate the consequences of an emergency. Prompt communication to NTPC, telephonically initially and followed by a written report, shall be made by the contractor.

## 16. ENFORCEMENT OF SAFETY CODE, SAFETY RULES & REGULATIONS:

The Engineer-In charge shall ensure that the contractor is exercising at all times, reasonable and proper precautions for the safety of people at works and complying with the provisions of current safety rules and laws according to safety code and relevant statutes of state/central governments. In case of negligence or default, the agency shall be penalized suitably as per penal provisions of NTPC Safety Rules.

#### 17. WORK PERMIT SYSTEM

17.1 The Contractor shall implement Work Permit system, which is a formal written system used to control certain types of work that are potentially hazardous. A work permit is a document, which specifies the work to be done, and the precautions to be taken. Work Permits form an essential part of safe systems of work for many construction activities. They start the work

only after safe procedures have been defined and clearance taken from respective NTPC EICs. Permits to Work are usually required in high-risk areas as identified by the Risk Assessments.

- **17.2** Examples of high-risk activities include but are not limited to:
  - i) Entry into confined spaces
  - ii) Cutting & welding
  - iii) Working at Height along with checklist iv) Working on electrical equipment
  - v) Heavy lifting operations
  - vi) Removal of grating/ Handrail / floor opening
  - vii) Material Shifting

The copies of recommended formats for reference is given in annexure-IV.

- **17.3** The permit-to-work system should be fully documented, laying down:
  - i) How the system works
  - ii)The jobs it is to be used for;
  - iii) The responsibilities and training of those involved; and
  - iv) How to check its operation;
- **17.4** A Work Permit authorization form shall be completed with the maximum duration period not exceeding 12 hours.
- 17.5 A copy of each Permit to Work (PTW) shall be displayed near to work are (on PTW Display board) in close proximity to the actual works location to which it applies.

#### 18. ACCESS TO AND FROM THE WORKPLACE

- **18.1** Safe, clean, well lit, unencumbered access and egress to and from work areas shall be maintained at all times in normal operating conditions.
- **18.2** The number and location of accesses and egresses from and to the workplace shall be adapted to the number of people likely to be present at any time, and therefore to evacuate from the workplace in case of emergency.
- 18.3 If access and egress to work areas are restricted due to operational conditions (e.g. access restricted due to pressure testing, etc.), alternative access and egress ways must be implemented, so far as is reasonably practicable. If this is not reasonably practicable, all concerned organizations and persons must be informed of the access restrictions, and work scheduling must be adapted in consequence.
- **18.4** Temporary access to height or into ground openings shall be of purpose made material such as scaffolds, stair cases/towers and ramps, which incorporate guardrails.

#### 19. INTERFERENCE WITH MOVING VEHICLES AND PEDESTRIANS

- 19.1 The circulation of vehicles and pedestrians must be segregated by establishing restricted areas, one way routes where possible, pedestrian crossing zones and designated parking areas.
- 19.2 The appropriate measures must be implemented in order to prevent collision between pedestrians and vehicles at pedestrian crossings. This may include, but shall not be limited to:
  - Mirrors;
  - Lighting;
  - Speed bumps before the crossing point.
- 19.3 Vehicle and pedestrian ways shall be physically separated with Hard-barriers, so far as is reasonably practicable, and be indicated with signs.





- 19.4 When it is not reasonably practical to implement a physical segregation, pedestrians must maintain safety distance of at least 2 meters from moving/operating vehicles at all times.
- 19.5 Traffic rules must be made visible through signage and traffic stops, consistent with those used on public
- **19.6** Roads as per road safety requirement.
- 19.7 All pedestrians on Project sites must wear high-visibility garments.
- 19.8 Pedestrians (including banksmen) must wear high-visibility garments in all areas where trucks and other vehicles (forklifts, cranes, etc.) maneuver. These areas must be clearly signaled / marked (floor painting, Hard-barriers, signs, etc.). Additional points:
- **19.9** Competent banksmen must be used for operations involving reversing or maneuvering where space or view is restricted.
- **19.10** Drivers must only operate vehicles they are competent to drive and must follow the established traffic routes and comply with all site rules.
- **19.11** The maximum driving speed on site is 15 km per hour.
- **19.12** Drivers and passengers must not get on or off moving vehicles.
- 19.13 When driving a forklift, forks must be lowered, the mast tilted back.
- **19.14** Smoking, eating, drinking, using a mobile phone or using earbuds or headphones when driving a vehicle is strictly prohibited.
- **19.15** When the vehicle is not in use, it must be ensured that:
  - The engine is stopped and prevented from unauthorized use (e.g.: starter key removed), brake applied (and with wheels chocked for heavy vehicles);
  - All raised parts are lowered to the ground or put in a safe position (cranes);
  - It does not obstruct emergency exits, other routes, fire equipment or electricity panels.

#### 20. HOUSEKEEPING

The contractor shall ensure that their work area is kept clean, tidy and free from debris generated by their activities. All debris/scrap should be stored in separate bins. The work

areas must be cleaned on a daily basis and a full cleaning session of each area shall be conducted on a weekly basis. All equipment, materials and vehicles shall be stored in an orderly manner. Access to emergency equipment, exits, telephones, safety showers, eye wash stations, fire extinguishers, pull boxes, fire hoses, etc. shall not be blocked or otherwise disturbed, restricted or delayed.

#### 21. STACKING AND STORAGE PRACTICE

Contractor Agency shall ensure stacked material is bonded on a stable and level footing capable of carrying the mass of the stack. Adequate clearances shall be provided between the sides of the stack and top to facilitate unimpeded access to service equipment like overhead wiring, cranes, forklifts and firefighting equipment, and hoses. Circular items shall be sufficiently choked with wedges not with odd bits of materials. Free-standing stacks of gunny bags and sacks such as Cement bags shall be stacked to prescribe safe stacking heights with layers formed for stable bonding, preventing slippage causing accidents. Stacking against walls shall not be permissible.

Contractor shall maintain the premises and surrounding areas in clean and clear manner with safe access and egress. There shall be sufficient and adequate storage racks, shelving, bins and pallets and material handling equipment to stack his construction materials such as Pipes, Structural and his construction enabling materials. Unwanted materials shall be promptly moved away for efficient material movement.

Any temporary store shed will be built in conformity with fire safety requirements. The stores must be provided with adequate lighting arrangement (Flame proof / intrinsically safe depending upon the Zone category) and must be equipped with sufficient fire extinguishing arrangement. "No Smoking" and other relevant signage must be displayed conspicuously at strategic locations and safety precautions must be strictly enforced.

All material should be kept at least 150mm above from the ground by providing wooden packing below. Maximum height of material stacking should not be greater than 3 meter. All loose material must be kept in wooden box or in sharp edge protected drum and material identification details to be displayed. Materials inside store room should be kept on scaffold rack.

Gas cylinder storage area must be 30m away from the hot work zone and separate storage facility must be available for empty and full cylinder with proper shed. Storage area must be design in a way that 6 meter distance between LPG/DA and oxygen maintained

#### 22. CONFINED SPACES

All Confined Spaces belonging to Subcontractor shall be identified and clearly signed posted as a confined space forbidden to unauthorized Personnel at every entrance. A method for preventing entry must be established and maintained for all Confined Spaces. Physical prevention system (such as locks) is preferred.

Before commencing work in a Confined Space, the Subcontractor must obtain a Permit to Work from the relevant authority.

The following requirements shall be met at any time:

- Only competent and trained workers can participate to work in confined spaces (as a minimum as per local Law). A Confined Space Entry Log (or equivalent) must be used to identify the person inside the Confined Space at any time;
- Air Analysis tests must be carried out to determine if the Confined Space is oxygen
  deficient and/or contains flammable substances, toxic agents, carbon monoxide
  and/or harmful physical agents. The air shall be analyzed before starting work,
  during work and after work. Adequate ventilation must be provided;
- Working in the confined space without a watcher is strictly forbidden. An adequate means of communication is required and shall enable easy and clear communication:
- Between those inside the space,
- Between those inside the space and those outside,
- To summon help in case of emergency;
- Adequate emergency provisions must be in place. In particular, necessary rescue
  equipment must be ready, pre inspected and available. The arrangements need to
  be suitable and sufficient for the rescue of persons in the event of an emergency.

## 23. FIRE PROTECTION AND PREVENTION

Routine hot works should be described in the contractor Risk Control Plan .Non-routine hot works are submitted to daily hot works permits given by the relevant authority.

Full and unrestricted access to emergency exits, fire-fighting equipment, fire control and emergency vehicles shall be maintained at all times. The Subcontractor shall provide, install and maintain their own temporary fire protection against hazards they introduce to the Site (work areas, storage areas, and temporary facilities under their responsibilities).

Fire extinguishers shall be inspected at least annually by a certified person and visually inspected monthly and documented by the Contractor.

#### 24. ELECTRICAL SAFETY

Personal authorization must be issued by Contractor Management (or formally designed delegates) likely to perform or supervise electrical works.

Without such an authorization validated by EIC, no Contractor's employee shall undertake electrical works.

No live work on high voltage or medium voltage is allowed. All high voltage and medium voltage electrical works must be performed on isolated equipment and only after verification of absence of voltage with suitable equipment. Low voltage and very low voltage live work is only allowed for measurement tests and checks of equipment. The below measures will be taken:

- Work practices must protect against direct or indirect body contact by means of tools or materials and be suitable for work conditions and the exposed voltage level
- A Lockout and Tagout procedure must be applied prior to commencing any electrical work.
   Prior to commencing works on isolated equipment, a verification of absence of voltage with suitable safety test equipment must be performed.
- Energized panels will remain locked with a specific key or tool whenever they are unattended and tagged with the signs and warnings indicating the presence of danger. If not reasonably practicable, a restricted area delimited with physical barriers and supported by warning signs must be implemented around the opened equipment.
- Only qualified electrical Contractor Personnel may enter substations and/or transformer vaults and only after being specifically authorized by NTPC EIC.
- All joints (Both terminal and intermediate) in cable should be made using lugs and joint area should be crimped using crimping tools.
- All temporary connection should be provided through 30mA ELCB/RCCB using 3 core double insulated cable and only 3 pin industrial plug top will be used for connection.
- Zero energy verification needs to be ensured before any electrical operation using only VAV before working on a live circuit which has been isolated
- Only industrial type DB to be used for connection and weather protection shed needs to be provided for every DB and shed height should not be less than man height.
- Double earthing protection must be provided for every electrical equipment and earthing value should be less than 1 Ohm
- Deployment of trained, experienced & licensed electrician as well as licensed electrical supervisor must be ensured at site as per Rule-45 of the Indian Electricity Rules, 1956;
- EIC May perform screening/ competency test for all contractor electrical professions i.e. electrical engineers and helpers. Selection/ rejection of the personnel who appear for the screening is sole discretion of EIC
- Electrical helper who will be engaged in helping the electrician/ engineer must have minimum ITI certificate to be eligible for working with him
- All PPE's used while being involved in electrical work must be as per IS Standards available for electrical work

#### 25. COMPRESSED GAS CYLINDERS

Gas cylinders shall be securely stored and transported, and identified and used in line with the safety Requirements as per Gas Cylinder Rules -2106.

Hose lines shall be adequately protected, inspected and tested for leaks in line with the safety Requirements. Flash back arrestor /NRV must be used at both ends of the hoses and all hose should be free from damage and fixed properly preferably using crimping clamps. Leakage test must be done before every use by soap solution and physical inspection of hose must be carried out regularly. Only trolley attached with wheel will be used for cylinder transportation in which cylinders must be kept secured with chain. Only Industrial type regulator fitted with two stage double dial pressure gauze is allowed to be used.

#### 26. LIFTING OPERATIONS

The Contractor shall prepare a lifting plan, checked and submit for authorization by contractor's competent authorized persons prior to any lifting operation and formally communicated to all persons undertaking the work.

All persons preparing, issuing lifting plans and all persons involved in lifting operations must be subject to formal competence checks by the contractor to ensure necessary training, experience and qualification prior to commencing work. The Subcontractor must ensure that their nominated Lifting Leader has appropriate qualifications.

Contractor lifting plans include:

The lifting methodology, step by step

The risk analysis of the operation including consideration for weather conditions and work environments (e.g.: proximity of hazards and obstructions to the load, consideration for overturning, load integrity) where appropriate and consideration for simultaneous operations and the measures taken to avoid conflicting tasks in the lifting area

The identification of the designated lifting area, the fall zone and the control measures to prevent access such as barriers, signs, etc.

The description of the type, weight, size, shape and center of gravity of the load and the method used for slinging, attaching and detaching the load with the availability of approved lifting points on load when necessary

The list of the certified and inspected equipment and lifting accessories to be used

The composition of the team required to perform the task (crane driver, rigger, etc.) with the needed qualifications and description of their roles and responsibilities including the intended communication method

Any Heavy equipment (crane, winch machine, etc.) manufactured less than 15 years from the current year shall be only allowed to be used at our project Site's. Pre-safety Inspection of the equipment by safety deptt. shall be done before mobilizing the equipment at our project site.

The contractor must ensure that a competent operational leader is formally appointed to supervise each lifting operation. All lifting plans must clearly define the specific roles and responsibilities for each person involved (e.g.: crane drivers, lifting coordinators and riggers) and must be checked and issued prior to lifting operation. Clear communication channels must be formally established and maintained between everyone involved in a lift with only authorized person giving instruction to the operator.

Special permission needs to be taken from NTPC EIC for tandem lifting and for any non-routine lifting operations must strictly adhere to the guidelines described in corresponding Standard / Procedures / Directive.

No employee of the contractor shall be positioned under a suspended load or between a suspended load and fixed objects.

All lifting equipment and accessories must have valid manufacturers certificates or thorough examination records and be uniquely identified, marked with the safe working load, listed in a register and subject to formal regular inspection as per EHS requirements and shall have valid certificates from a competent authority. Inspection before use by the operator is mandatory. All lifting hooks must have latch. All cranes shall be fitted with Automatic Safe Load Indicator (ASLI) and Anemo Meter.

The contractor shall operate and maintain cranes and hoisting equipment in accordance with manufacturers' specifications and limitations and the safety Requirements. All defective, non-inspected or unidentified (safe working load / identification number) lifting equipment or accessories must be either removed from site or physically prevented from use.

## 27. LOCKOUT TAGOUT ("LOTO")

Prior to performing work on Machines or Equipment, the Subcontractor shall ensure that all energy sources are isolated and verify the absence of residual energy (e.g.: by using specific voltage detecting device for electricity).

At any time, the contractor shall follow the Site-specific LOTO and Permit to Work rules. The contractor must ensure that all of their affected Subcontractor Personnel receive the necessary training. Lockout/ Tagout must be implemented before servicing and maintenance is performed on Machines and Equipment, which could unexpectedly start-up, become energized, or release stored energy exposing persons to a risk of injury, unless the works undertaken are performed using alternative measures that provide effective protection.

Absence of residual energy must be verified using the suitable equipment or process adapted to the machine and the kind of energy to be checked before start of work. The contractor must procure suitable VAV instrument for verification of absence of voltage before implementing LOTO all by themselves.

When the contractor is in charge of LOTO, each authorized person must be issued with an individual lock with a unique key. The contractor shall secure areas where energy sources have been de energized, so as to prevent the access of unauthorized personnel and erect suitable signs. All affected Personnel shall be notified.

Once an item of electrical equipment has been energized, an item of mechanical plant and/or System has been erected and released for Commissioning, no work will be allowed on such item of Equipment or System unless a valid Permit to Work (PTW) has been obtained from the relevant authority.

#### 28. MONTHLY SAFETY REPORT

Agency has to submit the monthly safety activity report in the form of Lead-Lag indictor to NTPC Safety Deptt. Sample format attached as annexure –IV.

29. In case the Contractor doesn't adhere to any of the provisions of the NTPC Safety Rules for Construction and Erection of Power Plants, corresponding payment for the provisions not adhered, shall not be made and/or necessary action as per provisions of the Bidding documents shall be taken by NTPC.

## **SECTION-II**

1. Safety at workplace and equipment

## **1.0 GENERAL PROVISIONS:**

1.1. Housekeeping:

- a. The contractor shall be primarily responsible for maintaining Good housekeeping and safety standards in the workplace;
- b. Loose materials that are not required for use shall not be placed or left behind so dangerously as to obstruct workplaces or passageways;
- c. All projecting nails shall be removed or bent to prevent injury;
- d. Equipment, tools and small objects shall not be left lying unattended or unsecured from where they could fall or cause a person to trip;
- e. Scrap, waste or rubbish shall not be allowed to accumulate in the site as these combustibles can create serious fire hazards and affect safe working;
- f. Workplaces and passageways that become slippery owing to spillage of oil or other causes shall be cleaned up or strewn with sand, ash or the like;
- g. Portable equipment shall be returned after use to their designated storage place.

## **1.2. Means of access and egress** shall consist of

- a. Adequate and safe means of access and egress shall be provided in all workplaces;
- b. The means of access and egress shall be maintained in a safe condition;

## 1.3 Lighting and ventilation

- a. All practical measures shall be taken to prevent smoke, fumes etc. from obscuring any workplace or equipment at which any worker is engaged;
- b. Adequate and suitable artificial lighting shall be provided where natural lighting is not sufficient as per IS 3646 (Part II). The artificial lighting so provided shall not cause any incidental any danger, including that of producing glare or disturbing shadows;
- c. To prevent danger to health from air contamination by dust generated during grinding, cleaning, spraying or manipulation of materials as also to provide protection against dangerous gases, fumes, vapours, mist, etc. effective arrangements shall be made for ventilation;
- d. Workers shall be provided with suitable respiratory protective equipment, if it is not technically possible to have uncontaminated air. To this end, a study by a competent person shall be made to decide on the due protection. Sufficient illumination at all times for maintaining safe working conditions shall be provided where building workers are required to work or pass, and for passageways, stairways and landings such illuminations shall not be less a than 0.5 foot candles at the floor level;
- e. Where natural lighting is not adequate to prevent danger, adequate and suitable lighting shall be provided as per IS: 3646 Part II;
- f. Artificial lighting shall not cause any danger due to a brightness greater than 10 foot candles per square inch, except where the angle of inclination from the eye to the source or the part pf the fitting as the case may be exceeds 20°, including that of producing glare or disturbing shadows;
- g. Where necessary to prevent danger to health from air contamination by dust from the grinding, cleaning, spraying, or manipulating of materials or objects, arrangements shall be made to limit the concentration of the pollutants by thorough ventilation, and dust generated due to movement of earthmoving machinery and other construction equipment, by spray of water in the area from time to time;
- h. Adequate ventilation by the circulation of fresh air shall be maintained in such places where the concentration of pollutants is likely to affect the health of the workers;

- i. Special care shall be taken to ventilate the workplace where gas cutting, welding or other operations involving generation of dangerous fumes, vapours, mists, gases etc is likely;
- j. Where it is technically not possible to eliminate dust or noxious or harmful fumes or gases sufficiently to prevent injury to the health of the workers, the contractor shall provide suitable respiratory equipment like dust mask or gas/fume mask or breathing apparatus or other suitable respiratory equipment.

## 1.4. Dangerous and harmful environment:

- a. When an internal combustion engine exhausts into confined space or excavation or tunnel or any other workplace where neither natural ventilation nor artificial ventilation system is adequate to keep the carbon monoxide content of the atmosphere below fifty parts per million, adequate and suitable measures shall be taken at such workplace in order to avoid exposure of building workers to health hazards;
- b. No building worker shall be allowed to enter any confined space or tank or trench or excavation wherein there is given off any dust fumes or other impurities of such nature and to such extent as is likely to be injurious or offensive to the building worker or in which explosives, poisonous, noxious or gaseous material or other harmful articles have been carried or stored or in which dry ice has been used as a refrigerant, or which has been fumigated or in which there is a possibility of oxygen deficiency, unless all practical steps have been taken to remove such dust, fumes or other impurities and dangers which may be present and to prevent any further ingress thereof, from such workplace or tank or trench or excavation;
- c. No worker shall be allowed to enter any such space unless a responsible person has certified it safe and fit for the entry of such building workers.

# **1.5. Fumes/gases due to Welding and gas-cutting operations:** When welding or cutting operations are carried out in a confined space:

- a. Adequate ventilation, by means of exhaust fans or forced draught, as the condition may require, shall be constantly provided; otherwise enough quantity of air shall be circulated by means of air compressors to dilute the contaminant within permissible limits;
- b. Workers shall take necessary precautions to prevent unburned combustible gas or oxygen from escaping inside a tank or vessel or other confined space;
- c. Welding or cutting operations on any container that has held explosives or where inflammable gases may have been generated, shall be undertaken after the container has been thoroughly cleaned by steam or other effective means; and
- d. Gas-test shall be carried out ensure that the confined space is completely free from combustible gases and vapours.

## 1.6. Dust, gases, fumes

 a. Concentration of dust, gases or fumes shall be prevented by providing suitable means to control their concentration within the permissible limit so that they may not cause injury or create health hazard to a building worker; b. For protection against such hazardous substances, besides efficient and effective means of control, personal protective equipment like dust masks, breathing apparatus, other respiratory appliances, goggles, as the case may be, shall be provided.

#### 1.7. Excessive noise:

- a. Adequate measures shall be taken against the harmful effects of an excessive noise;
- b. Use of earplugs/muffs and anti-vibration gloves shall be ensured to protect the workers from the impact of exposure to such dangers;
- c. The noise level in no case shall exceed as prescribed in the concerned Rules and exposure in excess of 115 dBA over the period of a quarter of an hour cannot be permitted:

#### 1.8. Corrosive substances:

- a. All corrosive substances, including alkalis and acids, shall be stored and used by a person dealing with such substances at a building or other construction work in such a manner that it does not endanger the building worker and suitable protective equipment shall be provided by the employer to a building worker during handling or use of such substances at a building or other construction work and in case of spillage of such substances on the building worker, immediate remedial measures shall be taken;
- b. While protection of the body could be ensured by use of corrosion resistant apparel/overalls, suitable goggles, gloves, apron, gum boots etc. shall be made available to all concerned personnel;
- c. To deal with an accidental spillage of a corrosive substance on the body of a worker, the facility of eyewash fountain or water shower, as the case may be, shall be installed, within the easy reach of the workplace.

## 1.9. Eye protection:

- a. Suitable personal protective equipment for the protection of eyes shall be provided and used by the building worker engaged in operations like welding, cutting, chipping, grinding or similar operations which may cause hazard to his eyes;
- b. Goggles or face shield or welding screen with suitable shade of glass/filters etc shall be provided for the protection of the eyes.

#### 1.10. Overhead protection:

- a. It shall be ensured that at the building or other construction site, overhead protection is erected along the periphery of every building under construction that shall be of fifteen meters or more in height when completed;
- b. Overhead protection shall not be less than two meters wide and shall be erected at a height not more than five meters above the base of the building and the outer edge of such overhead protection shall be one hundred fifty millimeters higher than the inner edge thereof or shall be erected at an angle of not more than twenty degrees to its horizontal sloping into the building;

c. It shall be also ensured that at the building and other construction work that any area exposed to risk of falling material, articles or objects is roped or cordoned off or otherwise suitably guarded from inadvertent entry of persons other than building workers at work in such area.

## 1.11. Lifting and carrying of excessive weight:

- a. No building worker lifts by hand or carries overhead or over his back or shoulders any materials, articles, tools or appliances exceeding in weight the maximum limits as set out in the following table unless aided by any other building worker or a mechanical device;
- b. No worker aided by other workers, lift by hand or carry overhead or over their back or shoulders any materials, articles, tools or other appliances exceeding in weight the sum total of the maximum limits as prescribed in the concerned Rules, unless aided by a mechanical devices:

## 1.12. Protections against fall of persons -

- a. All scaffolds/working platforms at height of two metres or more shall be fenced;
- All guard-rails for the fencing of floor openings, gangways, elevated workplaces shall be made of sound material, good construction and possess adequate strength and be between 1 m and 1.5 m above platform level, consist of two rails (two ropes or chains may be used if they are sufficiently taut) and supporting stanchions;
- c. Intermediate rails, ropes or chains shall be midway between the top and lower of edges of the top rail;
- d. Sufficient number of stanchions or standard poles or uprights shall be maintained to ensure the required stability and resistance;
- e. Guard-rails shall be free from sharp edges and be maintained in good repair;
- f. Floor openings through which persons could fall, shall be guarded by covering or fencing;
- g. If the means of protection is removed to allow the passage of persons or goods or other purpose, the same shall be replaced as soon as possible, while making temporary arrangements for reasonable degree of safety in the meanwhile;
- h. Covers for floor opening shall be safe to walk on and if vehicles operate thereon it shall be safe for the same. This will require the contractor to have prior assessment of expected loads;
- i. Cover for floor opening shall be secured by hinges, grooves, stops or other effective means against sliding, falling down or lifting out or any other inadvertent displacement;
- j. Covers for any openings shall not constitute any hindrance to traffic and, as far as practicable, be flush with the floor;
- k. If covers constitute as grids, the bars shall be spread not more than 5 cm apart;
- Elevated workplaces at more than 2 m above the floor or ground shall be protected on all open sides by guardrails. It is commonly observed that fragile barricade tapes are used as a substitute of a strong and dependable fencing. This practice is prohibited. The barricade tapes can be used as markers/route guide only;
- m. Elevated workplaces shall be provided with safe means of access and egress such as stairs, ramps or ladders according to suitability;
- n. Persons employed at elevated workplaces or other situations at more than 2m from which they may fall, shall be protected by means of adequate safety nets, or platforms, or be secured by

safety belts with the lanyard properly anchored above the head level of the user. All possible effort shall be made to have strong and dependable mechanical arrangement.

## 1.13. Protection against fall of objects and materials:

- a. Materials and objects such as scaffolding materials, waste materials or tools shall not be thrown up or down from heights, as they are liable to cause injury;
- b. If materials and other objects cannot be safely lowered from heights, adequate precautions such as the provision of fencing, lookout men or barriers shall be provided to protect any person from injury.

## 1.14. Protection against entry of unauthorized persons:

- a. Construction zones in the site and built up areas alongside main traffic routes shall be barricaded:
- b. Unauthorized persons shall not be allowed access to construction sites and visitors shall be provided with the required protective equipment and it be ensured that they use them effectively.

## 1.15. Head protection and other protection apparel:

Every building worker who is required to -

- a. Pass through or working within the areas where there is hazard of his being struck by falling objects or materials, shall be provided with safety helmets of the type approved and tested in accordance with the national standards;
- b. Work in water or in wet concrete or in other similar work, shall be provided with suitable waterproof;
- c. Work in rain or in similar wet condition, shall be provided with waterproof coat with hat;
- d. Workers using or handling of alkalis, acid or other similar corrosive substances shall be provided with appropriate protective equipment in accordance with the approved standards;
- e. Every building worker engaged in handling sharp objects or materials at a building or other constriction work, which may cause hand injury, shall be provided with suitable hand gloves in accordance with the approved standards.

## 1.16. Stability of structures:

a. No wall, chimney or other structure or part of a structure shall be left unsupported in such condition that it may fall, collapse or weaken due to wind pressure, vibration or due to any other reason. Entry of persons into such locations where tall structures are being built shall be regulated without a let up.

## 1.17. Safety of Structures and equipment and other safety concerns

- a. Safety of structures like scaffoldings, platforms, gangways/walkways, towers, stairs, ladders, ramps, safety in excavation, formwork, falsework, demolition work, storage, handling and use of explosives, inflammable substances and hazardous materials, gas cutting and welding, use of electricity etc.; and equipment viz. construction machinery, crushers and batching plant, boiler and other pressure vessels, transport and material handling equipment, lifting appliances, vehicles etc., shall be operated and maintained as per approved norms and
  - i. They shall be made of sound material and of good construction, free from patent defects, provided with adequate safe guards, properly maintained, periodically inspected and strong enough to withstand safely the loads and stresses to which they may be subjected;
  - ii. They shall carry enough factor of safety bearing in mind that the possibility of their abuse, which otherwise shall be prevented by constant and adequate supervision, cannot be ruled out altogether;
  - iii. It is incumbent on the contractor to ensure that only competent and authorized persons operate the equipment or attend to electrical and mechanical systems and repair of faults or breakdowns etc.
- b. Working in the confined space may involve certain serious hazards. Strict adherence to the conditions of Permit-to-work issued for the purpose is required;
- c. Control of energy sources shall be ensured through Log-out/Tag-out practices.

## 1.18. Slipping, tripping, cutting, drowning and falling hazards:

- a. The contractor shall keep all passageways, platforms and other places free from accumulations of dust, debris or similar material and from other obstructions that may cause tripping;
- Any sharp projections or protruding nails or similar projections which may cause any cutting hazard to a building workers shall be removed or otherwise made safe by taking suitable measures;
- c. No contractor shall allow any building worker at construction work to use the passageway, or a scaffold, platform or any other elevated working surface which is in slippery and dangerous condition and shall ensure that water, grease, oil or other similar substances which may cause the surface slippery, be removed or sanded/saw-dusted or covered with suitable material to make it safe from slipping hazard;
- d. Wherever building workers are exposed to the hazarded of falling into water, they shall be provided with rescuing arrangement from such hazard and if it is considered necessary, well equipped boat or launch manned with trained personnel shall be provided by the contractor at the site of such work;
- e. Every open side or opening into or through which a building worker, vehicle or lifting appliance or other equipments may fall at a building or other construction work shall be covered or guarded suitably to prevent such fall except where free access is necessary by reasons of their nature of the work;
- f. Wherever building workers are exposed to the hazards of falling from height while employed on such work they shall be provided by the employer with adequate equipment or means for

- saving them from such hazards, Such equipments or means shall be in accordance with the standards as laid down;
- g. Whenever there is a possibility of falling of any martial, equipment or building worker at a construction site relating to a building or other construction work, adequate and suitable safety net shall be provided in accordance with the above stipulation;

## 2.0 SAFETY IN MATERIAL HANDLING AND WASTE DISPOSAL

## **2.1. GENERAL PROVISIONS:**

- a. All building materials stored in tiers shall be stacked, racked, blocked, interlocked or otherwise secured safely to prevent sliding, falling or collapse and in an orderly manner to avoid obstruction of any passageway at the place of work. Piles of materials shall be stored or stacked in such a manner as to ensure their stability;
- b. Maximum safe load limits of floors within buildings and structures in kg/cm<sup>2</sup> shall be conspicuously posted in all storage areas, except for floor or slab on gradient. Maximum safe load shall not be exceeded. Material or equipment shall not be stored upon any floor or platform in such quantity as to exceed its safe carrying capacity;
- c. Ailes and passageways shall be kept clear to provide for the free and safe movement of material handling equipment or persons. Such areas shall be kept in good repair;
- d. When a difference in road or working levels exist, means such as ramps, blocking or grading shall be used to ensure the safe movement of vehicles between two levels;
- e. Material stored inside buildings under construction shall not be placed within 2 m of any hoist way or inside floor openings nor within 3.2 m of exterior wall which does not extend above the top of material stored;
- f. Persons employed required to work on stored material in silos, hoppers and similar storage areas shall be equipped with lifelines and safety belts;
- g. Non-compatible materials shall be segregated in storage;
- h. Bagged materials shall be stacked by stepping back the layers and cross-keeping the bags at least every 10 bags high;
- i. Materials shall not be stored on scaffolds or runways in excess of supplies needed for immediate operations;
- j. Bricks stacks shall not be more than 2.2 m in height. When a loose brick stack reaches a height of 1.3 m it shall be tampered back 5 cm in every foot of height above the 1.25 m level;
- k. When masonry blocks are stacked higher than 2 m, the stack shall be tapered back on half block per tier above the 2 m level;
- I. Material or equipment shall not be stored or placed so close to any edge of a floor or platform as to endanger the safety of persons below or working in the vicinity. Where stacking, unshackling, stowing or unstaring of construction material or article, or handling in connection therewith cannot be safely carried out unaided, reasonable measures to guard against accident or dangerous occurrences shall be taken by shoring or otherwise to prevent any danger likely to be caused by such handling;
- m. Stacking of material or article shall be made on firm foundation not liable to settle and such material or article and shall not overload the floor on which such stacking is made;

- n. The material or articles shall not be stacked against partition or walls of a warehouse or stores unless it is known that such partition or the wall is of sufficient strength to withstand the pressure of such materials or articles;
- o. The materials or articles shall not be stacked to such a height and in such a manner as would render the pile of such stack unstable and cause hazards to the building workers or the public in general;
- p. Where the building workers are on stack exceeding one point five meters in height, safe means of access to the stack shall be provided;
- q. All stacking or unshackling operations shall be performed under the supervision of a responsible person for such stacking or unstacking;
- r. The stacking of construction materials or articles shall not be made near the site of excavation, shaft, pit or any other such opening;
- s. Stacks that may lean heavily or become unstable or collapse are barricaded shall be avoided;
- t. Structural steel, poles, pipe, bar stock and other cylindrical materials, unless racked, shall be stacked and blocked so as to prevent sliding, spreading or tilting.

#### **2.2. LUMBER:**

- a. Used lumber shall have all nails withdrawn before stacking;
- b. Lumber shall be stacked on level and solidly supported sills;
- c. Lumber piles shall not exceed 6 m in height provided that lumber is handled manually, shall not be stacked more than 5 m height;
- d. Lumber shall be so stacked as to be stable and self-supporting.

#### 2.3. STACKING OF CEMENT AND BAGS CONTAINING OTHER MATERIALS:

- a. The cement or other material in bags shall be stacked in a header and stature-wise in rows alternately in not more than 10 numbers and there will be circulation of space of at least 600 mm in between two such rows;
- b. While removing bags from the stack pile the stability of such stack pile shall be ensured;
- c. Bags containing cement or lime shall be stored on a firm ground;
- d. The materials like bricks, tiles or blocks shall also be stored on a firm ground;
- e. Reinforcing steel shall be stored according to its shape, size and length and stack of reinforcing steel kept as low as possible;
- f. No pipe shall be stored on rack or in stack where such pipe is likely to fall by rolling;
- g. The angle of repose shall be maintained where loose materials are stacked;
- h. When dust laden material is to be stored or handled, measures shall be taken to suppress the dust produced by such storing or handling and suitable personal protective equipment supplied to and used by the building workers working for such storing or handling.

#### 2.4. DISPOSAL OF DEBRIS AND WASTE MATERIAL:

- a. It shall be ensured that debris is
  - i. Handled and disposed of by a method, which does not cause danger to the safety of a person and not allowed to accumulate so as to constitute a hazard;
  - ii. Kept sufficiently moist to bring down the dust under control;
  - iii. Not thrown inside or outside from any height of such building or other construction work;
- Brought down by suitable means/chutes provided for the purpose and on completion of work, leftover building material, article or other substance or debris shall be disposed off as soon as possible to avoid any hazard to any traffic or person;
- c. Whenever materials are dropped more than 6 m to any point lying outside the exterior walls of the building an enclosed chute of wood, or equivalent material shall be used;
- d. When debris is dropped through holes in the floor without the use of chutes, the area where the material is dropped shall be completely enclosed with barricades not less than 1.1 m high and not less than 1.9 m back from the edge of the opening above. Signs warning of the hazard of falling material shall be posted at each level;
- e. All scrap lumber, waste material and rubbish shall be removed from the immediate work area as the work progresses;
- f. Disposal of waste material or debris as per the guideline issued by CPCB in compliance of Rule 10 sub-rule 1(a) of C & D Waste Management Rules, 2016).
- g. All bio-degradable material shall be disposed off in the pit for making compost. Pellets can also be made from bio-degradable material
- h. All solvent wastes, oil rags and flammable liquids shall be kept in fire resistant covered containers until removed from the work site.

## 2.5. HANDLING GAS CYLINDERS:

a. Gas cylinders shall not be lifted on bare slings. For lifting the cylinders, cage of suitable size shall be used and all cylinders shall be horizontally positioned in it. Such cage shall have fencing in such a way that there is no possibility of fall of cylinders from this cage.

## 2.6. RIGGING EQUIPMENT FOR MATERIAL HANDLING:

- Rigging equipment for material handling shall be inspected prior to use in each shift as necessary during its use to ensure that it is safe. Defective rigging equipment shall be removed from service;
- b. Rigging equipment shall not be loaded in excess of its recommended safe working load, as prescribed in the Indian standards;
- c. Rigging equipment, when not in use, shall be removed from the immediate work area so as not to present a hazard to persons engaged in the area;

- d. Special custom designed grabs, hooks, clamps, or other lifting accessories, for such units as modular panels, prefabricated structures and similar materials, shall be marked to indicate the safe working loads shall be proof tested prior to use 125% of their rated load;
- e. Welded alloy steel chain slings shall have permanently affixed-durable identification standing size, grade, rated capacity and manufacturer.

#### 2.7. FENCING OF MOTORS ETC

- a. All motors, cogwheels, chains and friction gearings, flywheels, shafting and the other dangerous and moving parts of machinery (whether or not driven by mechanical power) and steam pipes shall be securely fenced and the fencing of dangerous parts of machinery not removed while such machinery is in motion or in use;
- No part of any machinery which is in motion and which is not securely fenced, shall be examined, lubricated, adjusted or repaired except by a person skilled and trained for such examination, lubrication, adjustment or repairs and machine parts cleaned only when such machine is stopped;
- c. When a machine is stopped for servicing or repairs, adequate measures shall be taken to ensure that such machine does not restart inadvertently and not only tag-out sign is required; it is also essential that an active system of isolating the power be applied.

#### 2.8. PROTECTION AGAINST LIGHTNING

- **a.** Where necessary, installations shall be protected against lightning, provided further that;
- b. No bare conductors or bare current-carrying parts of equipment be permitted to be installed unless adequate precautions are taken to prevent direct pr indirect contact;
- c. Only flame-proof equipment and conductors shall be installed at places where explosives or inflammable substances are stored, handled or used or where explosive atmosphere exits;
- d. Persons competent and authorized only shall attend to electrical breakdowns and other operational faults and give or restore power to an equipment and such persons shall be easily identifiable by their dress or special helmet worn;
- e. It will constitute a standard practice to switch off portable tools while shifting from one place to another or while leaving them behind unattended;
- f. The contractor shall ensure that a system is in place to always keep tools well maintained.

#### 2.9. VEHICULAR TRAFFIC

a. Whenever any building or other construction work is being carried on, or is located in close proximity to a road or any other place where any vehicular traffic may cause danger to building workers, it shall be ensured that such building or other construction work is barricaded and suitable warning signs and lights displayed or erected to prevent such danger and if necessary, a request in writing made to the concerned authorities to control such traffic;

- b. All vehicles used at construction site shall comply with the requirements of the Motor Vehicles Act, 1988 (59 of 1988) and the Rules made hereunder;
- c. The driver of a vehicle of any class or description operating at a construction site shall hold a valid driving license under the Motor Vehicles Act. 1988 (59 of 1988).

## 2.10. USE OF SAFETY BELT OR OTHER FALL ARREST SYSTEMS:

Wherever any work at a height of 3 m or more is carried out, use of a suitable fall arrest system is mandatory if the workplace has already not been provided with an otherwise reliable means of protection for preventing the fall of persons from that height, provided further that:

- a. Safety belt, lanyard, life lines and devices for the attachment of such life lines shall conform to the approved standards;
- b. Every building worker shall be supplied with safety belt and safety life lines for his protection and such building worker shall use such belts and life lines during the performance of his work;
- c. All building workers using safety belt and safety life lines shall have the knowledge of safe use and maintenance of such belts and life lines and shall be supplied with necessary instructions for its use;
- d. The responsible person for supervising the use of safety belts and safety lifelines shall inspect and ensure that such safety belts and lifelines are fit for use before taking them into use.

#### 2.11. SAFETY NET AND ITS USE

- a. Every safety net shall be of adequate strength, made of sound material and suitable for use and conform to the approved standards;
- b. The responsible person for maintenance of safety nets and their use shall ensure safe fixing of such safety nets and provide such safety nets with suitable and sufficient anchorage so that the purposes for which such safety net is intended for use is served;
- c. Use of multi-layer safety net to be ensured to avoid fall of material/objects.

#### 2.12. STORAGE OF SAFETY BELTS AND NETS, ETC:

a. Proper arrangement shall be made for the safe storage of safety belts, safety lifelines and safety nets when they are not in use and are protected against mechanical damage, damages from chemicals and damages from biological agents.

## 2.13. SAFETY HELMETS AND SAFETY FOOTWEAR

- a. The Engineer in-charge may declare whole or part of a site as the hardhat area and in such an eventuality it shall be the responsibility of the contractor to provide safety helmet of the approved quality to all personnel engaged in construction and erection work, including the visitors to the site;
- b. Accordingly, wherever safety footwear is required for the safety of the personnel, the contractor shall provide the same of the approved type free of charge.

# 3.0 WELDING AND GAS CUTTING OPERATIONS

#### 3.1 GAS WELDING:

#### **3.1.1 GENERAL PROVISIONS:**

- a. All welders shall be provided with fire resistant protective clothing and equipment, such as fire resistant gauntlets and aprons, helmets and goggles with suitable filter lenses and its usage shall be ensured;
- b. The welders shall not be allowed to wear clothing that is not free from grease, oil and other flammable material;
- c. Adequate precautions shall be taken to protect persons working or passing near welding operations from dangerous sparks and radiation;
- d. When welding or cutting is being done on materials containing toxic or harmful substances or liable to produce toxic or harmful fumes, adequate precautions shall be taken to protect workers from the fumes, either by
  - i) Exhaust ventilation, or
  - ii) Respiratory protective equipment;
  - iii) Arrangement shall be made so that welding sparks do not fall down on the persons working below or material, which are combustible in nature and may be damaged with such sparks.
- e. The oxygen pressure for welding shall always be high enough to prevent acetylene flowing back into the oxygen cylinder;
- f. Acetylene shall not be used for welding at a pressure exceeding 1 atmosphere gauge;
- g. Adequate precautions shall be taken to prevent:
  - i) Fire being stated by sparks,
  - ii) Slag or hot metal; and
  - iii) Damage to fibre ropes from heat, sparks, slag or hot metal;
- h. Precautions shall be taken to prevent flammable vapours and substances from entering the working area;

#### **3.2. WELDING AT PLACES WITH FIRE RISKS:**

- a. Unless adequate precautions are taken, no welding or cutting operations shall be allowed near the place where combustible materials are stored, or near materials or plant where explosive or flammable dusts, gases or vapours are likely to be present or given off. If hot work permit system exists at the site, the same shall be followed;
- b. Combustible materials and structures that cannot be removed from the vicinity of welding operations shall be shielded by asbestos or protected by other suitable means.

## 3.3. WELDING IN CONFINED SPACE:

When welding or cutting operations are being carried out in a confined space;

 Adequate ventilation, by means of exhaust fans or forced drought as the condition may require, shall be constantly provided; otherwise enough quantity of air shall be flown in by means of compressors to dilute the pollutants;

- b. No blow pipe shall be left unattended inside a tank or vessel or other confined space during meal break or other interruption of the work;
- c. The worker shall take all necessary precautions to prevent unburned combustible gas or oxygen from escaping inside a tank or vessel or other confined space; and
- d. When necessary to prevent danger, an attendant shall watch the welders from outside.

#### 3.4. WELDING ON CONTAINERS FOR EXPLOSIVE OR FLAMMABLE SUBSTANCES:

Welding or cutting operations on containers in which they are explosives or flammable substances shall not be allowed;

- i) Welding or cutting operations on any container that has held explosive or where flammable gases may have been generated, shall only be undertaken,
- ii) After the container has been thoroughly cleansed by steam or other effective means; and
- iii) Found by air tests to be completely free from combustible gases and vapours; or
- iv) After the combustible gas in the container has been completely replaced by an inert gas or by water;
- v) If an inert gas is used as laid down in clause 4.2.3, after the vessel has been filled with gas, the gas shall continue to flow slowly into it thorough out the welding or cutting operations;
- vi) Before starting any welding operations on, or otherwise applying heat to, closed or jacketed containers or other hollow parts, such containers or parts shall be adequately vented in suitable manner.

## 3.5. GAS CYLINDERS

- a. Gas cylinders shall be inspected, stored, handled and transported in conformity with the requirements of Gas Cylinders Rules, 1981;
- b. When in use, cylinders shall be held in upright positions by straps, collars or chains;
- c. Devices referred to in clause 6.2 shall be such that the cylinders can be rapidly removed in an emergency;
- d. Welders shall not temper with or attempt to repair safety devices and valves on gas cylinders;
- e. When acetylene cylinders are coupled, flash back arrestor shall be inserted between the cylinder and the coupler block, or between the coupler bock and the regulator;
- f. Only acetylene cylinders or approximately equal pressure shall be coupled;
- g. No gas shall be taken from a cylinder unless a pressure reducing regulator has been attached to the valve;
- h. Only the right pressure reducing regulator shall be used for the gas in the cylinder;
- i. Cylinder valves shall be kept free from gases, grease, oil, dusts and dirt;
- j. Leaky cylinders charged with acetylene or liquefied fuel gas shall be taken into the open air at a safe distance from any open flame or sparks.

## 3.6 HOSE

- a. Only hose especially designed for welding and cutting operations shall be used to connect an oxyacetylene torch to gas outlet;
- b. Hose lines for oxygen and for oxy-acetylene shall be of different colours and preferably of different size;
- c. Hose connections shall be sufficiently light to withstand without leakage a pressure twice thee maximum delivery pressure of the pressure regulators in the system;

- d. Care shall be taken that hose does not become kinked or tangled, stepped on or run-over or otherwise damaged;
- e. Any length of hose in which a flashback has burned, shall be discarded;
- f. No hose with more than one gas passage shall be used;
- g. Only soapy water shall be used for testing hose for leaks.

#### 3.7. TROCHES

- a. When torches are being changed, the gases shall be shut off at the pressure reducing regulators and not by crimping hose;
- b. Torches shall be lit with friction lighters or other safe source but not with matches.
- c. Electric welding equipment:
- d. Welding machines shall be controlled by a switch mounted on or near the machine framework that, when opened, immediately cuts off the power from all conductors supplying the machine;
- e. Welding circuit shall be so designed as to prevent the transmission of high potential from the source of supply to the welding electrodes;
- f. The maximum open circuit voltage shall be in accordance with Indian Standards;
- g. Electrode conductors or cables shall not be excessive in length and shall not be longer that necessary to perform the work;
- h. Return conductors shall be taken directly to work and securely connected mechanically and electrically to it or to the work bench, floor etc. and to an adjacent metallic object;
- i. Cable shall be supported so as not to create dangerous obstruction;
- j. Motors, generators, rectifiers and transformers in arc welding or cutting machines, and all current carrying parts, shall be protected against accidental contact with uninsulated live parts;
- k. Ventilating slots in transformer enclosures shall be so designed that no live part is accessible through any slot;
- I. Frames of arc welding machines shall be effectively earthed;
- m. In hand-operated arc welding machines, cables and cable connectors used in arc welding circuits shall be effectively insulated on the supply side;
- n. The outer surface electrode holders of hand-operated arc welding machines, including the jaw so far as practicable, shall be effectively insulated;
- o. Electrode holders of hand-operated arc-welding machines shall, if practicable, be provided with discs or shields to protect the operator's hands from the heat of the arcs;
- p. Only heavy-duty cable with unbroken insulation shall be used;
- q. Circuit connections shall be waterproof;
- r. When lengths of cable have to be joined, only insulated connectors shall be used on the earth line and the electrode holder line;
- s. Connections to welding terminals shall be made at distribution boxes, socket outlets, etc. by bolted joints;
- t. Welding terminals shall be adequately protected against accidental contact by enclosures, covers or other effective means;
- u. Electrode holder shall
  - i. Have adequate current capacity;
  - ii. Be adequately insulated to prevent shock, short-circuiting or flashovers.

#### 3.8. OPERATIONS

- a. Arc welding and cutting operations that are carried on at places where persons other than the welders are working or passing shall be enclosed by means of suitable stationary or mobile screens;
- b. Walls and screens of both permanent and temporary protective enclosures shall be provided to absorb harmful rays from the welding equipment and prevent reflection, and if necessary, be painted or otherwise treated for the purpose;
- c. When arc welding is done in damp confined spaces;
  - i) Electrode holders shall be completely insulated; and
  - ii) The welding machines shall be outside the confined space;
- d. Welders shall take adequate precautions
  - i) To prevent any part of their body from completing an electric circuit
  - ii) To prevent contact between any part of the body and the exposed part of the electrode, or electrode when in contact with metal; and
  - iii) To prevent wet or damaged clothing, gloves and boots from touching any live part;
- e. Welding circuits shall be switched off when not in use;
- f. Electrodes shall only be inserted in the holder with insulating means such as insulating gloves;
- g. Electrode and return leads shall be adequately protected against damage;
- h. Live parts of electrode holders shall be inaccessible when they are not in use;
- i. Electric arc-welding equipment shall not be left unattended with current switched on.

# 4.0 SAFETY IN THE USE OF ELECTRICITY

#### 4.1. GENERAL PROVISIONS

- a. Before commencement of any building or other construction work, adequate measures shall be taken to prevent any worker from coming into physical contact with any electrical equipment or apparatus, machines or live electrical circuit which may cause electrical hazard during the course of his employment and suitable warning signs shall be displayed and maintained at conspicuous places in Hindi and in local language understood by the majority of the building workers;
- b. In workplaces where the exact location of underground electric power line is not known, the building workers using jack hammers, crow bars or other hand tools which may come in contact with a live electrical line shall be provided with approved insulated protective gloves and footwear;
- c. As far as practicable, no wiring or cable, which may come in contact with water or which may be mechanically damaged or which may result in electric shock shall be left on ground or;
- d. All electrical appliances and current carrying equipment used shall be made of sound material and adequately earthed;
- e. All temporary electrical installations shall be provided with earth leakage circuit breakers;
- f. It is required that all portable power-driven hand tools are provided with double insulation to secure a high degree of protection from electrical hazards;
- g. Electrical installations shall comply with the requirements of any law for the time being in force, especially the Indian Electricity Act/Rules in particular with specific reference to the following:
  - i) All parts of installations shall be of standard construction not lower, from the safety point of view, than the national standards, as applicable. All parts of electrical installations shall be so constructed, installed and maintained so as to prevent electrical fires, explosion and shock;
  - ii) Earthing of metal work of electrical equipment, other than the parts which carry current, shall be provided and will conform to Electricity Act and IS: 3042 1966 (code of practice for earthing);
- h. All parts of electrical installation shall be adequate size and characteristics for the work they may be called upon to do and in particular they shall:
  - i) Be of adequate mechanical strength to withstand working conditions in construction operations; and
  - ii) Be not liable to damage by water, dust or electrical, thermal or chemical action to which they me subjected to in construction operations;
- i. All parts of electrical installations shall be so constructed, installed and maintained as to prevent the danger of electric shock; fire and external explosion;
- j. It shall be made impossible for circuit breakers to be opened or closed inadvertently, by gravity or by mechanical impact;

- k. Before operation of OCBs, oil level must be checked and the event of short, extra quantity must be filled;
- I. Use of rubber gloves and rubber gum boots of tested quality where electric shock is likely to occur shall be provided, but these shall not be considered as providing adequate protection against the risk of electric shock in lieu of inbuilt safety arrangement in the system;
- m. First-aid boxes, instruction for restoration of persons affected by electric shock shall be made;
- n. Arrangement shall be made for sufficient number of CO<sub>2</sub>/chemical powder type fire extinguishers/sand buckets etc.;
- o. No electrical circuits shall ever be overloaded to the dangerous extent or beyond the rated capacity;
- p. In confined areas, only 24 volt supply shall be used for every equipment, including hand-held portable tools and hand lamps;
- q. All electrical appliances and outlets shall be clearly marked to indicate their purpose and voltage.

## **4.2. FUSES**

- a. Fuses shall bear markings indicating their rated current, whether they are of the fast or slow-breaking type and, as far as practicable, and their rated breaking capacity. Fuses as per need and of correct rating shall be used in the circuit;
- b. Effective measures shall be taken to ensure that persons removing or inserting fuses will not be endangered, in particular by any adjacent live parts;
- c. In case of blow of fuses only after finding out and correcting of the fault, new fuses shall be provided in the circuit.

## 4.3. SWITCHES

- a. All switches shall be of enclosed type and so installed and earthed as to prevent danger in their operation;
- b. Use of switches, which may connect or disconnect circuit through gravity, shall not be used.

## 4.4. MOTORS

- a. All motors shall be equipped with a switch;
- b. When a motor can be cut off from more than one place, where practicable, a stopping device shall be installed in the immediate vicinity of the motor;
- c. Motors shall be so installed as to ensure that they can be adequately cooled;
- d. Motors shall be effectively protected against over current;
- e. Whenever the motors installed are in the open area where there is the possibility of fall of liquid corrosives or otherwise, it shall be suitably protected with covering;
- f. Earthing shall be connected to all motors, generators etc. as prescribed in the Indian Electricity Rules, amended from time to time.

## 4.5. CONNECTIONS

- a. At points where conductors are joined, branched or led into apparatus, they shall be:
  - i. Mechanically protected, and
  - ii. Properly maintained;

- b. Conductors shall be joined, branched or led into an apparatus through junction boxes, bushings, glands or equivalent connecting devices;
- c. Junction boxes or plug-out-socket couplings shall be used for joining cables wherever practicable;
- d. When parts of conductors are joined together, or conductors are joined to one another or to an apparatus, the attachment shall be made by screwing, clamping, soldering, riveting, brazing, crimping, or equivalent means. Loose connections shall not be provided in any case;
- e. Cable joints, junction boxes and connectors shall be protected as far as practicable, against traffic, fall of ground, water and other sources of damage;
- f. Whenever armoured cables are joined, the junction boxes shall be bridged by a suitably conducive bond between the armouring of the cables.

## 4.6. TRANSPORTABLE AND PORTABLE ELECTRICAL EQUIPMENT:

- a. The supply of electricity to portable apparatus shall not exceed 250v;
- b. Hand-held and portable machines shall be equipped with a built-in switch to switch off power in case of emergency;
- c. Hand-held electrically operated tools shall be provided with built-in switch to disconnect the circuit when the tool is not being used;
- d. Portable electrical tools, unless flameproof, shall not be used in flammable or explosive atmosphere;
- e. Only three-core cable shall be used for single-phase operated tools with the third core connected to earth

## 4.7. HAND LAMPS

- a. Hand lamps shall be equipped with strong cover of glass or other transparent material;
- b. Portable lamp holders shall have:
  - All current –carrying part s enclosed;
  - ii) Insulated handle; and
  - iii) They shall operate at 24 v;

#### 4.8. INSPECTION, MAINTENANCE

- a. All electrical equipment shall be inspected before it is taken into use to ensure that it is suitable for its purpose of use;
- At the beginning of every shift every person using electrical equipment shall make a careful external examination of the equipment and conductors for which he is responsible, especially flexible cables;

- c. Periodic inspections, testing, maintenance of all electrical equipment is to be made and record of test of transformer oil and pit earthing shall be maintained;
- d. Electrical conductors and equipment shall be repaired by the electrician only as far as practicable, no work shall be done live conductors or equipment;
- e. Before any work is begun on conductors or equipment that does not have to remain live;
  - i) The current shall be switched off;
  - ii) Adequate precautions shall be taken to prevent the current from being switched on again;
  - iii) The conductors or the equipment shall be tested to ascertain that they are dead;
  - iv) The conductor and equipment shall be earthed and short-circuited; and
  - v) Neighbouring live parts shall be adequately protected against accidental contact;
- f. After work on conductors and equipment, the current shall only be switched on again on the orders of a competent person;
- g. Electricians shall be provided with adequate tools, and person protective equipment, such as rubber gloves, mats etc.;
- h. All conductors and equipment shall be considered to live unless there is certain proof to the contrary.

## 4.9. WORK IN THE VICINITY OF ELECTRICAL INSTALLATION

- a. When work is to be done in the neighborhood of electrical conductors or installations, the contractor shall ascertain the voltage carried and the works shall not be allowed to reach to unsafe distance from them;
- When any excavation is to be made or any bore-holed sunk, the contractor shall ascertain
  whether there are any underground conductors, in or in dangerous proximity to, the zone of
  operations;
- c. No work shall be done in dangerous proximity to a conductor or an installation until it has been made dead;
- d. Before work begins, work permit shall be obtained from the Engineer in-charge if live electricity lines/circuit are passing in close vicinity;
- e. Before the current is restored, the contractor shall ensure that no work remain on the work site;
- f. If conductor or an installation in the neighbourhood of which work is io be done can not be made dead, special precautions shall be taken and special instructions given to the workers so as to prevent danger by adequately enclosing or fencing;
- g. If mobile equipment has to be employed in the neighbourhood of conductors or installations that cannot be made dead, its movement shall be so controlled as to keep it as a safe distance from them.

# 5.0 SAFETY IN THE USE OF HAND TOOLS AND POWER-OPERATED TOOLS

## **5.1 GENERAL PROVISIONS**

- a. All hands and power tools and similar equipment, shall be maintained in safe condition.
- b. When power operated tools are designed to accommodate guards, they shall be equipped with such guards, when in use;
- c. Belts, gears, shafts, pulleys, sprockets, spindles, drums, fly wheels, chains and other reciprocating, rotating or moving parts of the equipment shall be similarly guarded;
- d. Personnel using hand and power tools and exposed to the hazard of falling, flying, abrasive, and splashing objects, or exposed to harmful dusts, fumes, mists, vapours, or gases shall be provided with the particular personal protective equipment necessary to protect them from the hazards;
- e. All hand-held powered platen sanders, grinders, grinders with wheels of 5 cm or less, routers, planers, laminate trimmers, nibblers, shears, scroll saws and jigsaws with blade shanks of 0.5 cm wide or less shall be equipped with only a positive **on-off control**.
- f. All hand-held powered drills, tappers, fastener drivers, horizontal, vertical or angle grinders with wheels greater than 5 cm in diameter, disc sanders, belt sanders, reciprocating saws, saber saws and other operating powered tools shall be equipped with a momentary contact on control provided that turnoff can be accomplished by a single motion of the same finger or fingers that turn it on.

## **5.2. HAND TOOLS**

- a. The contractor shall not issue or permit the use of unsafe hand tools;
- b. Wrenches including adjustable pipe end and socket wrenches shall not be used when saws are sprung to the point that slippage occurs;
- c. Impact tools such as drift pins, wedges and chisels shall be kept free of mushroomed heads;
- d. The wooden handles of tools shall be kept free of splinters or cracks and shall be kept tight on the tools.

## **5.3. POWER OPERATED TOOLS**

- a. Electric power operated tools shall be either of the approved double-insulated type or shall be grounded;
- b. The use of electric cords for hoisting or lowering loads shall not be permitted;
- c. Pneumatic power tools shall be secured to the hose or whip by some positive means to prevent the tool from becoming accidentally disconnected;
- d. Safety clips or retainers shall be securely installed or maintained on pneumatic impact (percussion) tools to prevent attachments from being accidentally expelled;
- e. All pneumatically riveting machine staplers and other similar equipment provided with automatic fastener feed, which operate at more than 7 kg/cm² pressure at the tool a safety device on the

- muzzle to prevent the tool from ejecting the fasteners unless the muzzle is in contact with the work surface;
- f. Compressed air shall not be used for cleaning purposes except when the pressure is reduced to less than 2 kg/cm<sup>2</sup> and that too with effective chip guarding. The 2 kg/cm<sup>2</sup> pressure requirement does not apply to concrete form, mill scale and similar cleaning purposes;
- g. The manufacturer's safe operating for hoses, pipes, valves, filters and other fittings shall not be exceeded;
- h. Only personnel who has been trained in the operation of the particular tool shall be allowed to operate power-actuated tools;
- The tool shall be tested each day before loading to see that the safety devices are in proper working condition. The method of testing shall be accordance with the manufacturer's recommended procedure;
- j. Any tool found not in proper working order, or that which develops a defect during use, shall be immediately removed from service and not used until properly repaired;
- k. Tools shall not be loaded until just prior to the intended firing time. Neither loaded nor empty tools are to be pointed at any other person. Hands shall be kept clear of the open barrel end;
- I. Loaded tools shall not be left unattended;
- m. Fasteners shall not be driven into very hard or brittle materials including, but not limited to, cast iron, glazed tiles, surface hardened steel, glass block, live rock, face brick or hollow tiles;
- n. Driving into materials that can be easily penetrated shall be avoided unless backed by a substance that will prevent the pin or fastener from passing completely through and creating a flying missile hazard on the other side;
- o. No fastener shall be driven into a palled area caused by an unsatisfactory fastening;
- p. Only non-sparking tools shall be used in an explosive or flammable atmosphere;
- q. All tools shall be used with the correct shield, guard or attachment as recommended by thee manufacturer.

#### **5.4. ABRASIVE WHEELS AND TOOLS**

- a. All grinding machines shall be supplied with sufficient power to maintain the spindle speed at safe levels under all conditions of normal operation;
- b. Grinding machines shall be equipped with suitable safety guards;
- c. The maximum angular exposure of the grinding wheel periphery and sides shall not be more than 90°, except that when the work requires contact with the wheel below the horizontal plane of the spindle, the angular exposure shall not exceed 120°. In either case, the exposure shall begin not more than 65° above the horizontal plane of the spindle. Safety guards shall be strong enough to withstand the bursting of the wheel;
- d. Floor and bench-mounted grinders shall be work-rests, which shall be rigidly supported and readily adjustable. Such work-rests shall be kept at a distance not to exceed 5 mm from the surface of the wheel;

- e. Cup type wheels used for external grinding shall be protected by either revolving cup guard or a band type guard;
- f. When safety guards are required, they shall be mounted as to maintain proper alignment with the wheel and the guard and the guard and its fastening shall be adequate strength to retain the fragments of the wheel in case of accidental breakage. The maximum angular exposure of the grinding wheel periphery and sides shall not exceed 180°;
- g. Portable abrasive wheel used for internal grinding shall be provided with suitable safety flanges;
- h. When safety flanges are required, they shall be used only with wheels designed to fit the flanges. Only safety flanges, of a type and design and properly assembled so as to ensure that the pieces of the wheel will be retained in case of accidental breakage, shall be used;
- i. All abrasive wheels shall be closely inspected and ring tested before mounting to ensure that they are free from cracks or defects;
- j. Grinding wheels shall fit freely on the spindle and shall not be forced on. The spindle nut shall be tightened only enough to hold the wheel in place;
- k. All employees using abrasive wheels shall be protected by suitable eye protection equipment.

#### **5.5. WOODWORKING TOOLS**

- a. All fixed power driven woodworking tools shall be provided with a disconnect switch that can either be locked or tagged in the **off-position**;
- b. The operating speed shall be attached or otherwise permanently marked on all circular saws over 0.5 m in diameter or operating at over 3000 peripheral rpm. Any saw so marked shall not be operated at a speed other than that marked on the blade. When a marked saw is retensioned for a different speed, the marking shall be corrected to show the new speed;
- c. Automatic feeding devices shall be installed on machines wherever the nature of the work will permit. Feeder attachments shall have the feed rolls or other moving parts covered or guarded so as to protect the operator from hazardous points;
- d. All portable power driven circular saws shall be equipped with guards above and below the base plate or shoe. The upper guard shall cover the saw to the depth of the teeth, except for the minimum arc required to permit the base to be tilted for bevel cuts. The lower guard shall cover the saw to the depth of the teeth, except for the minimum arc required to allow proper retraction and contact with the work. When the tool is withdrawn from the work, the lower guard shall automatically and instantly return to the covering position.

## 6.0 SAFETY IN THE USE OF LADDERS AND STAIRS

#### 6.1. GENERAL ASPECTS OF SAFETY RELATED TO USE OF LADDERS

- a. Every ladder or step-ladder used in building or other construction work shall be of good construction, made of sound material and of adequate strength for the purpose for which such ladder or step-ladder is used;
- b. When a ladder is used as a means of communication, such ladder shall be lashed to a fixed structure so that while working on such ladder it does not slip;
- c. A ladder or step ladder shall not stand on loose bricks or other loose packing and have a level and firm footing;
- d. No ladder shall be used which has a missing or defective rungs or rungs, which depend for support solely on nails, spikes or other similar fixing.

#### 6.2. MATERIALS FOR LADDERS

- a. Shall be constructed with upright of adequate strength and are made of straight-grained wood, free from defects and having the grain of such wood running length wise;
- b. Shall have rungs made of straight-grained wood free for defects and mortised or securely notched into the upright, reinforcing metal ties, if wedges shall not secure the tenors of such ladders;
- c. Where it is required, in case of use of fixed ladders, sufficient foot-hold and hand-hold shall be provided for use by the building worker;
- d. Every ladder shall be
  - i. Secured so as to prevent undue swaying;
  - ii. Equally and properly supported on each of its upright;
  - iii. So used as not to cause undue sagging; and
  - iv. Placed as nearly as possible at an inclination of four in one;
- e. The use of all ladders and stepladders shall conform to the approved standards;
- f. Wooden ladders shall be constructed with uprights of adequate strength as well as rungs made of wood free from visible defects and having the grains of the wood in the ladders running lengthwise and rungs mortised or rebutted into the uprights;
- g. Uprights and rungs of metal ladders shall have a cross-section adequate to prevent dangerous deflection, shall be equal and not less than 25 cm or more than 35 cm;
- h. Rungs of metal ladders shall be kept clean so as to prevent them from becoming slippery;
- i. Portable ladders shall not exceed 9 m in length;
- j. Every ladder or run of ladders rising to a height exceeding 9 m shall be provided with an intermediate landing, providing further that the intervals between landings shall not exceed 9 m. The landings shall be of suitable size and protected by railings;
- k. Defective ladders that cannot be satisfactorily repaired shall be tagged Not Fit For Use and destroyed;
- I. Wooden ladders shall not be painted, but oiled or covered with clean varnish or other transparent preservatives;
- m. Metal ladders shall be protected against corrosion by being coated with rust-proof paint or by other means unless they are made of non-corrosive metals;

- n. Every ladder shall rise at least 1 m above the highest point to be reached and have one of the uprights continued to that height to serve as a hand-rail at the top;
- o. Ladders shall not stand on loose bricks or other loose packing but have a level and firm footing so that they are equally supported on each upright;
- p. Every ladder shall be securely fixed so that it cannot move from its top and bottom points of rest and if it cannot be secured at the top, it shall be securely fastened at the base and if fastening at the top is also impracticable, it shall have a man stationed at the foot holding the end to prevent it from slipping;
- q. Where a run of two or more ladders connects different floors, the ladders shall be staggered and a protective landing with the smallest practicable opening shall be provided at each floor;
- r. A ladder having only one upright or a missing or dangerously defective rung shall not be used;
- s. When a ladder is placed in position, the distance between the foot of a ladder and the base of the structure against which it rests shall be about one-quarter of its length;
- t. Workers using ladders shall leave at least one hand free for climbing up and down, face the ladder, avoid wearing slippery footwear and avoid carrying heavy or bulky loads;
- u. A ladder shall not be placed in front of a door that opens towards it unless the door is fastened or locked or guarded;
- v. A ladder shall not be placed against a window frame unless the ladder is fitted with a board at the top so that the applied load is safely distributed over the frame;
- w. Metal ladders shall not be used in the vicinity of live electrical equipment;
- x. Adequate means shall be provided to prevent displacement of the ladder set up in public thoroughfare or where persons, vehicles etc. may accidentally collide with it.

## **6.3. PORTABLE STEPLADDERS**

- a. The length of portable stepladders shall not exceed 6 m and their back legs shall be adequately braced;
- b. Stepladders exceeding 1.5 m in length shall have two or more cross-ties;
- c. The spread between the front and back legs shall be restricted by means of hinged metal flat bars or high-grade fibre or other effective means;
- d. When in the open position, treads of stepladders shall be horizontal.

### **6.4. PORTABLE TRESTLE LADDERS**

- a. The height of the trestle ladders shall not exceed 5.5 m;
- b. The spread between the front and back legs shall be restricted by means of hinged metal flat bars or high-grade fibre or other effective means;
- c. The front and back legs shall be joined at the top by bolted steel hinges of adequate dimensions or other effective means;
- d. Both legs of trestle ladders shall be equipped with sufficient number of steel crossties.

## **6.5. EXTENSION LADDERS**

- a. The length of extension ladders shall not exceed 15 m;
- b. Extension ladders shall be equipped with an effective lock and guide brackets by which the ladder can be extended, retracted or locked in any position;

- c. The rungs of overlapping sections shall coincide so as to form double treads and shall be equipped with one or more extension ropes;
- d. Extension ropes shall be securely anchored and run over suitable pulleys.

#### **6.6 MECHANICAL LADDERS**

- a. Mechanical ladder is that ladder, which is a mechanically extendable ladder, mounted on a wheeled frame:
- b. Mechanical ladder shall be equipped with guard-rails and toe-boards and a cage of heavy-gauge steel mesh;
- c. If mechanical ladder has no railed platform or cage, workers using it shall be secured by suitable safety belt;
- d. Mechanical ladders shall not be moved, while a person is on them, unless they have specially designed to ensure that perfect stability is maintained during movement.

#### 6.7. FIXED LADDERS

- a. Uprights of fixed ladders shall be at least 40 cm and shall be set an angle of 15<sup>0</sup> to the vertical;
- b. Clearance at the back of the rungs shall be at least 15 cm and no obstruction within 75 cm of the face of the ladder;
- c. There shall be at least 7.5 cm clearance between the ladder and the nearest fixed object;
- d. When it is necessary for a ladder to pass closely through a hole in a platform or a floor, the edges of the hole shall be padded so as to prevent injury to the users;
- e. The length of the runs of fixed ladder shall not exceed 9 m;
- f. Landing platform shall be provided for each 9 m or fraction thereof;
- g. As far as practicable, runs shall be staggered;
- h. Runs from which a person could fall from more than 6 m shall be enclosed in a cage of heavy-gauge mesh or hoops;
- i. Fixed ladders shall be firmly bolted or welded in position.

## **6.8. STAIRS**

- a. Stairs shall be of adequate strength to withstand safely the loads that they will have to carry;
- b. Stairs used for the purpose of construction work shall have a clear width of at least 60 cm;
- c. Stairs made of perforated material shall not have openings exceeding 1.2 cm in width;
- d. No step of a stairway shall depend for its support solely on nails, spikes, screws or other similar fixing;
- e. No stairway with missing or dangerously defective steps shall be used;
- f. Every stairway that is at an angle of less than 30° from the vertical shall be provided with a secure handhold at the top landing place, either by extending one upright for at least 1 m or by other effective means;
- g. Movable and removable stairs shall be adequately secured in the position of use;
- h. In all building structures permanent stairs shall be constructed as soon as practicable;
- i. When work on a building has progressed to a height of more than 18 m above the ground and it has not been practical to construct the permanent stairs, sufficient number of stairs shall be provided to ensure safe access to the working levels.

# 7.0 SAFETY IN THE USE OF LIFTING APPLIANCES & GEARS

#### 7.1. CONSTRUCTION AND MAINTENANCE OF LIFTING APPLIANCES:

All lifting appliances, including their parts and working gear, whether fixed or movable, and any plant or gear used in anchoring or fixing of such appliances -

- a. Shall be of sound construction, sound material, and of adequate strength to serve the purpose for which these are to be used and all such appliances shall be free from patent defects, and
- b. Maintained in good repair and working condition;
- c. Every drum or pulley around which the rope of any lifting appliance is carried, shall be of adequate diameter and sound construction in relation to such rope;
  - Any rope that terminates at the winding drum of lifting appliance shall be securely attached to such drum and at least three dead turns of such rope remain on such drum in every operating position of such lifting appliance;
  - ii. The flange of a drum projects twice the rope diameter beyond the last layer of such rope and if such rope and if such projection is not available, other measures like anti-slackness guards shall be provided to prevent such rope from coming off such drum;
- d. Every lifting appliance shall be provided with adequate and efficient brakes which shall be:
  - i) Capable of preventing fall of suspended load (including any test load),
  - ii) Effectively controlling such load while it is being lowered, acting without shock and shall be attached with shoes that can be easily removed for running and which shall be simple and have easily accessible means of adjustment;
- e. Provided that nothing contained above shall apply to **steam-winch** that can be operated as safely as with brakes.

## 7.2. CONTROLS OF EVERY LIFTING APPLIANCE SHALL BE SO;

- a. Situated that the driver of such appliance at his stand or seat has ample room for operating and has an unrestricted view of building or other construction work, as far as practicable, and that he remains clear of the load and the ropes, and that no load passes over him;
- b. Positioned with due regard to ergonomic considerations for proper operation of such appliance;
- c. Located that the driver of such appliance remains above the appliance and shall have upon them or adjacent to them clear markings to indicate their purpose and mode of operations;
- d. Provided, where necessary, with a suitable locking device to prevent accidental movement or displacement and shall move, as far as practicable, in the direction of the resultant load movement;
- e. Wherever automatic brakes are provided, they shall automatically come to the neutral position in case of power failure.

#### 7.3. TEST AND PERIODICAL EXAMINATION

**7.3.1 Test:** all lifting appliances including all parts and gears thereof, whether fixed or movable, shall be tested and examined by a competent person before being taken into use for the first time or after it

has undergone any alteration or repairs liable to affect its strength or stability or after erection on a site and also once at least in every five years, in the manner as specified;

**7.3.2. Examination**: all lifting appliances shall be thoroughly examined by a competent person at least in every twelve months and where the competent person making such examination forms the opinion that the lifting appliance cannot continue to function safely, he shall forthwith give notice in writing of his opinion to the contractor.

## 7.4. AUTOMATIC LOAD INDICATOR

- a. Cut-out shall be provided which automatically arrests the movement of the lifting parts of every crane if the load exceeds the safe working load, wherever possible;
- b. Wherever the above provisions cannot be applied and if it is not possible to install an automatic safe load indicator, in that case, provision of a table showing the safe working loads at the corresponding inclinations or radii of the jib on the crane shall be considered sufficient.

#### 7.5. INSTALLATION:

Fixed lifting appliances shall be installed by a competent person in a manner that

- a. Such appliances cannot be displaced by the load, vibration or other influences;
- b. The operator of such appliance is not exposed to danger from loads, ropes or drums;
- c. The operator can either see over the zone of operation or communicate with all loading and unloading points by signal, or other communication system;
- d. Adequate clearance is provided between parts or loads of lifting appliances and between the fixed objects such as walls and posts, or electrical conductors;
- e. The lifting appliances; when exposed to wind loading, are given sufficient additional strength, stability and rigidity to withstand such loading safely;
- f. No structural alterations or repairs are made on any part of the lifting appliances that affect the safety of such appliances without obtaining the opinion of the competent person to this effect.

## **7.6. WINCHES**

- a. Winches shall not be used if their control levers operate with excessive friction or play;
- b. Double gear winches shall not be used unless a positive means of locking the gearshift is provided;
- c. There shall be no load other than the fall and the hook assembly on the winch while changing gears on a two-gear winch;
- d. Adequate protection shall be provided to the winch operator against abnormal weather;

- e. Temporary seats or shelters for winch operators that may pose hazard to the winch operator or any other building workers shall not be allowed to be used;
- f. Control levers shall be secured in the neutral position and, whenever possible, the power shall shut off if the winch is left unattended.

#### 7.7. IN USE OF EVERY STEAM-WINCH

- a. Measures shall be taken to prevent escaping steam from obscuring any part of the construction site or other workplace or from otherwise hindering or injuring any building worker;
- b. Extension control levers which tend to fall off their own weight shall be counter-balanced;
- c. Winch operators shall not be permitted to use the which control extension levers except for short handles on wheel type controls and that such levers shall be of adequate strength, secure and fastened with metal connections at the fulcrum and at the permanent control lever;
- d. In use of every electric winch, no building worker shall be permitted to transfer, alter or adjust electric control circuits in case of any defect in such winch;

## 7.8. ELECTRIC WINCHES SHALL NOT BE USED FOR BUILDING WORK WHERE

- a. The electromagnetic brake is unable to hold the load; or
- b. One or more control points either hoisting or lowering are not operating properly.

## **7.9. BUCKETS:**

It shall be ensured that tip-up buckets are equipped with a device that effectively prevents accidental tipping.

## 7.10. IDENTIFICATION AND MARKING OF SAFE WORKING LOAD:

- a. Every lifting appliance and loose gear shall be clearly marked for its safe working load and identification by stamping or other suitable means;
- Every derrick (other than derrick crane) shall be clearly marked for its safe working load when such
  derrick is used either in single purchase with lower block or in union purchases in all possible block
  positions;
- c. The lowest angle to the horizontal, to which the derrick may be used, shall be legibly marked;
- d. Every lifting appliance having more than one working load shall be fitted with effective means to enable the operator to determine safe working load at each point under all conditions of use;
- e. Means to ascertain the safe working load for lifting gears under such conditions in which such gears may be used shall be provided to enable a worker using such gears and such means safely, which shall comprise:
  - i) Marking of the safe working load in plain figures or letters upon the sling or upon a tablet or ring of durable material attached securely thereto in case of chain slings; and

ii) The means specified or notices so exhibited as can be easily read by any concerned building worker stating the safe working load for the various sizes of the wire rope slings used.

#### 7.11 LOADING OF LIFTING APPLIANCES AND LIFTING GEARS

- a. No lifting appliance, lifting gear or wire rope shall be used in an unsafe way and in such a manner as to involve risk to life of building workers and they are not loaded beyond their safe working load except for testing purposes under the direction of a **competent person** in the manner as specified in schedule;
- b. No lifting appliance and lifting gear, or any other material-handling appliance shall be used if the Inspector having jurisdiction under the Building and Other construction (regulation of employment and conditions of service) Act/Rules is not satisfied with reference to a certificate of test or examination or to an authenticated record maintained as provided under the Rules or if in his view the lifting appliance, lifting gear or any other material handling appliance is not safe for use in building or other construction work;
- c. No pulley block shall be used unless the safe working load and its identification are clearly marked on such block.

#### 7.12. OPERATOR'S CAB OR CABIN SHALL

- a. Be made of fire resistant material;
- b. Have a suitable seat, a foot rest and protection from vibration;
- c. Afford the operator an adequate view of the area of operation;
- d. Afford the necessary access to working parts in the cab;
- e. Afford the operator adequate protection against the weather;
- f. Be adequately ventilated; and
- g. Be provided with a suitable fire extinguisher.

## **7.13. OPERATION OF LIFTING APPLIANCES:**

Operator of every crane or lifting appliance shall possess adequate skill and training in the operation of the particular lifting appliances, provided further that

- a. No person under eighteen years of age shall be in control of any lifting machine, scaffold winch, or give signals to the operator;
- b. Precaution shall be taken by the trained operator to prevent lifting appliance from being set in motion inadvertently;
- c. The operation of lifting appliances shall be governed by signals in conformity with the approved standards;
- d. The operator's attention shall not be distracted while he is working;
- e. No crane, hoist, winch or other lifting appliance or any part of such crane, hoist, winch or other lifting appliance shall, except for testing purposes, be loaded beyond the safe working load;
- f. During the hoisting operation, effective precaution shall be taken to prevent any person from standing or passing under the load in such operation;

- g. Operator shall not leave lifting appliance unattended while power is on or the load is suspended to such appliance;
- h. No person shall ride on a suspended load of any lifting appliance;
- i. Every part of a load in course of being hoisted or lowered shall bee adequately suspended and supported to prevent danger;
- j. Every receptacle used for hoisting bricks, tiles, slates or other material shall be suitably enclosed as to prevent the fall of any such material;
- k. The hoisting platform shall be enclosed when loose material or loaded wheel barrows are placed directly on such platform or lowering such materials or wheel barrows;
- I. No material shall be raised, lowered or slewed with any lifting appliance in such a way as to cause sudden jerks to such appliance;
- m. In hoisting a barrow, any wheel of such barrow shall not used be as a means of support unless adequate steps have been taken to prevent the axle of such wheel from slipping out of its bearing;
- n. Long objects like planks or girders shall be provided with tag line to prevent any possibility of danger while raising or lowering such objects;
- o. During the process of landing or material, a building worker shall not be permitted to lean out into empty space for finding out the loading and unloading of such material;
- p. When hoisting of load is done in an enclosed space, neither the lifting material nor the boom shall project outside the enclosed space;
- q. Adequate steps shall be taken to prevent a load, in the course of being hoisted or lowered from coming into contact with any object to avoid any displacement of such load and appropriate appliances provided and used for guiding heavy loads when raising or lowering heavy loads to avoid crushing of hands of building workers during such raising or lowering of loads.

## **7.14. HOISTS**

- a. Hoist towers shall be designed according to the relevant national standards;
- b. Hoist shafts shall be provided with rigid panels or other adequate fencing at the ground level on all sides of such shafts and at all other levels on all sides of the access to such shafts while the walls of hoist shafts, except at approaches, extend at least two meters above the floor or platform of access to such shifts;
- c. Approaches to hoist shall be adequately lit and provided with gates that shall be guarded to maintain visibility at least of two meters height; and equipped with a device, which requires such gate to be closed before the platform of such hoist can leave the landing, and prevents the gate from being opened unless such platform is at the landing;
- d. The guides of hoist platforms shall offer sufficient resistance to bending and to bucking in the case of jamming, by providing a safety catch;
- e. Overhead beams and their supports are capable of holding the total maximum live and dead loads that such beams and supports will be required to carry, with a safety factor of at least five;

- f. A clear space shall be provided
  - i. Above the highest stopping place of a cage or platform to allow sufficient unobstructed travel of such cage or platform in case of over-winding and
  - ii. Below the lowest stopping place of such cage or platform;
- g. Adequate covering shall be provided above the top of hoist shafts to prevent materials from falling into such shifts;
- h. Outdoor hoist towers shall be erected on adequately firm foundations and securely braced, guyed and anchored;
- A ladder way shall extend from the bottom to the top of every outdoor hoist tower in case no other ladder way exists within easy reach and such ladder way shall comply with the relevant national standards;
- j. The rated capacity of a hoisting engine shall at least be one and a half times the maximum load that such engine will be required to move;
- k. All gearing on a hoisting engine shall be securely enclosed;
- I. Steam piping of hoisting engine shall be adequately protected against accidental contact of such piping with a building worker;
- m. Electrical equipment of a hoisting engine shall be effectively earthed;
- n. A hoist shall be provided with suitable devices to stop a hoisting engine as soon as the platform of such hoist reaches its highest stopping place;
- o. A hoisting engine shall be protected by suitable cover against weather and falling objects;
- p. A hoisting engine set up in a public thoroughfare shall be completely enclosed;
- q. All exhaust steam pipes shall discharge steam in such a manner that the steam so discharged does not scald any person or obstruct the operator's view;
- r. The motion of a hoist shall not be reversed without first bringing it to rest to avoid any harm from such reverse motion;
- s. A hoist not designed for the conveyance of persons shall not be set in motion from the platform of such hoist:
- t. Pawls and ratchet wheels of a hoist, requiring disengagement of such pawls from such ratchet wheels, before the platform of such hoist is lowered, shall not be used;
- u. A platform of a hoist shall be capable of supporting such maximum load that such platform may carry with a safety factor of at least three;
- v. A platform of a hoist shall be equipped with suitable safety gear which can hold such platform with its maximum load in case its hoisting rope breaks;
- w. On platform of a hoist, the wheel barrows or truck shall be efficiently blocked in safe positions;

- x. A cage of a hoist or platform where the building workers are required to enter into such cage or to go on such platform at landing levels, shall be provided with a locking arrangement to prevent such cage or platform from moving during the time a worker enters or leaves such cage or platform;
- y. The sides of platform of a hoist which are not used for loading or unloading, shall be provided with toe-board and enclosures of a wire mesh or any other suitable means to prevent the fall of any part of a load from such platform, further provided that
  - i. The platform of a hoist, which has any probability of falling of any part of a load from it, shall be provided with an adequate covering to prevent such fall;
  - ii. The counter weights of a hoist consisting of an assemblage of several parts shall be so constructed that such parts shall be rigidly connected together;
  - iii. The counter weights of a hoist shall run between guides;
  - iv. At every level of work the building workers shall be provided with adequate platforms for performing such work;
  - v. A legible notice in Hindi as well as in a local language shall be displayed in a conspicuous place of the platform of a hoist and that such notice shall state the maximum carrying capacity of such hoist in kilograms on the hoisting engine;
  - vi. On a hoist authorized and certified for the conveyance of the persons on the platform or in the cage and such notice shall state the maximum number of persons to be carried on such hoist at one time;
  - vii. On a hoist carrying goods and other materials such notice shall state that such hoist is not meant for carriage of persons.

#### 7.15. FENCING AND MEANS OF ACCESS TO LIFTING APPLIANCES

- a. Safe means of access shall be provided to every part of lifting appliances;
- b. The operator's platform on every crane or tip driven by mechanical power shall be securely fenced and provided with safe means of access and where access to such platform is by a ladder, the sides of such ladder shall extend to a height reasonable beyond such platform or some other suitable handhold shall be provided in the platform;
- c. The handling place on such platform shall be maintained free from obstruction and slipping; and
- d. In case the height of such ladder exceeds six meters, the resting platforms shall be provided on such ladder at every six meters of its height and where the distance between last platform so provided and the top end of such ladder is more than two meters then on such top end.

## 7.16. RIGGING OF DERRICKS:

Every derrick shall have current and relevant rigging plans and any other information necessary for the safe rigging of such derrick and its gear.

## 7.17. SECURING OF DERRICK FOOT:

Appropriate measures shall be taken to prevent the foot of a derrick from being lifted out of its socket or supports.

#### 7.18. CONSTRUCTION AND MAINTENANCE OF LIFTING GEAR

- a. Every lifting gear shall be
  - i. of good design and construction, sound material and adequate strength to perform the work for which it is used;
  - ii. free from patent defects; and
  - iii. properly maintained in good repair and working order;
- b. Components of the loose gear, at the time of its use, shall be renewed if one of its dimensions at any point has decreased by ten per cent or more;
- c. A chain shall be withdrawn from use when it is stretched and increased in length which exceeds five per cent of its length or when a link of such chain is deformed or is otherwise damaged or defects in the welds have appeared on it;
- d. Rings, hooks, swivels and end links attached to a chain shall be of the same materials as that of such chain:
- e. The voltage of electric supply to any magnetic lifting device shall not fluctuate by more than **plus** or **minus** 10%.

#### 7.19. TEST AND PERIODICAL EXAMINATION OF LIFTING GEARS

- a. A lifting gear shall be initially tested for the manufacturer by a competent person in a manner specified as per schedule annexed before taking into use or after undergoing any substantive alterations which renders its any part liable to affect its safety and such gear alter such test shall subsequently be retested for the use of its owner at least once in every five years;
- b. A lifting gear in use shall thoroughly examined once at least in every twelve months by a competent person;
- c. A chain in use shall be thoroughly examined at least once every month by a responsible person for its use;
- d. Certificates of initial and periodical test and examinations of loose gears shall be obtained in the form annexed.

## **7.20. ROPES**

- a. No rope shall be used for building or other construction work unless
  - i) It is of good quality and free from patent defects; and
  - ii) In the case of wire rope, it shall be tested and examined by a competent person in the manner annexed;
  - iii) Every wire rope of lifting appliance or lifting gear used for building or other construction work shall be inspected by a responsible person for such use, once at least in every there month;

- b. Provided that after if any such wire is broken in such rope, the responsible person shall thereafter inspect it once at least in every month and ensure that;
- c. No wire rope shall be used for building or other constructing work if in any length of eight diameters of such wires, the total number of visible broken wires exceed ten per cent of the total number of wires in such rope, or such rope shows signs of excessive wear, corrosion or other defects which in the opinion of the person who inspects it, is unfit for use;
- d. Eye splices and loops of ropes for the attachment of hooks, rings and other such parts to wire rope shall be made with suitable thimble;
- e. A thimble or loop splice made in any wire rope sling shall conform to the following standards, namely:
  - i) Wire rope sling shall have at least three tucks with full strand of rope and two tucks with one-half of the wires cut out of each of such strand in all cased, such strands shall be tucked against the lay of the rope;
  - ii) Protruding ends of such strands in any splice of wire rope slings shall be covered or treated so as to leave no sharp points;
  - iii) A fiber rope or a rope sling shall have at least four tucks, tail of such tuck being whipped in a suitable manner; and
  - iv) A synthetic fiber rope or rope sling shall have at least four tucks with full strands followed by further tuck with one-half filaments cut out of each of such strand and final tuck with one-halt of the remaining filaments cut out from such strands. Any portion of the splices containing such tucks, with reduced number of filaments, shall be securely covered with suitable tape or other materials;
  - v) Provided further that nothing contained above shall apply where any other form of splice, which may be shown to be as efficient as the splice with above standards, shall be used.

#### 7.21. HEAT TREATMENT OF LIFTING GEARS

- a. All chains other than bridle chains attached to derricks and all rings, hooks, shackles and swivels used in hoisting or lowering of such derricks shall be effectively annealed under supervision of a competent person and at the following intervals, namely:
  - i) Such chains, rings, hoods, shackles and swivels which are not more than twelve and a half millimeter of length annealed at least once in every six months; and
  - ii) All other such chains rings hooks shackles and swivels shall be so annealed at least once in every twelve months;
- b. Provided that the clause (a) above shall not apply to
  - i) Pitched chins, working on sprocket or sprocket wheels;
  - ii) Rings, hooks and swivels permanently attached to pitched chains, pulley blocks or weighing machines, and
  - iii) Hooks and swivels having ball bearings or other case hardened parts;

- c. A chin or a loose gear made of high tensile steel or alloy steel shall be plainly marked with a mark indicating that it is so made;
- d. No chain or loose gear made of high tensile steel or alloy steel shall be subjected to any form of heat treatment except where such treatment is necessary for the purpose of repair of such chain or loose gear and that such repair shall be made under the direction of the competent person;
- e. That the wrought iron gear, the past history of which is not traceable, shall be suspected of being heat treated at incorrect temperature shall be normalized before using it on any building or other construction work.

## 7.22. CERTIFICATE TO BE ISSUED AFTER ACTUAL TESTING AND EXAMINATION ETC:

A competent person shall issue a certificate after actual testing or examination of the apparatus specified and record of such test or examination shall be maintained for inspection.

## 7.23. REGISTER OF PERIODICAL TEST, EXAMINATION AND CERTIFICATION THEREOF

- a. A register in the form annexed shall be maintained and particulars of such test and examination of lifting appliances, lifting gears and heat treatment as required shall be entered in such register;
- b. Certificate in respect of each of the following shall be obtained from a competent person:
  - i) In cases of initial and periodical test and examination of the lifting appliances such as Winches, Derricks and their accessory gears, Cranes or Hoists and their accessory gears;
  - (ii) In case of test, examination and re-examination of loose gears;
  - (iii) In case of test and examination of wire ropes;
  - (iv) In case of heat treatment and examination of loose gears;
  - (v) In case of annual thorough examination of the loose gears, except where required particulars of such exemption have been enclosed in the register referred to in Form annexed and such certificates are attached to the register referred to as above and certificates kept at such construction site in case such register and certificate relate to lifting appliances, loose gear and wire ropes and
- c. Produced on demand and retained for at least five years after the date of the last entry made in such register;
- d. No lifting appliance or lifting gear in respect of which an entry is required to be made in register referred to above and certificate of test and examination are required to be attached in such register in the manner as specified, shall be used for building or other construction work unless the required entries have been made in such register and certificates.

#### 7.24. VACUUM AND MAGNETIC LIFTING GEAR

- a. No vacuum lifting gear, magnetic lifting gear or any other lifting gear where the load on it is held by adhesive power, shall be used while workers are performing operations beneath such gear;
- b. A magnetic lifting gear used in connection with building or other construction work shall be provided with an alternative supply of power, such as batteries, which may come into operation immediately in the event of failure of the main power supply;

c. No building worker shall work within the swinging zone of the lifting gear or load or building or other construction material suspended to such lifting gear.

#### 7.25. KNOTTING OF CHAINS AND WIRE ROPES:

No chain or wire rope with a knot in it shall be used in building or other construction work.

## 7.26. CARRYING OF PERSONS BY MEANS OF LIFTING APPLIANCES ETC.

- a. No building worker shall be raised, lowered or carried by a power driven lifting appliance, except
  - i. On the drive's platform in the cage of a crane; or
  - ii. On as hoist; or
  - iii. On an approved suspended scaffold;
- b. Provided that a building worker may be raised, lowered or carried by a power driven lifting appliance:
  - i. In circumstances where the use of a hoist or of a suspended scaffold shall not reasonably be practicable, or
  - ii. On an aerial cableway or aerial ropeway, provided further that the following requirements are met:
  - iii. That the appliance referred to above can be operated from one position only and that
  - iv. Any winch used in connection with the appliance shall also comply with the requirements as laid down above.
- c. The appliance referred to above shall not carry any person except:
  - i. In a chair or cage,
  - ii. In a skip or other receptacle at least three feet deep which shall be suitable for safe carriage of a person and any such chair, cage, skip or other receptacle shall be made of good construction, sound material, and adequate strength and properly maintained with suitable means to prevent any occupant therein from falling out of it and shall be free from any material or tools which may interfere with the handhold or foothold of such occupant or otherwise endanger him; and
  - iii. Those suitable measures shall be taken to prevent the chair, cage skip or other receptacle from spinning or tipping in a manner dangerous to any occupant therein.

## 7.27. HOISTS CARRYING PERSONS

- a. No building worker shall be carried with the help of a hoist unless it is provided with a cage which:
  - i) Is so constructed as to prevent, when its gates are shut, any building worker carried by such hoist from falling out of it or from being trapped between any part of such cage and any fixed structure or other moving part of such hoist or from being struck by articles or materials falling down the hoist way on which such hoist is moving; and
  - ii) Is fitted on each of its side from which access is provided to a landing place with a gate which
    has efficient interlocking or other devices to secure so that such gate cannot be opened
    except when such cage is at a landing place and that such cage cannot be moved away from
    any such place until such gate is closed;

- b. Every gate in the hoist way enclosure of such hoist used for carrying persons shall be fitted with efficient interlocking or other devices to secure so that such gate cannot be opened except when the cage of such gate is at the landing place and that such cage cannot be moved away from the landing place until such gate is closed;
- c. In every hoist used for carrying building workers there are provided with suitable and efficient automatic devices to ensure that the cage of such hoist comes to rest at a point above the lowest point to which such gave may travel.

#### 7.28. ATTACHMENT OF LOADS

- a. When a sling is used to hoist long materials, a lifting beam shall be used to space the sling legs for proper balance and when a load is suspended at two or more points with slings, the eyes of the lifting legs of such slings shall be shackled together and such shackled or eyes of the shackled slings shall be placed on the hook or the eyes of such lifting legs shall be shackled directly to the hoisting block, ball or balance beam, as the case may be;
- b. Every container or receptacle used for raising or lowering stone, bricks tiles, slates or other similar objects shall be so enclosed with the hoist as to prevent the fall of such objects;
- c. A loaded wheel barrows placed directly on a platform of a hoist for raising or lowering of such wheel barrows shall be so secured that such wheel barrows cannot move and such platform shall be enclosed to prevent the fall of the contents kept in such wheel barrows;
- d. Landings of hoists shall be so designed and arranged that building workers on such hoist be not required to lean out into empty space for loading and unloading on any material from such hoist

## 7.29. TOWER CRANES

- a. No person other than the operator trained and capable to work at heights shall be employed to operate tower cranes;
- b. The ground on which a tower crane stands shall have adequate bearing capacity;
- c. Bases for tower cranes and trucks for rail mounted tower cranes shall be firm and leveled and such cranes erected at a reasonably safe distance from excavations and operated within gradient limits as specified by the manufacturer of such cranes;
- d. Tower cranes shall be sited where there is a clear space available for erection, operation and dismantling of such cranes;
- e. Tower cranes shall be sited in such a way that the loads on such cranes shall not be handled over any occupied premises, public thoroughfares, railways or near power cables, other than construction works for which such cranes are used;
- f. Where two or more tower cranes are sited and operated, every care shall be taken to ensure positive and proper communication between operators of such cranes to avoid any dagger or dangerous occurrences;
- g. Tower cranes shall not be used for loading magnet, or demolition ball service, piling operation or other similar operations which could impose excessive load stresses on the crane structure of such cranes;

h. The instruction of the manufacturer of a tower crane and standard safe practices regarding such cranes shall be followed while operating or using such cranes.

## 7.30. QUALIFICATION OF OPERATOR OF LIFTING WINCHES AND OF SIGNALER ETC.

- a. No person shall be employed to drive or operate a lifting appliance whether driven by mechanical power or otherwise or to give signals to driver of operator of such lifting appliance or to work as an operator of a rigger or derricks unless he is
  - i) Sufficiently competent and reliable;
  - ii) Possesses the knowledge of he inherent risks involved in the operation of lifting appliance;
  - iii) Medically examined periodically as specified and
  - iv) Is above eighteen years of age.

# 8.0 SAFETY IN THE USE OF TRANSPORT, EARTHMOVING EQUIPMENT & OTHER CONSTRUCTION MACHINERY

#### **8.1 EARTHMOVING EQUIPMENT AND VEHICLES**

- a. All vehicles and earthmoving equipment shall be made of good material, proper design and sound constructional and be sufficiently strong for the purpose for which such equipment are properly used in accordance with standard safe operating practices;
- b. Provided that the truck or trailer employed for transporting freight containers shall be of the size sufficient to carry the containers, without over hanging and provided with twist locks conforming to approved standards, at all the four corners of each of such use by an authority under the relevant law for the time being in force and is inspected by a responsible person, at least once in a month and record of such inspection shall be maintained:
- All transport or earth moving equipment and vehicles shall be inspected at least once a week by a
  responsible person and in case any defend is noticed in such equipment or vehicle it shall be
  immediately taken out of use;
- d. Power trucks and tractors shall be equipped with effective brakes, headlights and tail lamps and maintained in good repair and working order;
- e. Side stanchions on power trucks and trailers for crying heavy and long objects shall be
  - i. Of sound construction and free from defects;
  - ii. Provided with tie chains attached to the top across the loads for preventing such stanchions from spreading out; and
  - iii. Kept in position while loading and unloading;
  - iv. Safe gangways provided for to and fro movement of building workers engaged in loading and unloading of lorries, trucks, trailers and wagons;
  - v. Trucks and other equipment shall not be loaded beyond their safe capacity and carry workers engaged in loading and unloading of lorries, trucks trailers and wagons in an unsafe condition;
  - vi. Handles of trucks shall be so designed as to protect the hands of the building workers working on such trucks, or such handles provided with knuckle guards;
  - vii. No unauthorized person shall ride the transport equipment employed in such work;
  - viii. A driver of a transport equipment shall maneuver such equipment under the direction of a signaler;
  - ix. Adequate precaution such as isolating the electric supply or erecting overhead barriers of a safe height shall be taken when earth moving equipment or vehicles are required to operate in dangerous proximity to any live electric conductor;
  - x. Vehicles and earth moving equipment shall not be left on a slope with the engine of such vehicles or equipment running;

xi. All earth moving equipment, vehicles or other transport equipment shall be operated only by such person who are adequately trained and possess such skills as required for safe operation of such equipment, vehicle or other transport equipment.

## **8.2. POWER SHOVELS AND EXCAVATOR**

- a. A shovel or an excavator whether operated by steam or electric or by internal combustion, shall be constructed, installed, operated, tested and examined as per approved standards;
- b. Excavator equipped for use as a mobile crane shall be examined and tested in accordance with the requirements for such mobile cranes as laid down by the manufacturer; and
- c. Fitted with an automatic safe working load indicator;
- d. Buckets or grabs of power shovels shall be propped to restrict the movement of such buckets or grabs while being repaired or while the teeth of such buckets or grabs are being changed.

#### 8.3. BULLDOZER

- a. Operator of every such bulldozer before leaving the dozer shall take the following steps:
- i) Apply the brakes;
- ii) Lower the blade and sipper and
- iii) Put the shift lever into neutral;
- iv) Dozer left on level ground at the close of the work for which such bulldozer is used;
- v) The blade of a bulldozer kept low when such bulldozer is moving uphill;
- vi) The bulldozer blades not used as brakes except in an emergency.

#### 8.4. SCRAPERS

- a. A tractor and scraper shall be joined by safety line at the time of its operation;
- b. The scraper bowls shall be propped while blades of such scraper are being replaced;
- c. A scraper moving downhill shall not be left in gear.

#### **8.5. MOBILE ASPHALT LAYERS & FINISHERS**

- a. A mixture elevator shall be located within a wooden or sheet metal enclosure with a window for observation, lubrication and maintenance;
- b. Bitumen scoops shall have adequate covers;
- c. When asphalt plants are working on public road, adequate traffic control shall be established on such road and the building workers working with such plant provided with reflective jackets;
- d. A sufficient number of fire extinguishers shall be kept in readiness at such workplace where fire hazards may exist;
- e. The materials shall be loaded on the elevator after the drying drain has warmed up of such elevator;
- f. No open light shall be used for ascertaining the level of asphalt;

g. Inspection opening shall not be opened till there is a pressure in the boiler, which may cause injury to building workers.

#### **8.6. PAVERS:**

Pavers shall be equipped with guards suitable to prevent building workers from walking under the skip of such pavers.

**8.7. Road rollers:** Before a road roller is used on the ground, such ground shall be examined for its bearing capacity and general safety, especially at the edges of slopes such as embankment on such grounds and shall not be moved downhill with the engine out of gear.

## 8.8. GENERAL SAFETY IN RESPECT OF POWERED CONSTRUCTION MACHINERY

- a. Every vehicle or earthmoving equipment shall be equipped with
  - i) Silencers;
  - ii) Tail lights
  - iii) Power and hand brakes;
  - iv) Reversing alarm; and
  - v) Search light for forward and backward movement, which are required for safe operation of such vehicle or earthmoving equipment;
- b. The cab of vehicle or earthmoving equipment shall bee kept at least one meter from the adjacent face of a ground being excavated;
- c. When cranes of shovel are traveling, the boom of such crane or shovel shall be in the direction of such travel and the bucket or scoop attached to such crane or shovel raised and without load except when such traveling is downhill.

# 9.0 SAFETY IN THE PROVISION OF RUNWAYS AND RAMP

#### 9.1. USE OF RUNWAYS AND RAMPS:

- a. Runway or ramps shall not be less than 430 mm in width and constructed of not less than 25 mm thick planking or any other material of adequate strength to withstand the required load, supported substantially in relation to the span and braced with such runway or ramp, and design and construction of such runway or ramp shall be in accordance with the approved standards;
- b. Every runway or ramp located more than 3 m above the floor or ground shall be on open sides and provided with a guardrail of adequate strength and height of not less than 1 m.
- c. Use of runways and ramps by vehicles:
  - i. All runways and ramps shall be of sound construction, strength and securely braced and supported;
  - ii. Every runway or ramp for the use of transport equipment like trailers, trucks or heavier vehicles shall have a width of not less than 3.7 m and provide with timber curbs or any other material of adequate strength with not less than 200 mm by 200 mm in width placed parallel to, and secured to, the sided of such runway or ramp and such runways or ramps shall be designed in accordance with the approved standards.

## 9.2. SLOPE OF RAMPS:

Every ramp shall have a slope not exceeding one in four and the total rise of a continuous ramp used by building workers carrying material or using wheelbarrows shall not exceed 3.7 m, unless broken by horizontal landing of at least 1.2 m in length.

## 9.3. USE OF RUNWAYS OR RAMPS BY WHEELBARROWS, ETC.

- Every runway or ramp used for wheelbarrows and carts or hand trucks shall not be less than 1
  m width and constructed of not less than 50 mm thick planking, and supported and braced
  suitably for such use;
- b. Every runway or ramp located more than 3 m above the floor or ground shall be provided on the open sides with suitable guardrails of adequate strength.

# 10. SAFETY IN HANDLING AND USE OF EXPLOSIVES

#### **10.1 GENERAL PROVISIONS:**

- a. The use of explosives shall be carried out in a safe manner to avoid injury to any person and under the direct supervision of a responsible person;
- b. No person other than authorized and competent one shall be allowed to handle and use explosives;
- c. Before using any explosive, necessary warning and danger signals shall be erected, at conspicuous places of such use to warn the building workers and the general public of the danger involved in such use.
- d. No person other than authorized and competent one shall be allowed to handle and use explosives.
- e. Smoke, open lamps, other type of hot or heat producing items and sparks shall be prohibited in or near explosives magazines or while explosives are being handled, transported or used.
- f. No person shall be allowed to handle or use explosives while under the influence of intoxicating liquors or dangerous drugs.
- g. The explosives shall be accounted for at all times. No explosives or blasting agents shall be abandoned.
- h. No fire shall be fought where the fire is in the imminent danger of contact with explosives. All employees shall be removes to a safe area and the fire area shall be guarded against intruders.
- i. Employees authorized to prepare explosive charges or conduct blasting operations shall use every reasonable precaution including but not limited to visual and audible warning signals, flags, or barricades to ensure employee safety.
- j. Due precautions shall be taken to prevent accidental discharge of electric blasting caps from current induced by induced voltage, lightning, adjacent power lines, dust storms, or other sources of extraneous electricity or otherwise. These precautions shall include:
- k. Short-circuiting of detonators in holes, which have been primed and shunted until wired into the blasting circuit.
- I. The suspension of all blasting operations and removal of persons from the blasting area during the approach and progress of an electric storm.
- m. The prominent display of adequate signs, warning against the use of radio transmitters, on all roads within 1000 ft of blasting operations. Whenever adherence to the 1000 ft distance would create an operational handicap, a competent and expert person shall be consulted to evaluate the particular situation, and an alternative provided, which are adequately designed to prevent any premature firing of electric blasting of caps. A description of any such blasting shall be reduced to writing and shall be certified as meeting the purposes of this subdivision by the competent person consulted. The description shall be maintained at the construction site during the duration of the work, and shall be available for inspection.

- n. Empty boxes and paper and fiber packing materials, which have previously contained high explosives, shall not be used again for any purpose, but shall be destroyed by burning at an approved location.
- o. Explosives, blasting agents and blasting supplies that are obviously deteriorated or damaged shall not be used.
- p. Delivery and issue of explosives shall only be made authorized persons into authorized magazines or approved temporary storage or handling areas.
- q. Blasting operations in the proximity of overhead power lines, communication lines, utility services, or other services and structures shall not be carried on until the operators and/or owners have been notified and measures for safe control have been taken. In such situations controlled blasting shall be restored to.
- r. All loading and firing shall be directed and supervised by competent persons thoroughly experienced in this field.
- s. Loaded boreholes shall not be left unattended after the end of the shift.
- t. Suitable and sufficient means of egress to ground level shall be provided in all cases of excavations, trenches, all other places where explosives are handled above or below ground level.
- u. At an appropriate time before the final blasting warnings, workers in the area shall be removed to a designated safe place.
- v. An unmistakable, audible, final warning shall be sounded one minute prior to the detonation of explosives; after completion, when the person in charge has established that safe conditions prevail, an "all clear" shall be sounded.
- w. To prevent persons entering any danger zone during blasting operations notices shall be given to all concerned.
- x. Notices referred above shall indicate:
  - i. that explosives are in use;
  - ii. the audible warning sound and the "all clear" and state when they will be sounded; and
  - iii. the warning flags in use, including an "all clear" flag.
- y. Precautions against lightning shall be provided in accordance with the Indian Electricity Act and Indian Explosives Act and Rules and regulations framed there under.
- z. Package containing explosives shall not be dragged, dropped or handled roughly.
- aa. Non-sparking tools shall be used to open keys.
- bb. The explosives shall not be carried in the box or otherwise on any individual.
- cc. Nothing shall be inserted in the open end of the blasting cap except fuses.

- dd. Deteriorated or damages explosives shall not be used but shall be disposed or destroyed strictly in accordance with the approved methods and in the doing so the manufacturers or the appropriate authority's instructions shall be followed.
- ee. lightning shall be in accordance with Indian Electricity Act/Rules

#### 10.2. TRANSPORTATION OF EXPLOSIVES

- a. Keep safe distance and to use non-sparking tools while opening packages containing explosives;
- b. Stop the use of explosives and handling thereof while the weather conditions are not suitable for such use or handling;
- c. Due precautions shall be taken to prevent accidental discharge of electric blasting caps from current induced by induced voltage, lightning, adjacent power-lines, dust storms or other sources of extraneous electricity or otherwise. These precautions shall include
  - i. Suspension of all blasting operations and evacuation of persons;
  - ii. All warning signs shall be displayed within 200 m of blasting operations and in case putting up a sign at 200 m is impractical, the contractor shall consult the Engineer-in-charge for alternatives;
  - iii. All loading and firing shall be directed and supervised by competent persons thoroughly experienced in the field;
  - iv. To prevent persons entering any danger zone during blasting operations, notices shall be given to all concerned;
- d. In addition to these provisions, all measures and precautions that are required to be observed for use, handling, storing or transportation of explosives under the Rules framed under the Explosives Act, 1884 (4 of 1884) shall be observed;
- e. All the relevant statutory provisions, local laws and rules and regulations shall be complied with.
- f. Where the magazine is located near the construction site and blasting operation continues daily, actual requirement of explosives shall be drawn from the magazine and transported to the site. Any leftovers shall be returned to the magazine each time after the blast. In case of work at scattered places and for a small duration, portable magazines shall be used and kept within a fence in safe place and properly guarded.
- g. For carrying higher quantity (more than 5 kg of explosives) specially designed insulated containers shall be used. These containers shall be constructed of finished wood not less than 5cm thick or plastic not less than 6mm thick or pressed fibre not less than 10mm thick. There shall be no metal parts (not even nails, bolts, screws etc.) and the containers shall be provided with suitable non-conductive carrying device, such as rubber, leather or canvas handle or strap.
- h. Vehicles to be used for transportation explosives shall be in good working condition and shall have a tight wooded or non-sparking metal (copper, brass and the like) floor with sides and

- ends high enough to prevent the explosives from failing off the vehicle. In open bodied vehicles, the explosives shall be covered with a waterproof and fibre tarpaulin.
- i. Electrical wiring in vehicle shall be fully insulated so as to prevent the danger of short-circuiting and at least two fire extinguishers of carbon dioxide type shall be carried. The vehicle shall be properly marked indicating adequate warning to the public in regard to the nature of cargo.
- j. No metals except approved metal truck shall be allowed to come in contact with cases of explosives, metal, flammable, or corrosive substance shall not be transported with explosives. As far as possible, transportation of any material along with explosives shall be prohibited.
- k. Smoking shall be prohibited in the vehicle carrying explosives.
- I. No unauthorized person shall be allowed in the vehicle, carrying explosives.
- m. Loading and unloading of explosives shall be done carefully.
- n. Explosives and detonators or blasting caps shall not be permitted to be transported in the same vehicle.
- Detonators and other explosives for blasting shall be transported to the site of work in the
  original containers or in securely locked separate non-metallic containers and shall not be
  carried loose or mixed with other materials.

#### 10.3. STORAGE OF EXPLOSIVES AND BLASTING AGENTS

- a. Explosives and related materials shall be stored in approved facilities.
- b. Blasting caps, electric blasting caps, detonating primers, and primed cartridges shall not be stored in the same magazine with other explosives or blasting agents.
- c. Smoking and open flames shall not be permitted within 50 feet of explosives and detonators storage magazine.
- d. No Explosives or blasting agents shall be permanently stored in any underground area until the area has been developed to the point where at lease two modes of exit have been provided.
- e. Permanent underground storage magazine shall be at least 300 feet from any shaft or other active under ground working area.
- f. Permanent underground magazines containing detonators shall not be located closer than 50 feet to any magazine containing other explosives or blasting agents.

## 10.4. DRILLING AND LOADING

- a. Before planning out the drilling operations for blasting purposes, nature of stratum and the over burden shall necessarily be examined to avoid possibilities of landslides after blasting.
- **b.** The face or rock shall be carefully examined before drilling to determine the presence of unfired explosives. No attempt shall be made to drill at a site if un-detonated explosives are suspected. In such case the boreholes shall be thoroughly cleaned before a cartridge is

- inserted. Wooden tamping rods (not pointed, but cylindrical throughout) shall be used in the charging the holes. The cartridge will be on the top.
- **c.** The borehole shall be carefully checked for length, presence of water dust, etc. with a wooden temping pole or a measuring tape before loading.
- d. Surplus explosives shall not be stacked near working areas during loading/unloading.
- e. The line of detonating fuse extending into a borehole shall be cut from the spool before loading the remainder of the charge.
- f. A bore shall not be loaded with explosives after springing (enlarging the hole with explosives) or upon completion of drilling without making sure it is cool and it does not contain any hot smoldering material. Temperatures in excess of 65° C are dangerous.
- g. A bore near another hole loaded with explosives shall not be sprung.
- h. No force shall be used for inserting cartridges or any explosives into a bore hold or pass any obstruction in a borehole.
- i. No force shall be used for inserting a blasting cap or an electric blasting cap into explosive. The cap shall be inserted into a hole made with a pickers designed for the purpose. A hitch of the electric blasting cap leading wire shall be made on the primer cartridge so as to prevent pulling out the electric blasting cap from the explosive charge. In case of fuse, the fuse shall be tied to the explosive cartridge so that the blasting cap is not pulled out. Care shall be taken so that the blasting cap is not pulled out. Care shall be taken so that the electric blasting cap, leading wire or the length of the fuse does not get damaged during loading of the charge.
- j. No attempt shall be made to slit, drop, deform or abuse the primer.
- k. Blasting caps or electric blasting caps shall not be connected to detonating fuse except by methods recommended by the manufacturers of caps.
- I. Explosive cartridge shall not be cut, nor explosive removed from the cartridge for use.
- m. Metallic devices of any kind shall not be used in tamping. Wooden tamping tools with not exposed metal parts except non-sparking metal connectors for jointed poled shall be used. Violent tamping shall be avoided. Primer shall not be tamped.
- n. Care shall be taken to confine the explosives in the bore hold with sand, earth clay or other suitable combustible stemming material.
- o. Kinking or injuring of fuse or electric blasting cap wires shall be avoided when tamping.

# 10.5. ELECTRICAL SHOT-FIRING CIRCUIT

- a. In deciding the sizes of wires, fuses, circuits, blasting switches, etc., instructions issued by the manufacturers of these articles shall be followed, if they do not contradict with Indian Explosives Act or framed under it.
- b. No person shall attempt to uncoil the wires and open out the short-circuited bare leading wires of the electric blasting cap during approach of dust storm or near any source of large

- charge of static electricity or near a radio transmitter. The manufacturer of the cap or the Inspectorate of Explosives shall be consulted regarding the distance from the transmitter beyond which electric short firing shall be conducted.
- c. Firing circuit shall be kept completely insulated from the ground of the other conductors, such as wires, rails, pipes or other paths or stray current.
- d. There shall not be any electric live wires or cables of any kind near electric blasting caps or other explosives except at the time and for the purpose of firing the blast.
- e. All electric blasting caps shall be tested singly and also when connected in a circuit in series using only an approved type of circuit continuity tester or ohmmeter.
- f. No attempt shall be made to use in the same circuit either electrical blasting caps made by more than one manufacturer or electric blasting caps of different design or function even if made by the same manufacturers unless such use is approved by the manufacturers.
- g. No attempt shall be made to fire a circuit of electric blasting caps with less than the minimum current specified by the manufacturer of that electric blasting cap.
- h. Care shall be taken to ensure that all wire ends to be connected are bright and clean.
- i. The electric cap wires or leading wires shall be kept short circuited until ready to fire.
- j. When energy for blasting is taken from power circuits the voltage shall not exceed 220v. The wiring controlling arrangements shall conform to the following:
- k. The blasting switch shall be strictly according to the specifications, externally operated double-throw switch, which when locked in the open position will short circuit and ground the leading wires. The switch shall be installed at the location where the firing is to be controlled.
- I. A 'safety' switch of the same type as the blasting switch shall be installed between the blasting switch and the firing circuit and lead lines, at a distance not to exceed 180cm from the blasting switch.
- m. Both the safety switch and the blasting switch shall be locked in the open position immediately after the shot and before any person is permitted to return to the blasting area. Key to the switches shall remain in the possession of the blaster at all times.
- n. Rubber covered or other adequately insulated copper wires in good condition shall be used for firing lines and shall have solid cores of appropriate gauge. Sufficient firing line shall be provided to permit the blaster to be located at a safe distance from the blast. Single conductor lead lines shall be used.
- Blasting operations in the proximity of overhead power lines, communication lines, utility lines, or other structures shall not be carried on until the operator or the owner, or both of such lines as been notified and precautionary measures deemed necessary, have been taken.
- p. All holes loaded on a shift shall be fired on the same shift.
- q. As far as possible, blasting shall be carried out using suitable exploder with 25 per cent excess capacity. Electric power from the mains shall be used only when it is absolutely necessary.

# 10.6. SHOT-FIRING WITH SAFETY FUSE

- a. The fuse shall be carefully handled to avoid damaging the covering. In very cold weather the fuse shall be slightly warmed before using so as to avoid cracking the waterproofing.
- b. Short fuse shall not be used. The length of a fuse shall not be less than 120cm. The rate of burning of the fuse shall be known and it would be necessary to make sure that it will take sufficient time in burning so as to enable all persons to reach a place of safety. The burning rate of the fuse shall not be more than 60 cm/min.
- c. The fuse shall not be cut until the operation to insert the fuse into a blasting cap is ready. The fuse shall be cut off about 2.5 to 5 cm to ensure a dry end. It shall be cut squarely across with a clean and sharp blade. The fuse shall be seated lightly against the cap charge and care shall be taken to avoid twisting after it has been placed in position.
- d. Blasting caps shall not be crimped by any means except by a cap crimper designed for the purpose. It shall be necessary to make sure that the cap is squarely crimped to the face.
- e. The fuse shall be lighted with a fuse lighter designed for the purpose. If a match is used, the fuse shall be slit at the end and the match head held in then slit against the power core and then the match head rubbed against an abrasive surface to light the fuse.
- f. The fuse shall not be lighted until sufficient stemming has been placed over the explosives to prevent sparks of live match heads from coming into contact with the explosives.
- g. The explosives shall not be held in hands when lighting the fuse.

# 10.7. UNDERGROUND WORK

- a. Only permissible explosives and in the manner as specified by the appropriate authority shall be used.
- b. Excessive quantities of explosives shall not be taken underground at any time. Black blasting powder or pellet powder shall not be used with any other explosive in the same borehole.

# 10.8. BEFORE AND AFTER FIRING

- a. Before firing, sufficient warning shall be given to enable the people working in the area to get off the danger zone. The danger zone shall be suitable cordoned off and flag men posted at important points.
- b. No loose materials, such as tools, drilling implements etc. Shall be left on the rock surfaces to be blasted.
- c. Blasting in the open shall be carried out during the fixed hours every day or on fixed days in the week. This information shall be amply publicized and the following precautions observed:
- d. On the project sites, where blasting operations are carried out, daily blasting hours shall be clearly printed on the sign-boards on all the roads approaching that area.
  - i. Road closing barriers should be provided to close the traffic on these roads, at least 400 meters away when the firing is to take place.

- ii. The beginning of the firing shall follow loud sirens and similarly loud sirens shall succeed the completion of the firing.
- e. The shot-firer shall not be allowed to return to the blasting site after firing, until at least 5 min have elapsed. In case of electric shot firing, the shot holes shall be examined after firing and in case of misfire no person shall be allowed to approach the blasting site for at lease 5 min. In case of shot firing with safety fuse, utmost care shall be taken to count the number to ensure that all the shots have fired and in the event of misfire, no person shall be allowed to approach the blasting site for at least 30 min. In any case, a careful inspection for the remaining un-detonated explosive shall be made after firing the shots. All misfired shot holes shall be cross-marked. No other person than those duly authorized shall approach the holes until one of the following operations has been performed in respect of each of the misfired holes:
- f. If the misfire is due to a faulty cable or faulty electrical connection the defect shall be remedied and the shot fired.
- g. The stemming shall be floated out by use of water or air jet from hose until the hole has been opened to within 60 cm of the charge, whereupon water will be siphoned or pumped out, then a fresh new charge placed and duly detonated. Or
  - i. A careful search shall be made of unexploded material in the debris of the charge.
  - ii. If a shift charge is unavoidable, the person in-charge of one shift before leaving the work shall inform the person relieving him for the next shift of any cases misfired and shall point out their position duly cross marked and also state clearly what action has to be taken in the matter.

Note: The rules are made considering statutory provisions and other National/International standards. However, if any statutory provision overruling these laws is made, the statutory provisions shall overrule the NTPC Rules.

# 11.0 SAFETY IN EXCAVATION & TUNNELING WORK

#### **SAFETY IN EXCAVATION**

#### 11.1GENERAL PROVISIONS

- a. Before undertaking any activity, the soil shall be tested and in case of availability of any explosive gas, necessary arrangements must be made to remove/dilute such gases and in case they are found to be toxic or poisonous, the workplace must be purged and continuous ventilation maintaining the contamination below the permissible level ensured;
- b. The position of underground installations such as sewers, water pipes and electrical cables shall be verified and in case of their existence, they must be isolated;
- c. If they cannot be isolated or removed or shutdown, they shall be fenced, hung up or otherwise protected. On every part likely to be visited by persons or where transport vehicles ply, the area shall be suitably fenced, guarded or barricaded to prevent fall of persons, vehicles or livestock into the excavated area;
- d. Warning signs shall be erected and the in the night hours the area shall be illuminated to warn pedestrians and vehicular traffic;
- e. Arrangements shall be made to prevent external vibrations due to rail/road traffic;
- f. Blasting shall be carried out in accordance with the norms applicable in this regard. Special care shall be taken to control the impact of vibrations/tremor caused by blasting to protect excavations from cave-ins;
- g. Arrangements shall be made to save other buildings/structures in the affected zone or in the vicinity of the area of excavation, from collapse;

# 11.2 SHORING AND TIMBERING

- Site of excavations, where workers are exposed to danger from moving ground, shall be made safe by maintaining due slope not exceeding the angle of repose of different types of soil or otherwise by shoring, portable shields or other effective means;
- b. All trenches in the soil, other than rock or hard compact soil more than 1.5 m deep into which men enter, shall be securely shored and timbered under the supervision of a competent person and only the trained workers shall be allowed to substantially alter or dismantle the shoring or timbering;
- c. All struts, braces and walls in excavation shall be adequately secured so as to prevent their accidental displacement;
- d. In all excavations in soft or fissured rock or hard soil exceeding 2 m in depth, except those which are sloped to within 1.5 m of the bottom into which men enter, shall be securely shored and timbered;
- e. Where the sides of the excavations are sloped as outlined above, but not within the 1.5 m of the bottom, vertical sides shall be shored and the shoring shall extend at least 30 cm above the vertical sides. When open spaced sheathing is used, a toe-board shall be provided to prevent material rolling down the slope and falling into the excavated.

# 11.3. SHEATHING

- a. The sheathing should be placed against the side of the trench so that length of each piece of sheathing is vertical. It should be held securely in place against the wales by ensuring that sheathing is kept firmly pressed against the wall of the trench. Where the trench excavated is loose, sandy or soft soil or soil which has been previously excavated or soil which is under hydrostatic pressure, each piece of sheathing shall be driven into the bottom of the trench so as to firmly hold it in place;
- b. Where two or more pieces of sheathing are used one above another, the sheathing shall be so arranged that the lower pieces of sheathing shall overlap the lowest wales supporting the piece of sheathing next above it. These pieces of sheathing shall be firmly driven into the soil and securely supported by wales and struts, as the trench is made deeper.

# 11.4. WALES

a. The wales shall be parallel to the bottom or the proposed bottom of the trench. Each wale shall be supported on cleats spiked to the sheathing or by posts set on the wales next below it and in the case of the lowest wale on the bottom of the trench itself. Where necessary, wedges may be provided between a wale and the sheathing it supports so that roughly uniformity is given to all individual pieces of sheathing.

#### **11.5. STRUTS**

- a. Struts shall be horizontal and at right angles to the wales or sheathing supported thereby. Struts shall be cut to the proper length required to fit in tightly between the wales. Where necessary, the struts shall be held securely in place by wedges, driven between the struts and the wales;
- b. Struts shall be placed on cleats spiked or bolted to the posts supporting the Wales.

# 11.6. LOOSE SITE MATERIALS:

No loose material shall be kept very close to the excavation creating possibility of its fall into the excavated area. A safe distance of at least 1 m shall be maintained.

# 11.7. PLANT & MACHINERY:

Movement of vehicles and heavy equipment shall be kept at a distance least equal to the depth of the excavation or at least 6 m for excavation deeper than 6 m and the workers shall be provided with proper tools.

#### 11.8. MEANS OF ACCESS

- a. For trenches deeper than 1.5 m, safe means of access and egress shall be provided at intervals of every 15 m. Where it is not possible to provide safe means of access and egress as above, ladders shall extend from the bottom of the trench to at least 90 cm above the ground;
- Walkways, runways and sidewalks shall be kept clear of excavated materials or other obstructions and no side walls shall be undermined-undercut unless it is capable of carrying a minimum live load of 125 lbs per square feet;

- c. If planks are used for raising walkways, runways or sidewalks, they should be parallel to the length of the walk and fastened together against displacement;
- d. Lone worker shall not be allowed to work in the excavated area.

### 11.9. INSPECTIONS:

A competent person shall make inspections every day and necessary measures shall be taken to safeguard against possible cave-ins or slide or collapse of the excavations.

## 11.10. NOTIFICATION OF INTENTION TO CARRY OUT EXCAVATION AND TUNNELING WORK

- a. Within thirty days, prior to the commencement of such excavation or tunneling work, the contractor shall inform in writing the detailed layout plans, method of construction and schedule of such excavation or tunneling work to the Engineer in-charge of NTPC;
- b. In case compressed air is used in such excavation or tunneling work or any work incidental to or required for such excavation or tunneling work, the technical details and drawings of all man-locks and medical-locks together with names and addresses of all construction medical officers duly qualified and so appointed by such contractor for the purpose of such excavation or tunneling work shall be sent to the Engineer in-charge.

#### 11.11. PROJECT ENGINEER

- a. The contractor undertaking any excavation or tunneling work shall appoint a Project Engineer for safe operation of such projects;
- b. Such Project Engineer shall exercise overall control of the operations and the activities at such project and be responsible for carrying out the activities safely.

## 11.12. RESPONSIBLE PERSON

- a. The contractor undertaking excavation or tunnel ling work at construction site of a building or other construction work shall appoint a responsible person for safe operation of such excavation or tunneling work;
- b. The name and addresses of such responsible persons shall be forwarded to the Engineer incharge;
- c. Duties and responsibilities of the responsible person referred to above person shall include
  - i. To carry out smoothly such excavation or tunneling work;
  - ii. To inspect and rectify any hazardous situation relating to such excavation or tunneling work;
  - iii. To take remedial measures to avoid any unsafe practice or conditions relating to such excavation or tunneling work.

# 11.13. WARNING SIGNS AND NOTICES

a. Suitable warning signs or notices, required for the safety of building workers carrying out the work of an excavation or tunneling, shall be displayed or erected at conspicuous places in Hindi

and in language understood by the majority of such building workers at such excavation or tunneling work;

- b. Such warning signs and notices with regard to compressed air working shall include:
  - i) The danger involved in such compressed air work;
  - ii) Fire and explosion hazards;
  - iii) The emergency procedures for rescue from such danger or hazards.

#### 11.14. REGISTER OF EMPLOYMENT

- a. The contractor shall ensure that at a construction site of a building or other construction work where an excavation or tunneling work is being carried on, a register of employment of building workers carrying out such excavation or tunneling work is maintained and produced on demand:
- b. Periods of work of such excavation or tunneling work shall be maintained in a register on dayto-day basis and such register shall be produced on demand

#### 11.15. ILLUMINATION

- a. All contractors carrying out excavation or tunneling work at a construction site of a building or other construction work shall provide for emergency generators on such construction site to ensure adequate illumination at all work places where such excavation or tunneling work is being carried out;
- b. In case of power failure, all workplaces where excavation or tunneling works are carried out shall be adequately illuminated

# 11.16. PNEUMATIC TOOLS:

Supply lines to pneumatic tools used within a tunnel are fitted with water trap or safety chain or safety wire, as the case may be.

## 11.17. STABILITY OF STRUCTURE DURING GENERAL EXCAVATION & TUNNELING:

The contractor shall ensure that where there is any doubt as to the stability of any structure adjoining the workplace or other areas to be excavated or where tunneling work is to be carried out –

- a. The Project Engineer shall arrange for measures like underpinning, sheet piling, shoring, bracing or other similar means to support such structure and to prevent injury to any building worker working adjacent to such structure or damage to property or equipment adjacent to such structure;
- b. Where any building worker engaged in excavation is exposed to hazard of falling or sliding material or article from any bank or side of such excavation which is more than 1.5 m above his footing, such worker shall be protected by adequate piling and bracing against such bank or side;

- c. The excavation and its vicinity shall be checked by a responsible person after every rain, storm or other occurrences carrying hazards and in case a hazard is noticed at such checking, adequate protection against slides and cave-in to prevent such hazard shall be provided;
- d. Temporary sheet piling installed for the construction of a retaining wall after excavation shall not be removed, except on the advice of the responsible person after an inspection carried out by such responsible person;
- e. Where banks of an excavation are undercut, adequate shoring shall be provided to support the material or article overhanging such bank;
- f. Excavated material shall not be stored at least 0.5 m from the edge of an open excavation or trench and the banks of such excavation or trench shall be stripped of loose rocks and other materials which may slide, roll or fall upon a building worker working below such bank;
- g. Adequate and suitable warning signs shall be put-up at conspicuous places at the excavation work to avoid any person falling into the excavations or trenches;
- h. The responsible person shall ensure at the excavation that no building worker is permitted to work where such building worker may be struck or endangered by the excavation machinery or material or article used in such excavation.

#### 11.18. SAFE ACCESS AND EGRESS:

Ladders, staircases or ramps are provided, as the case may be, for safe access to and egress form excavation where the depth of such excavation exceeds one point 1.5 m and such ladders, staircases or ramps comply with the relevant national standards.

#### **11.19. TRENCHES**

- a. A trench or excavation shall be protected against falling of a person by suitable measures if the depth of such trench or excavation exceeds 1.5 m and such protection shall be an improved protection in accordance with the design and drawing of a Professional Engineer, where such depth exceeds 4 m;
- b. Where the depth of a trench requires two lengths of sheet piling, one above the other, the lower piling shall be set inside the bottom strings or wales of the upper piling and such sheet piling shall be driven down and braced as the excavation continues;
- c. All metal sheet piles used in excavation or a trench shall be welded end-to-end and secured by other similar means.

# 11.20. POSITIONING AND USE OF MACHINERY:

Any machinery used in excavation and tunneling work shall be positioned and operated in such a way that such machinery will not endanger the operator of such machinery or any other person in the vicinity.

## 11.21. BREATHING APPARATUS:

Suitable breathing apparatus shall be provided to a building worker while working in compressed air environment for his use at excavation or tunneling work and such breathing apparatus shall be maintained in good working condition at all times.

#### 11.22. SAFETY MEASURES FOR TUNNELING OPERATIONS

- a. Where there is a danger of falling or sliding of material from the roof face or wall of a tunnel, adequate measures such as shoring, supporting by means of rock bolts, segments or steel sets shall be taken for the safety of building workers;
- b. The excavated areas shall be made safe by use of suitably designed and installed steel sets, rock bolts or similar other safe means;
- c. The responsible person shall examine and inspect the workplaces in a tunnel before the commencement of work in such tunnel and at regular intervals thereafter to ensure safety of the building workers in such tunnel;
- d. The portal areas of a tunnel with loose soil or rock, likely to cause injury to a person shall be adequately protected with supports.

#### 11.23. SURROUNDINGS OF A SHAFT

- a. Surroundings of a shaft used in excavation or tunnel work shall be protected from being washed away by construction of sufficient height;
- b. Where a building worker is required to enter a shaft at an excavation or tunneling work, safe means of access shall be provided for such entry;
- c. Every shaft at excavation or tunneling work shall be provided with a steel casing, concrete piping, timber shoring or other materials of adequate strength for the safety of building workers working in such shaft;
- d. Such casing and bracing shall be provided to shafts at an excavation or tunneling work according to the appropriate design for such casing and bracing;
- e. A reinforced concrete raft and beam shall be provided around the opening of a shaft at an excavation or tunneling work if the ground surrounding such opening is unstable or unsafe.

## 11.24. LIFT FOR SHAFT:

Lift shall be provided for transport of building workers and materials or articles at an excavation or tunneling work required to descend more than 50 m in a shaft.

# 11.25. MEANS OF COMMUNICATION

Reliable and effective means of communication such as telephone or walkie-talkie shall be provided and maintained in working order for arranging better and effective communication at an excavation or tunneling work at the following locations, namely:

- i. Working chamber of an excavation;
- ii. Intervals of hundred meters along the tunnel;
- iii. Working chamber side of a man lock near the door of such man lock;
- iv. Interior or each chamber of a man lock;
- v. Location conspicuous lock attendant's situation;
- vi. A compressor plant;

- vii. A first-aid station, and
- viii. Outside the portal or the top of a shaft;
- ix. Such number of bells and whistles shall be made available at all times at the locations as are necessary for the safety of persons at such locations.

#### 11.26. SIGNALS:

The standard audio or video signals shall be used in excavation or tunneling work and conspicuously located or displayed near entrance to the workplace and in such other locations as may be necessary to bring such signals to notice of all building workers employed in such excavation or tunneling work.

# 11.27. CLEARANCES

- a. The minimum lateral clearances of 0.5 m shall be maintained between any part of a vehicle and any fixture or any equipment used in an excavation or tunneling work after allowing the throw or swing of such fixture or equipment;
- b. The overhead clearance for a locomotive drive at excavation or tunneling work shall not be less than 1.20 m above the seat of such driver and not less than 2 m above the platform where such driver stands or of any other dimension in accordance with the approved standard.

#### 11.28. SHELTERS:

The adequate number of shelters for the safeguard of the building workers are provided where, in the course of working, they are liable to be struck by a moving vehicle or other material handling equipment in a tunnel.

#### 11.29. USE OF INTERNAL COMBUSTION ENGINE:

No internal combustion engine shall be used underground in excavation or tunneling work unless such engine is so constructed that the air entering the engine gets cleared before entry and the engine emits no fumes or sparks.

# 11.30.INFLAMMABLE OILS:

Inflammable oils with the flash point below the working temperature that is likely to be encountered in a tunnel shall not be used in excavation or tunneling work.

# 11.31. COUPLING AND HOSES:

All high-pressure hydraulic hoses and couplings shall be adequately protected against any possible damage in excavation or tunneling work.

### 11.32. HOSE INSTALLATION:

All hydraulic lines and plants working at a temperature exceeding 750 c shall be protected by adequate insulation or otherwise against accidental human contact in excavation or tunneling work.

#### 11.33. FIRE RESISTANT HOSES:

No fire hydraulic hoses other than fire resistant hydraulic hoses are used when hydraulically activated machinery and equipment are employed in tunnels.

# 11.34. FLAMEPROOF EQUIPMENT:

Only flameproof equipment of appropriate type as per approved standards shall be used where there is a danger of flammable or explosive atmosphere being prevalent inside the tunnel.

# 11.35. STORING OF OIL AND FUEL UNDERGROUND:

All oils, greases or fuels stored underground in excavation or tunneling work shall be kept in tightly sealed containers and in fire resistant areas at safe distances away from explosive and other flammable chemical and appropriate flameproof installation shall be used in such storage areas.

#### 11.36. USE OF GASES UNDERGROUND

- a. Petrol or liquefied petroleum gas or any other flammable substances shall not be used or stored inside the tunnel except with the prior approval of the Project Engineer;
- b. After the use of the petroleum or liquefied petroleum gas, or highly inflammable substances, all remaining petroleum or liquefied petroleum gas or highly inflammable substances shall be removed immediately from such tunnel;
- c. No oxy-acetylene gas shall be used in a compressed air environment in excavation or tunneling work.

# 11.37. WATER FOR FIRE FIGHTING

- a. Adequate number of water outlets shall be provided on excavation or tunneling work and readily made accessible throughout the tunnel for fire fighting purposes and such water outlets shall be maintained for effective fire lighting;
- b. All air locks shall be equipped with fire fighting facilities at excavation or tunneling work;
- c. An audible fire alarm shall be provided to warn the building workers whenever a fire breaks out on an excavation or tunneling work;
- d. Adequate number and types of fire extinguishers, in accordance with relevant national standards, shall be provided and made readily available to fight any outbreak of fire at an excavation or tunneling work;
- e. Fire extinguishers with vaporizing liquids and high pressure carbon dioxide shall not be used in tunnels or other confined spaces;
- f. The instructions regarding steps to be followed to fight outbreak of fire, at an excavation or tunneling work, written in Hindi or local language understood by the majority of the building workers employed on such excavation or tunneling work, shall be displayed at conspicuous and vulnerable places of such excavation or tunneling work.

#### **11.38. FLOODING**

- a. Water tight bulkhead doors shall be installed at the entrance of a tunnel to prevent flooding during a tunneling work where more than one tunnel is driven from a shaft;
- b. All necessary measures shall be taken to ensure that no building worker is trapped in any isolated section of a tunnel when any bulkhead door of such tunnel is closed;
- c. Where there is likelihood of flooding or water rushing into a tunnel during a tunneling work, arrangements shall be made for immediate starting of water pumps to take out water of such flooding or water rushing and for giving alert signals to the building workers and other persons to keep them away from danger.
- d. Airtight steel curtains shall be provided in areas liable to flooding at tunneling work and in case of descending tunnels, such curtains shall be provided in the top half of such tunnels to ensure the retention of pockets of air for rescue purpose.

#### 11.39. REST SHELTERS

- a. Where building workers employed in a compressed air environment in a tunneling work are required to remain at the work site for one hour or more after de-compression from pressure exceeding one bar, adequate and suitable facilities shall be provided for such building workers to rest;
  - a. Every man-lock, medical-lock and any other facility inside these locks in a tunneling work shall be maintained in a clean state and in good repairs;
  - b. A first-aid room shall be provided and readily available at a construction site of a tunneling work;
  - c. Each man-lock attendant at the station shall be provided with a first-aid box.

#### 11.40. PERMISSIBLE LIMIT OF EXPOSURE OF CHEMICALS

- a. The working environment in a tunnel or a shaft in which building workers are employed shall not contain any of the hazardous substances in concentrations beyond the permissible limits;
- b. The responsible person referred to shall conduct necessary test before the commencement of a tunneling work for the day and at suitable intervals as fixed by the Engineer in-charge, to ensure that the permissible limits of exposure are not exceeded and a record of such test shall be maintained and made available for inspection.

# 11.41. VENTILATION:

All working areas in a free air tunnel shall be provided with the approved ventilation system and the fresh air supplied in such tunnel shall not be less than 6 m<sup>3</sup> per minute for each building worker employed underground in such tunnel and the free air-flow movement inside such tunnel not less than 9 m<sup>3</sup> per minute.

# 11.42. AIR SUPPLY INTAKE POINT:

The air intake points for all air compression shall be located at places where such intake air does not get contaminated with dust, fumes, vapor and exhaust gases or other contaminants.

# 11.43. EMERGENCY GENERATORS

- a. Every compressed air system in a tunnel shall be provided with emergency power supply system for maintaining continued supply of compressed air in such compressed air system, which shall be capable of operating air compressor and ancillary systems of such compressed air system;
- b. The emergency power supply system shall be maintained and made readily available at all times.

# **11.45. AIR MAINS:**

Every air-main supplying air to the working chamber, man-lock or medical-lock used at an excavation or tunneling work shall be protected against accidental damage and where it is not practicable to provide such protection, a stand-by air-main shall be provided.

#### 11.46. BULKHEAD AND AIR LOCKS

- a. A bulk head or air tight diaphragms retaining compressed air, when used within a tunnel or a shaft, shall be constructed to withstand the maximum pressure at 1.25 the maximum working pressure of such bulk head or diaphragm and such bulk head or diaphragm shall be tested before its each use by a responsible person to ensure that such bulk head or diaphragm is in proper working order;
- b. Such responsible person shall keep the record of each test and such record shall be produced for inspection.
- The bulk head or diaphragm shall be made of sound material of adequate strength, which shall be able to withstand the maximum pressure on which they are subjected to at any time of their use;
- d. A bulkhead anchorage and air lick shall be tested at its work place at an excavation or tunneling work immediately after their installation at such place.

#### **11.47. DIAPHRAGM:**

All diaphragms, which are in the form of horizontal decks across a shaft used at excavation or tunneling work, shall be securely anchored

#### 11.48.PORTABLE ELECTRICAL HAND TOOLS:

All portable electrical hand tools and inspection lamps used underground or in a confined space shall be operated at a voltage not exceeding 24 V.

#### 11.49. CIRCUIT BREAKER

- a. Adequate numbers of differential ground fault circuit breakers shall be installed for every electrical distribution system and its sub-systems used at an excavation or tunneling;
- b. Work and the sensitivity of each of circuit breaker shall be adjusted in accordance with the requirement set out in accordance with the approved standards;
- c. No semi-enclosed fuse unit shall be used in underground place.

## 11.50. TRANSFORMER:

The contractor shall ensure no transformer is used in any section of a tunnel under compressed air unless such transformer is of the dry type and conforms to the approved standards.

#### **11.51. LIVE WIRES:**

There shall be no exposed live wire in working areas at an excavation or tunneling work which are accessible to building workers other than those authorized to work on such live lines.

#### **11.52. WELDING SETS:**

All welding sets used in a tunnel shall be of adequate capacity and of suitable type, duly approved.

### 11.53. QUALITY AND QUANTITY

- a. Every working chamber at an excavation or tunneling work where compressed air is used, the supply of such air shall be maintained at not less than 0.3 m<sup>3</sup> per minute per person working therein;
- b. A reserve supply of compressed air shall be made available at all times for man-locks and medical locks used at a tunneling work;
- c. The air supplied in a compressed air environment at a tunneling work shall be, as far as practicable, free from contaminants, namely, dust, fumes and other toxic substances.

#### 11.54. WORKING TEMPERATURE:

The temperature in any working chamber at an excavation or tunneling work where building workers are employed shall not exceed 29° c and the arrangement shall be maintained for kipping records in which the temperatures measured by dry bulb and wet bulb inside such working chamber once in every hour and for producing such records for inspection on demand.

# 11.55. MAN-LOCKS AND WORKING IN COMPRESSED AIR ENVIRONMENT

- a. Man-locks used at a tunneling work shall be of adequate strength, made of sound material and designed to withstand any pressure, internal or external, to which it may be subjected in the normal use or in an emergency;
- b. Doors of man-locks at an excavation or tunneling work shall be made of steel and used at a tunneling work for keeping the work airtight and devices shall be provided for sealing the doors when such locks are under pressure. The anchorage of a man-lock used at tunneling work shall have adequate strength to withstand the pressure exerted by air on the man-lock. There shall be adequate room available for the workers for working in the man-locks;
- c. Where work is carried out in any compressed air tunnel, a Man-lock in accordance with the approved standards shall be used;
- d. Where a man-lock is used, safety Instructions in Hindi and in local language understood by majority of building workers employed there, shall be displaced at conspicuous places;
- e. Except in an emergency, compression and de-compression operations shall be carried out in a man-lock and in an emergency any material-lock may be used;
- f. A record of compression and de-compression shall be kept in writing and produced for inspection on demand;
- g. Material lock shall be used with the permission of the Engineer in-charge where it is impracticable to install both the man-lock and the material-lock at;
- h. The man-lock at tunneling work shall not be used for any purpose

- i. other than compression or de-compression of building workers;
- j. No de-canting of building workers at tunneling work shall be carried
- k. out without prior approval of the Engineer in-charge except in an emergency;
- In case a building worker collapses or is taken ill during his de-compression in a man-lock, the lock attendant of such man-lock shall raise the pressure to a level equal to the maximum pressure which that building worker was exposed to in the working chamber prior to such de-compression and such lock attendant shall immediately report the matter relating to such collapse to the medical lock attendant and medical officer on duty;
- m. A building worker who had previously received training with a trained building worker to work in a compressed air environment at tunneling work shall be employed to work independently in such a compressed air environment;
- n. A building worker who had undergone three de-compressions from a pressure exceeding one bar in a period of eight hours at tunneling work shall not be allowed to enter a compressed air environment except for the purpose of carrying out rescue work;
- A building worker employed in a compressed air environment for a period of eight hours in a day
  at tunneling work shall not be employed again in such environment unless he has spent not less
  than twelve consecutive hours of rest at atmospheric pressure;
- p. No building worker shall be engaged in a compressed air environment at a pressure, which exceeds three bars at a tunneling work unless prior permission, in writing, has been obtained from the Engineer in-charge;
- q. No building worker shall be employed in a compressed air environment for more than fourteen consecutive days in a month;
- r. A register of employment of all building workers in compressed air environment shall be maintained;
- s. An identification badge shall be supplied to a building worker employed in compressed air environment;
- t. The badge of a building worker shall contain particulars of his name, location of the medical-lock allotted to him for work, the telephone number of the Construction Medical Officer concerned for his treatment and the instructions in case of his illness of unknown and doubtful causes;
- u. Record of all identification badges supplied to building shall be kept in a register;
- v. Every building worker whose name appears in the register shall wear the badge supplied to him at all times during his duty hours;
- w. Suitable warning signs shall be displayed in the compressed air for the prohibition of the following, namely:
  - i) Use of alcoholic drinks;
  - ii) Use and carrying of lighters, matches or other sources of ignition;
  - iii) Smoking; and

iv) No entry to person who has consumed alcoholic drink

#### 11.56.SAFETY INSTRUCTION:

All building workers employed in compressed air environment at tunneling work shall follow the instructions issued for their safety in the course of such employment.

#### 11.57.MEDICAL-LOCK

- a. A suitably constructed medical lock shall be maintained at tunneling work where building workers are employed in a working chamber at a pressure exceeding one bar;
- b. Where more than one hundred building workers are employed in a compressed air working environment exceeding one bar at tunneling work, one medical-lock is provided for every one hundred building workers or part thereof and such medical lock shall be situated as near as possible to the main-lock used at such tunneling work.

# 12.0. SAFETY IN PILING WORK

#### 12.1. GENERAL PROVISIONS

- a. All pile driving equipment shall be of good design and sound construction, taking into account the ergonomic principles and properly maintained;
- b. A pile driver shall be firmly supported on a heavy timber sill, concrete bed or other secured foundation;
- c. In case a pile driver is required to be erected in dangerous proximity to an electrical conductor, all necessary precautions shall be taken to ensure safety;
- d. The hoses of steam and air hammer shall be securely lashed to such hammer so as to prevent them from whipping in case of connection or break;
- e. Adequate precaution shall be taken to prevent the pile driver from over turning and hammer from missing the pile;
- f. A responsible person for inspecting pile-driving equipment shall inspect such equipment before taking it into use and takes all appropriate measures as required for the safety of building workers before commencing piling work by such equipment;
- g. Where there is any question of stability of a structure for its adjoining areas to be piled, such structure shall be supported, where necessary, by underpinning, sheet pilling, shoring, and bracing or by other means to ensure safety and stability of such structure and to prevent injury to any person.

### 12.2. PROTECTION OF OPERATOR:

The operator of every pile driving equipment shall be protected from falling objects, steam, cinders or water by substantially covering or otherwise or by other means.

# 12.3. INSTRUCTION TO AND SUPERVISION OF BUILDING WORKERS WORKING ON PILE-DRIVING EQUIPMENT:

Every building worker working on a pile driving equipment shall be given instructions regarding safe work procedure to be followed in piling operation and shall be supervised by a responsible person throughout such work.

#### 12.4. ENTRY OF UNAUTHORIZED PERSON:

The contractor shall ensure at a construction site of a buildings or other construction work that all piling areas where pile-driving equipment is in use are effectively cordoned off to prevent entry of unauthorized persons.

# 12.5. INSPECTION AND MAINTENANCE OF PILE DRIVING EQUIPMENT

- a. Pile-driving equipment shall not be taken into use until it has been inspected by a responsible person and found to be safe for such use;
- b. A responsible person for such inspection at suitable intervals to ensure safety to the building worker working on such equipment shall inspect pile driving equipment in use;

c. All pile lines and pulley blocks shall be inspected by a responsible person before the beginning of each shift of piling operations.

# 12.6. OPERATION OF PILE-DRIVING EQUIPMENT

- a. Only experienced and trained building worker shall operate pile driving so as to avoid any probable danger from such operation;
- b. Pile-driving operations shall be governed generally prevalent and accepted signals so as to prevent any probable danger from such operations;
- c. Every building worker employed in pile driving operation or in the vicinity of such pile driving operation shall wear ear protection and safety helmet or hardhat and safety shoes;
- d. Piles shall be prepared at a distance, at least equal to twice the length of the longest pile, from the place of pile-driving operations;
- e. When a pile driver is not in use, the hammer of such pile driver shall be blocked at the bottom of the heads of such pile driver.

# 12.7. WORKING PLATFORM ON PILING FRAMES:

Where a structural tower supports the lead of a pile driver, leads at which it is necessary for the building workers to work and such platforms except on the hammer of such pile driver or lead sides of such platform and where such platforms cannot be provided with such railing and toe boards, a safety belt shall be provided to each such building worker.

#### 12.8. PILE TESTING

- a. The testing of pile shall be conducted under the supervision of a responsible person for such testing;
- b. All practicable measures like displaying of waning notices, barricading the area and other similar measures shall be taken to protect the area where the pile testing is carried out;
- c. Entry to a pile testing area shall be prohibited to general public to ensure safety.

# 12.9. PILING, SHORING AND BRACING

- a. Planks used for sheet piling in excavation or tunneling work shall be of sound material with adequate strength;
- b. Shores and braces used in excavation or tunneling work shall be of adequate dimensions and so placed as to be effective for their intended purposes;
- c. Earth supported shores or braces used in excavation or tunneling work shall bear against a footing of sufficient area and stability to prevent the shifting of such shores or braces.

# 13.0. SAFETY IN THE ERECTION, USE AND DISMANTLING OF SCAFFOLDS

#### 13.1. SCAFFOLD CONSTRUCTION

- a. Every scaffold and every component thereof shall be of adequate construction, made of sound material and free from defects and safe for the purposes for which it is intended for use;
- b. In case bamboo is used for scaffolding, such bamboo shall be of suitable quality, good condition, free from protruding knots and stripped off to avoid any injury to building workers during handling such bamboo;
- c. All metal scaffolds used in building or other construction work shall conform to the approved standards;
- **13.2. SUPERVISION BY A RESPONSIBLE PERSON:** No scaffold shall be erected, added, altered or dismantled except under the supervision of a responsible person.

#### 13.3. Maintenance

- a. The scaffold used in building or other construction work shall be maintained in good repairs and the measures taken against its accidental displacement or any other hazard;
- b. No scaffold or part thereof shall be partly dismantled and allowed to remain in such a condition unless
  - i) The stability or safety of the remaining portion of such scaffold has been ensured by a responsible person for the safety of such scaffolds;
  - ii) In case the remaining part of such scaffold cannot be used by the building workers, necessary warning notice written in Hindi and in a language understood by the majority of the building workers that such scaffold is unfit for use, shall be displayed at the place where such scaffold is erected.

# 13.4. STANDARDS, LEDGERS, PUTLOGS

- a. Standards of a scaffold shall be plumb, where practicable, fixed sufficiently close together to secure the stability of such scaffold having regard to all the possible working situations and conditions for the intended use of such scaffold, spaced, as close as practicable, to ensure safety and stability of such scaffold;
- b. Adequate measures are taken to, prevent displacement of a standard of a scaffold either by providing sole plate or a base plate, as necessary;
- c. Ledgers of metal scaffold are placed at vertical intervals with due regard to safety and stability of such scaffold;
- d. Bamboo ledgers are kept as nearly as possible and are placed and fastened to the standards of a scaffold with due regard to the stability of such scaffold.

# 13.5. WORKING PLATFORM

- a. Working platform shall be provided around the face or edge of a building adjoining at every upper most permanent floor of such building under construction and at any level where construction work of such building is carried out;
- A platform shall be designed to suit the number of building workers to be employed on each bay
  of a scaffold work on such platform and the materials or articles and tools to be carried with them
  in such bay;
- c. The safe working load and the number of building workers to be employed in each bay of a scaffold shall be displayed for the information of all the building workers employed at such construction site.

# 13.6. BOARD, PLANK AND DECKING

- a. Board, plank and decking used in the construction of a working platform shall be of uniform size and strength and shall be capable of supporting the load and number of building workers keeping in view the safety of such building workers;
- b. Metal decking, which forms part of a working platform, shall be provided with non-skid surface;
- c. No board or plank which forms the working platform shall be projected beyond its end support unless it is effectively prevented from tripping or lifting and board, plank or decking shall be fastened and secured;
- d. At any one time, not more than two working platforms per bay, shall be used to support building workers or materials or articles at such bay;
- e. Adequate measures shall be taken to prevent injury which may be caused by falling material and objects by using safety nets or other suitable means;
- f. Concrete, other debris or materials shall not be allowed to accumulate at any platform on a scaffold;
- g. Where a work is to be done at the end of a wall, working platform at such workplace shall be faced or, wherever practicable, at least 0.6 m beyond the end of such wall.

# 13.7. REPAIR OF DAMAGED SCAFFOLD

- a. No building worker shall be permitted to work on a scaffold that has been damaged or wakened unless adequate safety measures have been taken to ensure the safety of such building worker;
- b. Necessary warning signs shall be displayed at such places where repairs of scaffold are undertaken.

#### **13.8. OPENING**

- a. There shall be no opening in any working platform except for allowing access to such working platform;
- b. Wherever opening on a platform is unavoidable, necessary measures for protection against failing of objects or building workers from such platform shall be taken by providing suitable safety nets, belts or any other similar means;
- c. Access from one working platform to another platform on a scaffold, if required, shall be provided with suitable and safe ladder for the use of building workers working on such platforms;

- d. Every opening or shaft in the floor shall be provided with suitable means to protect the fall of a person or material by providing suitable fencing or railing of height not less than 900 mm.
- **13.9. GUARDRAILS:** Every side of a working platform from which a person is liable to fall shall be provided with suitable and safe guardrails and toe board of adequate strength to prevent fall of any building worker, material or tools from such platform.

#### 13.10. SCAFFOLD USED BY BUILDING WORKERS OF DIFFERENT EMPLOYERS

- a. Where a scaffold or a part of a scaffold is used, which has previously been used by another employer for his building workers, such scaffold or part thereof shall be used only after its inspection and examination by a responsible person for ensuring that such scaffold or part thereof is safe and fit for such use:
- b. If any rectification, alteration or modification in a scaffold or part thereof, needed to suit its use, shall be made in consultation with the responsible person.

# 13.11. PROTECTION AGAINST ELECTRIC POWER LINE:

The contractor shall ensure that all necessary and practical measures for protection are taken to prevent any building worker, working on a scaffold, from coming into contact with the electric wires or dangerous equipment.

#### **13.12. SCREENING NET AND WIRE NETS:**

Where a scaffold is erected in an area where the construction activities may pose hazards to pedestrians or vehicular traffic nearby from the falling of objects, wire nets or screening nets shall be used to envelope such scaffold.

# 13.13. TOWER SCAFFOLD

- a. The height of every tower scaffold used in building or other construction work shall not be more than eight times the lesser to the base dimension of such scaffold;
- b. A tower scaffold shall be lashed to a building or a fixed structure before being used by the building workers;
- c. Any tower scaffold which can be moved or castered shall be
  - i) Constructed with due regard to the stability and, if necessary, adequately weighted at the base;
  - ii) Used only on plain and even surface; and
  - iii) Has casters provided with positive locking devices to hold such scaffold in position;
- d. No building worker shall remain on board scaffold or leave behind tools and material when it is being shifted from one position to another position.

# 13.14. GEAR FOR SUSPENSION OF SCAFFOLD

- a. Chains, ropes or lifting gears used for suspension of a scaffold shall be of adequate strength, made of sound material and suitable for the purpose of their use and maintained in good repairs;
- b. Chains, wires, ropes or metal tubes used for the suspension of a scaffold shall be:

- i) Properly and securely fastened to every anchorage point and to the scaffold ledgers of other main supporting members used for the support of such scaffold; and
- ii) So positioned as to ensure stability of the scaffold.

#### 13.15. TRESTLE SCAFFOLD AND CANTILEVER SCAFFOLD

- a. No trestle scaffold shall be constructed with more than three tiers or if its working platform is more than 4.5 m above the ground or floor or other surface upon which such scaffold is erected;
- b. Trestle scaffold shall be designed by professional engineer and shall have the approval of the Engineer in-charge before being taken into use.
- c. No trestle scaffold shall be erected on a suspended scaffold;
- d. No cantilever or jib scaffold shall be used unless it is adequately supported, fixed and anchored on opposite side of its support and have out triggers of adequate length and, where necessary sufficiently, supported and braced to ensure safety and stability of such scaffold;
- e. No working platform resting on bearers let into a wall at one end and without other support shall be used unless such bearers are of adequate strength, braced through the wall and securely fastened on the other side.

#### 13.16. SCAFFOLD SUPPORTED BY BUILDING

- a. No part of a building shall be used as support or part of a scaffold unless such part of the building is made of sufficient strength and made of sound material to afford safe support;
- b. Overhanging eaves gutters shall not be used for supporting scaffold;
- c. Suspended scaffold shall be made of in accordance with the approved standards before being used by the building workers.

## 13.17. USE OF WINCHES AND CLIMBERS FOR SUSPENDED SCAFFOLD

- a. No scaffold shall be raised or lowered by winches or climbers unless such scaffold is made of sound material, adequate strength and has been tested and certified safe for use of winches or climber by a competent person before being taken into use;
- b. All suspended scaffolds counter-balanced by counter weights shall be of approved types before being taken into use for building or other construction work;
- c. The working platform of a suspended scaffold shall be securely fastened to the building or structure as to be safe and to prevent such platform from swing;
- d. The safe working load that a suspended scaffold can carry, shall be displayed where such scaffold is being used

### 13.18. SAFETY DEVICES FOR SUSPENDED SCAFFOLD

a. Every suspended scaffold, raised or lowered by the winches or climbers, shall be provided at each of its suspension point with a safety rope with automatic safety device mounted on each of such rope so that such safety rope with such automatic safety device support the platform of such

scaffold in the event of failure of the primary suspension wire ropes, winches, climbers or any part of the mechanism used for raising or lowering such suspended scaffold;

- b. Provided that the clause (a) shall not apply
  - i) Where the platform of such scaffold is supported at two independent suspension wire rope at or near each end of such platform so that in the event of failure of one of such suspension wire rope, the other wire rope is capable of sustaining the weights of such platform and its load and prevent it from tilting; or
  - ii) Where a system is incorporated which operates automatically to support the platform of such scaffold and its load in the event of failure of the primary suspension wire rope of such scaffold.

# 14.0. SAFETY IN THE ERECTION OF STRUCTURAL FRAME & FORMWORK

#### 14.1. GENERAL PROVISION

- a. The trained building worker under the direct supervision of a person, responsible for structural frame and formwork, shall be employed for erection of such structural frame or formwork, dismantling of building and structure and performance of and engineering work formwork, false work and shoring work;
- b. Adequate measures shall be taken to guard against hazards arising from any temporary state of weakness or unsuitability of a structure.

# 14.2. FORMWORK, FALSE WORK AND SHORING

- a. Formwork and false work shall be so designed, constructed and maintained that such formwork and false work are able to support the load that may be imposed on them;
- b. Such formwork shall be so erected that working platform, means of access, bracings, means of handling and stabilizing could easily be fixed with such formwork.

#### 14.3. ERECTION OR DISMANTLING OF STEEL AND PREFABRICATED

- a. Erection or dismantling of any pre-fabricated structure shall be made safe against danger by using appropriate means such as ladders, gangways or fixed platforms, buckets, boatswains chair or other appropriate means suspended from lifting appliances, safety harness, life lines, catch nets or catch platforms, power-operated mobile working platforms etc.;
- b. The work of erection or dismantling of buildings or structures or formwork or false work or shoring or any other civil engineering work shall be carried out by trained building workers under the supervision of a person responsible for such work;
- Steel or prefabricated structures shall be so designed and made that such structures can be safely transported or erected; and weight of each unit of such structures shall be clearly marked on such unit;
- d. The design of each such part shall maintain stability of each part of the structures referred to in clauses above when erected, and to prevent danger, the design shall explicitly take into account
  - i) The relevant conditions and methods of attachment in the operations of stripping, transport, storing and temporary support during erection of such parts;
  - ii) Safeguards, such as provision of railings with working platforms, and for mounting such railings and platforms easily on the structural steel or prefabricated parts;
- e. The hooks and softer devices built in or provided on the structural steel or prefabricate parts that are required for lifting and transporting such parts shall be so shaped, dimensioned and positioned to withstand the stresses to which such hooks or other devices are subjected;

- f. Prefabricated parts made of concrete shall not stripped or erected before such concrete has set and hardened sufficiently to the extent provided for in the plans, and such parts are examined by the responsible person for any sign of damage before their use;
- g. Store-places shall be so constructed that
  - i) There shall be no risk of structural steel of prefabricated parts falling or overturning;
  - ii) Storage conditions shall generally ensure stability and avoid damage having regard to the method of storage and atmospheric conditions; and
  - iii) Racks shall be set on firm ground and designed so that units cannot move accidentally in such store-places;
- h. Structural steel or pre-fabricated parts shall not be subjected to stresses prejudicial to their stability while they are stored or transported or raised or set down;
- i. Tongs, clamps and other appliances for lifting structural steel and prefabricated part shall be:
  - i) In such shape and dimensions as to ensure a secure grip without damaging and marked with the maximum permissible load in the most unfavourable lifting conditions; and
  - ii) Structural steel or pre-fabricated parts shall be lifted by such methods and appliances that prevent them from spinning accidentally;
- j. Structural steel or pre-fabricated parts shall be provided with railings and working platforms before raising such parts to prevent any danger of falling of building workers, materials or articles at the time of any work with such parts;
- k. All reasonably practical measures shall be taken to avoid injury to building workers, building structure or equipment while structural steel or pre-fabricated parts are handled or stored or transported or raised or lowered;
- I. Structures shall not be worked on during violent storms or high winds or any other such hazardous situation;
- m. The risk of falling to which building workers, moving on high or sloping girders, may be exposed is limited by all means of adequate collective protection or by the use of a safety harness which shall be well secured to a sufficiently strong supports;
- n. Structural steel parts, which are to be erected at a great height, shall, as far as practicable, be assembled on the ground;
- o. When structural steel or pre-fabricated parts are being erected, a sufficiently extended area underneath the workplace shall be barricaded or guarded;
- p. Steel trusses, which are being erected, shall be adequately shored, braced or guyed until they are permanently secured in position;
- q. Structural members shall not be forced into place by the hoisting machine while any building worker is in such a position that he is likely to be injured by such operation.

#### 14.4. FORMWORK

- a. All formwork shall be properly designed keeping in view the safety of building workers, buildings or structures;
- b. A responsible person for structural frame and formwork shall
  - i. Inspect and examine the material, timber, structural steel and scaffolding for its strength and suitability before being taken into use;
  - ii. Lay-down procedures to cover all stages of such structural frame and formwork;
  - iii. Supervise such structural frame and formwork;
  - iv. Take all necessary steps or measure to correct any situation with a view to prevent accident or dangerous occurrence during performances of such structural frame and formwork.

#### 14.5. DE-SHORING

- a. When shoring is removed, sufficient props shall be left in place of such shoring to prevent any possible hazard; and
- b. Deshoring shall be adequately braced and tied together with support to prevent any hazard.

# 15.0. SAFETY IN CONCRETE WORK

#### 15.1. GENERAL PROVISIONS REGARDING USE OF CONCRETE

- a. All construction with the use of concrete or reinforced concrete shall be based on plans including specification of steel and concrete and other material to be used in such construction
  - Giving technical details regarding methods for safe placing and handing of such materials and indicating the type, quality and arrangement of each part of a structure of such construction; and
  - ii. Explaining the sequence of steps to be taken for completion of such construction;
- b. Formwork and shores used for concrete work shall be structurally safe and properly braced or tied together so as to maintain position and shape of formwork or shores;
- c. Formwork structure used shall have sufficient catwalks and other secure access for inspection of such structure if such structure is in two or more tiers;
- d. No machinery or any object should fall below by using wire nets, screen nets etc.

# 15.2. PREPARATION AND POURING OF CONCRETE AND ERECTION OF CONCRETE STRUCTURE

- a. A building worker handling cement or concrete shall
  - i) Wear close-fitting clothing, gloves, helmet or hardhat, safety goggles, proper footwear and respirator or mask to protect himself from danger in such handling;
  - ii) Keep as much of his body covered as is required to protect himself from danger in such handling;
  - iii) Take all necessary precautions to keep cement and concrete away from his skin in such handling;
- b. Lime pits shall be fenced or enclosed and filled and emptied by such devices, which do not require workers to go into the pit;
- c. Moving parts of the elevators, hoists screens bunkers, chutes, grouting equipment used for concrete work and of other equipment used for storing, transport and other handling ingredients of concrete shall be securely fenced to avoid contact of building workers with such moving parts;
- d. Screw conveyors used for cement, lime and other dusty materials shall be completely enclosed.

# 15.3. BUCKETS

- a. Concrete buckets used with cranes or aerial cableways shall be free from projections from which accumulations of concrete could fall;
- b. Movements of concrete buckets shall be governed by signals necessary to avoid any danger by such movements.

#### 15.4. PIPES AND PUMPS

- a. A scaffolding carrying a pipe for pumped concrete shall be strong enough to support such pipe at a time when such pipe is filled with concrete or water or any other liquid and carry the combined load of the all the building workers who may be on such scaffold at such time, safely;
- b. Every pipe for carrying pumped concrete shall be
  - i) Securely anchored at its end point and at each curve on it;
  - ii) Provided near the top of such pipe with an air release valve;
  - iii) Securely attached to a pump nozzle by a bolted collar or other adequate means;
- c. The operation of concrete pumps shall be governed by standard signals;
- d. Building workers employed around a concrete pump shall wear safety goggles;

#### 15.5. MIXING AND POURING OF CONCRETE

- a. The concrete mixture shall not contain any material, which may unduly affect the setting of such concrete, weaken such concrete or corrode steel used with such concrete;
- b. When dry ingredients of concrete are being mixed in confined spaces such as silos
  - i) The dust shall be exhausted at the time of such mixing and
  - ii) In case the dust the dust cannot be exhausted, as specified, the workers shall wear respirators at the time of such mixing;
- c. When concrete is being tipped from buckets, building workers shall be kept out of the range of any kickbacks of such buckets;
- d. Loads shall not be dumped or placed on settling concrete.

### 15.6. CONCRETE PANELS AND SLABS

- a. All parts of a concrete panel or concrete slab shall be hoisted uniformly;
- b. Concrete panels shall be adequately braced in their final positions and such bracings shall remain in such positions until such panels are adequately supported by other parts of the construction for which such panels are used;
- c. Temporary bracings of concreter panels shall be securely fastened to prevent any part of such panels from falling when such panels are being moved.

#### 15.7. STRESSED AND TENSIONED ELEMENTS

- a. Building workers shall not stand directly over jacking equipment while stressing of concrete girders and beams is being done;
- b. A pre stressed concrete unit shall not bee handled except at points on such unit and by the devices specified for such work by the manufacture of such devices;
- c. During transport, pre-stressed concrete girders or concrete beams shall be kept upright by bracing or other effective means;

- d. Anchor fittings for pre-tensioned strands of pre-stressed concrete girders of concert beams are kept in a safe condition in accordance with the instruction of manufacturer of such anchor fittings;
- e. Building workers shall not stand behind jacks or in line with tensioning elements and jacking equipment during tensioning operations of pre-stressed concrete girders of concrete beams;
- f. Building workers do not cut wires of pre stressed concrete girders or concrete beams under tension before such concrete used of such girder or beams is sufficiently hardened.

#### 15.8. VIBRATORS

- a. A building worker, who is in good physical condition, shall operate vibrators used in concreting work:
- b. All practical measures shall be taken to reduce the amount of vibration transmitted to the operators working in concreting work and
- c. When electric vibrators are used in concreting work
  - i) Such vibrators shall be earthed;
  - ii) The leads of such vibrators shall be heavily insulated; and
  - iii) The current shall be switched off when such vibrators are not in use.

#### 15.9. INSPECTION AND SUPERVISION

- a. A person responsible for a concreting work shall supervise the erection of the formwork, shores, braces and other supports used for such concreting work, make a through inspection of every formwork to ensure that such formwork is safe, regularly inspect the formwork, shores, braces, reshores and other supports during the placing of concrete, keep all records of inspections referred to above at the workplace relating to such inspection and produce them for inspection upon the demand.
- b. Any unsafe condition, which is discovered during the inspections, shall be remedied immediately.

# 15.10. BEAMS, FLOORS AND ROOFS

- a. Horizontal and diagonal bracings shall be provided in both longitudinal and transverse direction as may be necessary to provide structural stability to formwork used in concreting work and shores used in such concreting work shall be properly seated on top and bottom and secured in their places;
- b. Where shores used in concreting work rest upon the ground, base plates shall be provided for keeping such shores firm and in level;
- c. Where the floor to ceiling height of a concreting work exceeds 9 m or where the formwork deck used in such concreting work is supported by shores constructed in two or more tiers, or where the dead, live and impact loads on the formwork used in such concreting work exceed 700 kilogram per m², the structure of such formwork shall be designed by a professional engineer in the relevant field and the specifications and drawings of such formwork kept at such construction site and produced on demand.

d. Where a professional engineer designs the structure of the formwork used in concreting work, such engineer shall be responsible for the supervision of construction and the stability of such structure.

#### **15.11. STRIPPING**

- a. Stripping of formwork used in concreting work shall not commence until the concrete on such formwork is fully set, examined and certified to this effect by the responsible person and record of such examination and certification is maintained;
- b. Stripped forms in concreting work shall be removed or stock piled promptly after stripping from all areas in which building workers are required to work or pass;
- c. Protruding nail, wire ties and other formwork accessories not required for subsequent concreting work shall be pulled, cut or otherwise made safe.

#### **15.12. RE-SHORING**

- a. Re-shoring used in concreting work shall be provided to a slab or beam for its safe support after its stripping or where such slab or beam is subjected to superimposed loads due to construction above such slab or beam;
- b. The provisions applicable to shoring in a concreting work shall also be applicable to reshoring in such work or pass.

# 16.0. SAFETY IN CONSTRUCTION, REPAIR & MAINTENANCE OF STEEP ROOFS

#### **16.1.WORK ON STEEP ROOFS:**

All practicable measures shall be provided to protect the building workers against sliding when carrying outwork on steep roofs.

# 16.2. CONSTRUCTION AND INSTALLATION OF ROOFING BRACKETS

- a. Roofing brackets shall be constructed to fit the pitch of steep roof and such brackets shall be used to provide level working platform;
- b. Roofing bracket shall be secured in its place by nailing pointed metal projections attached to the underside of such bracket and securely driven into a steep roof on which it is used or secured by a rope passed over the ridgepole and tie of such roof.

#### 16.3. CRAWLING BOARDS

- a. All crawling boards used for work on steep roofs shall be of adequate strength, made of sound material and of the type approved for the purpose of their use;
- b. Crawling boards shall be kept in good repairs and inspected by a responsible person before being taken into use;
- c. Crawling boards shall be secured to a steep roof on which it is used by ridge hooks or other effective means;
- d. A firmly fastened lifeline of adequate strength shall bee strung beside each crawling board throughout its length while using such crawling boards.

# 17.0. SAFETY IN CATCHES PLATFORMS, HOARDINGS & CHUTES

#### 17.1. CATCH PLATFORM

- a. Catch platform shall not be used for storage of material or as a working platform;
- b. Catch platform shall at least be of 2 m wide and inclined so that the position of outer edge of such platform is 1500 mm higher than the inner edge;
- c. The open end of catch platform shall be properly fenced to the height not less than 1 m.

#### **17.2. HOARDINGS:**

Hoardings shall be constructed when the Registering Authority / Assistant Labour Commissioner considers it necessary for protection of building workers and directs such employer to construct such hoardings.

# 17.3. CHUTES, ITS CONSTRUCTION AND USE

- a. Wooden or metal chutes which are at an angle of more than 45° to the horizontal and used for the removal of materials shall be closed on all sides except at their openings used for receiving or discharging of materials or articles;
- b. All openings of chutes except their top openings shall be closed when not in use;
- c. Every chute
  - i. Shall be constructed of sound material, adequate strength and suitable for the purpose it is intended for use;
  - ii. Exceeding 12 m in height shall be constructed in accordance with the design and drawings of professional engineer for such;
  - iii. A suitable warning notice shall be displayed at conspicuous locations, written in Hindi and in a local language, at the discharge end of every chute;
  - iv. Shall be cleared when debris has accumulated to a height, which can pose danger to building worker, but such clearance shall be done in no case less frequently than once a day.

# 18.0. SAFETY IN WORK ON OR ADJACENT TO WATER

#### 18.1. TRANSPORT OF WORKERS BY WATER

- a. When any building worker has to proceed to or from any workplace by water for purposes of carrying on a building or other construction work, proper measures shall be taken to provide for his safe transportation and vessels used for such purpose shall be in charge of a responsible person, properly equipped for safe navigation and maintained in good condition;
- Maximum number of persons which can be safely carried in a vessel shall be marked plainly and conspicuously on such vessel and such number shall not be exceeded during use of such vessel for carrying persons;
- c. Adequate protecting shall be provided to the building workers in such vessel from inclement weather;
- d. Such vessel shall be manned by adequate and experienced crew;
- e. In case the bulwarks of such vessel are lower than 60 cm from the level of the deck of such vessel, the open edge of such bulwarks shall be fitted with suitable fencing to a height of at least 1 m above such deck and the post and stanchions and similar parts used in such fencing shall not be spaced more than 2 m;
- f. The number of life buoys on deck of such vessel shall at least be equal to the number of crew members of such vessel and shall not be less than two;
- g. All life buoys on deck of such vessel shall be kept in good state of maintenance and so placed that if such vessel sinks then they will remain afloat and one of such buoys shall be within the immediate reach of the Steersman of such vessel and another is situated after part of such vessel; and
- h. The position of the steersman of the vessel shall be such that he has a reasonably free view of all sides.

# 18.2. PREVENTION FROM DROWNING

- a. Where, on or adjacent to the workplace of any contraction site, there is water into which a building worker employed for work on such site, in the course of his employment, may fall and has the risk of drowning, suitable rescue equipment shall be provided and kept in an efficient state of ready use and measures shall be taken to arrange for the prompt rescue of such building worker from the danger of drowning and where there is a special risk of such fall from the edge of adjacent land or from a structure adjacent to or above the water, or from floating stage on such water, secure fencing shall be provided near the edge of such land, structure or floating stage, as the case may be, to prevent such fall, and such fencing may be removed or allowed to remain unerected for the time and to the extent necessary for the access of building workers to such work or the movement of material for such work;
- b. For handling rescue equipment, at least two persons knowing diving should be available at such sites.

# 19.0 SAFETY IN COFFERDAMS & CAISSONS

# 19.1 EVERY COFFERDAM AND CAISSON SHALL BE

- 19.1.1 Of good construction, sound material and of adequate strength, provided with adequate means for workers to reach safely at the top of such cofferdam or caisson in the event of an in rush of water and safe means of access to every place where workers shall be employed;
- 19.1.2 Work relating to construction, positioning, modification, dismantling of cofferdams or caissons shall be carried out under the supervision of a responsible person and inspected by the responsible person at the specified intervals;
- 19.1.3 A worker shall be allowed to work in a cofferdam or caisson after such cofferdam or caisson has been inspected and found safe by responsible person within such preceding period as approved and a record of such inspection maintained.

#### 19.2 WORK IN COMPRESSED AIR IN A COFFERDAM OR CAISSON SHALL BE

- 19.2.1 Carried out in accordance with the procedure laid down;
- 19.2.2 Carried out by such building workers who have completed eighteen years of age and are medically examined and found fit for the work;
- 19.2.3 Carried out under the supervision of a responsible person;
- 19.2.4 If the work in cofferdam or caisson is carried out in shifts, a record of the time spent by each worker in each such shift for carrying out the wok shall be maintained in a register with particulars or time taken for the compression of such building worker, if any;
- 19.2.5 At every work site or project in a cofferdam or caisson, where workers are employed to work in compressed air environment, a construction medical officer assisted by a nurse or trained first-aid attendant, shall be available at all times and there shall be one standby reserve compressor to meet the emergency.

# **19.3 PRESSURE PLANT AND EQUIPMENT**

- 19.3.1 Pressure plant and equipment for which it is used shall be –
- 19.3.2 Properly maintained in good repairs and working condition and fitted with a suitable safety valve or other effective device to provide maximum safe discharge pressure from being exceeded at any time; a suitable pressure gauge with a dial range not less than 1.5 time and not exceeding twice the maximum working pressure, easily visible and designed to show at all times, the internal pressure in kilogram per square centimeter and marked with the maximum safe working pressure, a suitable stop valve or valves by which the pressure plant or the system of the pressure plant may be isolated from the source supply of pressure or otherwise;
- 19.3.3 Every pressure plant or equipment shall be thoroughly examined by the competent person, externally, once in every period of six months; internally, once in every period of twelve months; and by hydraulic test, once in a period of four years.

# **20. SAFETY IN DEMOLITION WORK**

#### **20.1 PREPARATION**

- 20.1.1 All glass or similar material or article in exterior openings shall be removed before commencing any demolition work and all water, steam, electric, gas and other similar supply lines put off and suitably capped and the concerned department of the appropriate authority informed and permission obtained wherever required before commencing;
- 20.1.2 Wherever it is necessary to maintain water, gas or electric line or power during such demolition, such line shall be so located or protected with substantial coverings so as to protect it from damage and to afford safety to the building workers and the general public.

#### **20.2 PROTECTION OF ADJACENT STRUCTURES**

- 20.2.1 Examination of walls etc. of adjacent structures –
- During demolition process, the contractor shall examine the walls of all structures adjacent to the structure to be demolished to determine the thickness, method of support to such adjacent structures and;
- ii) In case, such employer has reason to believe that any of such adjacent structure is unsafe or may become unsafe during such demolition process, he shall not perform demolition activity unless stability to such unsafe adjacent structu4e from collapsing has been taken. All roads and open spaces adjacent to the site of demolition work shall be closed or suitably protected by bracketing.

# **20.3 DEMOLITION OF WALLS, PARTITIONS, ETC.**

- 20.3.1 Any demolition of walls or partitions shall be proceeded in a systematic manner as per the standard safe operating practices approved and all work above each tier of any floor beams shall be completed before the safety of the supports of such beam is impaired;
- 20.3.2 Masonry shall be neither loosened nor permitted to fall in such masses or volume or weight as to endanger the structural stability of any floor or structural supports;
- 20.3.3 No wall chimney or other structure or part of a structure shall be left unguarded in such a condition that it may fall, collapse or weaken due to wind pressure or vibration;
- 20.3.4 In the case of demolition of exterior walls by hand, safe footing shall be provided for the workers employed in, such walls or partitions, which are to be demolished by hand shall be not left standing more than one storey high above the uppermost floor on which persons are working.
- 20.4 **METHOD OF OPERATION:** The contractor shall ensure that debris, bricks and other materials or articles are removed by means of chutes, buckets or hoists and through openings in the floors.

# 20.5 ACCESS TO FLOOR

20.5.1 Safe access to and egress from every building shall be provided at all times in the course of demolition by means of entrances hallways, stairways or ladder runs which shall be so protected as to safeguard the workers using such means from falling material or articles;

- 20.5.2 Demolition of structural steel etc. shall be demolished column by column and tier by tier and every structural member, which is being demolished, shall not be under any stress, and such structural member shall be suitably lashed to prevent it from any uncontrolled swinging, dropping or falling or falling;
- 20.5.3 Large structural members shall not be thrown or dropped from the building, but carefully lowered by adopting suitable safe method;
- 20.5.4 Where a lifting appliance like a derrick is used for demolition, the floor on which such lifting appliance rests shall be completely planked over or supported and such floor shall be of adequate strength to sustain bearing load for such lifting appliance and its operation.

### 20.6 STORAGE OF MATERIAL OR ARTICLE

- 20.6.1 No materials or articles shall be not stored or kept on platform, floor or stairways of a building being demolished, provided that this clause shall not apply to the floor of a building when such floor is of such strength as to support safely the load to be superimposed by storing such material or articles;
- 20.6.2 No access to any stairway or passageway shall be affected or blocked by storing any material or article:
- 20.6.3 Suitable barricades shall be provided so as to prevent materials or articles from sliding or rebounding into any space used by the workers.

### 20.7 FLOOR OPENINGS:

Every opening used for the removal of debris from every floor which is not closed to access, except the top or working floor, shall be provided with an enclosure from such floor to its ceiling, or such opening is so barricaded that no building worker shall access to within a horizontal distance of 6.0 m from such opening through which debris is being dropped.

### 20.8 INSPECTION:

A person responsible for demolition work shall make continuous inspections during demolition process so as to detect any hazard resulting from weakened or deteriorated floors or walls or loosened materials or articles, and that no building worker shall be permitted to work where such hazard exist unless remedial measured like shoring or bracing shall be taken to prevent such hazards.

### 20.9 WARNING SIGNS, BARRICADES, ETC.

- 20.9.1 Barricades and warning sign shall be erected along every side throughout the length and breadth of a building or other construction work to be demolished to prevent unauthorized persons from entering into the during demolition operations;
- 20.9.2 During the demolition of an exterior masonry wall or a roof from a point more than 12 m above the adjoining ground level of such wall or roof, if persons below such wall or roof are exposed to falling objects, suitable and safe catch platform shall be provided and maintained at a level not more than 6 m below the working level except where an exterior built-up scaffold is provided for safe and adequate protection of such persons;
- 20.9.3 Suitable and standard warning signs shall be displayed or erected at conspicuous places or position at the workplace;

### 20.10 MECHANICAL METHOD OF DEMOLITION

- 20.10.1 The following requirements shall be fulfilled in case the mechanical method of demolition like use of swinging weight, clamshell bucket, power shovel, bulldozer or other similar mechanical methods are used for the purpose of demolition namely
  - The building or structure or structure or remaining portion thereof shall be not more than 12 m in height;
  - ii) Where a swinging weight is used for demolition, a zone of such demolition having a radius of at least 1.5 times the height of the structure of portion thereof being demolished shall be maintained around the points of impact of such swinging weight;
  - iii) Where a clamshell bucket is being used for demolition, a zone of demolition shall be maintained within eight metres of the liner of travel of such bucket;
  - iv) Where other mechanical methods are being used to affect total or partial collapse of a building or other construction work, there shall be maintained, in the area into which the affected portion of such building or other construction work may fall, a zone of demolition at least 1.5 times the height of such affected portion thereof; and
  - v) No person other than building workers or other persons essential to the operation of demolition work shall be permitted to enter a zone of demolition, which shall be provided with substantial barricades.

### 21. FIRE EXTINGUISHERS & OTHER APPLIANCES OF FIRE FIGHTING

### 21.1 FIRE EXTINGUISHERS & OTHER MEANS OF PREVENTION AND PROTECTION

- 21.1.1 Every contractor shall have a fire protection and prevention plan developed and implemented keeping in view the following:
  - i) The specific work practices requiring fire control measures;
  - ii) Response measures to be taken in case of fire;
  - iii) Equipment required;
  - iv) Personnel requirements and responsibilities;
  - v) Schedules of daily and weekly inspection;
  - vi) Open flames and fires are prohibited in all underground construction;
  - vii) Readily visible signs to be posted in the fire prone/inflammable/explosive areas prohibiting smoking use of open flames and other hot work.
  - viii) A system of Permit-to-Work.
- 27.1.2 For the protection of the workers from the outbreak of fire, the contractor shall Provide, maintain and regularly inspect the Fire extinguishing equipment, which shall be sufficiently provided to extinguish any probable fire;

	Suitability of portable	e fire extinguishers	
Class of fire		Type of extinguisher	
	Water	DCP	CO <sub>2</sub>
Α	Yes	Yes	Yes
В	No	Yes	Yes
С	No	Yes	Yes
D	No	Yes	Yes
Electrical	No	Yes	Yes

27.1.3 Ensure availability of an adequate supply of water at ample pressure;

### 27.1.4 Make available

i. Adequate number of trained persons required to operate the fire extinguishing equipment;

- ii. Properly maintain Fire extinguishing equipment and inspect them at regular intervals of not less than once in a year by the responsible person and a record of such inspections maintained;
- 27.1.5 Portable fire extinguishers provided in the operator's cabin of earthmoving machinery, material handling systems, construction equipment etc. shall be regularly inspected, maintained and replenished/refilled;
- 27.1.6 The operators and the helpers of such equipment shall be trained in the methods operating the equipment and fighting the fire effectively;
- 27.1.7 All combustion engine power equipment shall be so located that the exhausts are well away from combustible material;
- 27.1.8 No smoking shall be allowed at or in the vicinity of operations, which constitute fire hazards and shall be conspicuously posted with No smoking or open flame **signs**;
- 27.1.9 In the flammable environment as described in IS: 9570, the electrical fittings and equipment shall be of flame proof type conforming to IS: 2206 & IS; 2148;
- 27.1.10 Arrangements shall be made to contain sparks generated during welding, cutting or other operations and spark shall not be allowed to fall down on combustible material kept below; All means of exit shall be kept free of obstruction at all times;
- 27.1.11 Appropriate type of fire extinguishers according to IS: 5698 shall be kept in fully charged condition at the places which have potential risk of fire;
- 27.1.12 The contractor shall educate his or his sub-contractors' men working in the vicinity of fire risk, on how to operate these equipment and know in particular circumstances which type of extinguishers is to be used;
- 27.1.13 The contractor shall take full responsibility for the upkeep and replenishment/refilling of the fixed and portable fire extinguishers.

### **APPENDIX**

### Annexure I

### **IMPORTANT INDIAN STANDARDS RELATED TO SAFETY**

### **Personal Protection**

- IS: 1179-1967 Equipment for eye and face protection during welding
- IS: 4770-1991 Rubber gloves for electrical purposes
- IS: 8519-1977 Guide for selection of industrial safety equipment for body protection
- IS: 8520-1977 Guide for selection of industrial safety equipment for eye, face & ear protection
- IS: 8807-1978 Guide for selection of safety equipment for protection of arms and hands
- IS: 1224-1985 Safety shoes
- IS: 2925-1984 Safety helmets
- IS: 8940-1978 Code of practice for maintenance and care of industrial safety equipment eye and face protection
- IS: 8990-1978 Code of practice for maintenance and care of industrial safety clothing
- IS: 10667-1983 Guide for selection of industrial safety for protection of foot and leg
- IS: 816-1969 Code of practice for safety and health requirements in electric and gas welding and cutting operations
- IS: 818-1968 Code of practice for safety and health requirements in electric and gas welding and cutting operations
- IS: 7194-1994 Assessment of noise exposure during work for hearing conservation purposes

### **Civil Engineering Construction**

IS: 875-1987 Structural safety of building: loading standards IS: 4014-1967 Code of practice for steel tubular scaffolding IS: 3696 Safety code of scaffolds and ladders IS: 4138-1977 Safety code for working in compressed air IS: 4912-1978 Safety requirements for floor and wall openings, railings and toe boards IS: 7293-1974 Safety code for working with construction machinery IS: 9944-1992 Recommendations on safe working load for natural and man-made rope slings BS: 1129 Portable timber ladders, steps, Trestles & lightweight staging BS: 1139 Metal scaffolds BS: 5973 Code of practice for access & working scaffolds	IS: 2750- 1967	(Part II) Steel scaffolds
IS: 3696 Safety code of scaffolds and ladders IS: 4138-1977 Safety code for working in compressed air IS: 4912-1978 Safety requirements for floor and wall openings, railings and toe boards IS: 7293-1974 Safety code for working with construction machinery IS: 9944-1992 Recommendations on safe working load for natural and man-made rope slings BS: 1129 Portable timber ladders, steps, Trestles & lightweight staging BS: 1139 Metal scaffolds BS: 5973 Code of practice for access & working scaffolds	IS: 875-1987	Structural safety of building: loading standards
IS: 4138-1977 Safety code for working in compressed air IS: 4912-1978 Safety requirements for floor and wall openings, railings and toe boards IS: 7293-1974 Safety code for working with construction machinery IS: 9944-1992 Recommendations on safe working load for natural and man-made rope slings BS: 1129 Portable timber ladders, steps, Trestles & lightweight staging BS: 1139 Metal scaffolds BS: 5973 Code of practice for access & working scaffolds	IS: 4014-1967	Code of practice for steel tubular scaffolding
IS: 4912-1978 Safety requirements for floor and wall openings, railings and toe boards IS: 7293-1974 Safety code for working with construction machinery IS: 9944-1992 Recommendations on safe working load for natural and man-made rope slings BS: 1129 Portable timber ladders, steps, Trestles & lightweight staging BS: 1139 Metal scaffolds BS: 5973 Code of practice for access & working scaffolds	IS: 3696	Safety code of scaffolds and ladders
IS: 7293-1974 Safety code for working with construction machinery IS: 9944-1992 Recommendations on safe working load for natural and man-made rope slings BS: 1129 Portable timber ladders, steps, Trestles & lightweight staging BS: 1139 Metal scaffolds BS: 5973 Code of practice for access & working scaffolds	IS: 4138-1977	Safety code for working in compressed air
IS: 9944-1992 Recommendations on safe working load for natural and man-made rope slings BS: 1129 Portable timber ladders, steps, Trestles & lightweight staging BS: 1139 Metal scaffolds BS: 5973 Code of practice for access & working scaffolds	IS: 4912-1978	Safety requirements for floor and wall openings, railings and toe boards
BS: 1129 Portable timber ladders, steps, Trestles & lightweight staging BS: 1139 Metal scaffolds BS: 5973 Code of practice for access & working scaffolds	IS: 7293-1974	Safety code for working with construction machinery
BS: 1139 Metal scaffolds BS: 5973 Code of practice for access & working scaffolds	IS: 9944-1992	Recommendations on safe working load for natural and man-made rope slings
BS: 5973 Code of practice for access & working scaffolds	BS: 1129	Portable timber ladders, steps, Trestles & lightweight staging
, and the second se	BS: 1139	Metal scaffolds
	BS: 5973	Code of practice for access & working scaffolds
BS: 5974 Code of practice for temporary installed scaffolds and access equipment	BS: 5974	Code of practice for temporary installed scaffolds and access equipment
BS: 5975 Code of practice for falsework	BS: 5975	Code of practice for falsework

### **Fire Protection**

- IS: 2190-1992 Code of practice for selection, installation and maintenance of portable first-aid fire extinguishers
- IS: 5896 Code of practice for selection, operation and maintenance of fire-fighting appliances

IS: 8433-1984 Code of practice for dissolved acetylene cylinders

### **Electrical**

IS: 3043-1987 Code of practice for earthing

IS: 5424-1969 Rubber mats for electrical purposes

IS: 3646 (Part II) Artificial lightings

IS: 2148 & IS: 2206 Flame proof electrical fittings

### **Machinery**

IS: 1860-1980 Code of practice for installation, operation and maintenance of electric passenger and goods lifts

IS: 1991-1987 Safety requirements for the use, care and protection of abrasive grinding wheels

IS: 5903-1970 Safety devices for gas cylinders

IS: 8216-1976 Guide for inspection of lift wire ropes

IS: 8964-978 Recommendations for safety conditions for woodworking machines

IS: 9474-1980 Principles of mechanical guarding of machinery

IS: 11461-1985 Code of practice for compressors safety

IS: 13367-1992 Code of practice for safe use of cranes

### **Annexure - II**

### BASIC STRUCTURE OF SAFETY PLAN

01-	Safety	Polic	٧

- 02- When was the Safety Policy last reviewed
- 03- Details of implementation procedure / methods to implement Safety Policy / Safety Rules
- 04- Qualification & Experience of Safety Officers
- 05- Review of Accidents analysis Methods to ensure safety & health and steps identified for prevention of accidents
- 06- Unit/site Executive responsible for ensuring safety at various levels in the workplace
- 07- List of Employees trained in safety at the commencement of execution of the job; details of training its module and contents
- 08- Safety Training Targets, Schedules, Methods to be adopted for providing safety training to all employees
- 09- Details of checklists for different jobs/ work & responsible persons to ensure Compliance
- 10- Regular Safety Inspection Methods and Periodicity and the list of members authorized
- 11- Risk Assessment, Safety Audit by professional agencies, their Periodicity
- 12- Implementation of recommendations of Audit / Inspections. Procedures for implementation & follow-up
- 13- Provision for treatment of Injured persons at work site
- 14- Review of overall safety by top Management and Periodicity
- 15- System for implementation of statutory provisions.
- 16- Issue of PPE to employees, Periodicity / stock on hand, etc.

Signature
Head of Organization
With Date & Stamp

### **Annexure - III**

### **CONFINED SPACE WORK PERMIT**

Date of Wo	ork :		Initiator:		Permit No.:	
Description	n of w	ork :			L	
Name of po	erson	supervising:		Dept./Function:		
Names of v	workr	nen involved in	the job:			
1				2		
3				4		
Exact Loca	tion o	of Work:				
	ISA	Referance No.				
Job Instru		& Confirmation	n Sheet Ref.			
\		No				
Valid From			te:	To Time:	Date:	
		nformation (if a		Chackad by	y Agency Safety Represer	ntativo.
Initiated by Engineer / Supervisor of Agency		Checked b	y Agency Salety Repleser	itative		
Name	- igini		Name			
Signature				Signature		
Date				Date		
Check list	for Au	uthorization of \	Work Permit			
_		landatory Preca				Y/ N / NA
2		mit form filled in			/	
2	poor		tilation etc.) k		s (e.g. cold, hot, snow, nroughout the job so	
3				e Equipment like is put on by all th	Breathing Set, Waist ne workmen?	
4	A lifeline, a rope tied on the safety belt of the person entering the confined space is provided?					
5	All practicable measures are taken to ensure that the atmosphere inside is not deficient in oxygen and does not contain flammable vapors and no hazardous gases like H2S. (Open at least 2 manholes & keep for 2 hours)?					
6	One	fully trained pe		ned at ground lev ontact No's availal	el/outside to assist the ole?	
7	All t	All the workers trained for emergency?				

8	Safe	Safe means of access and egress provided?				
9	Is th	ne suitable fire	extinguisher available at work	location?		
10	Are	they Using only	/ 24V lamps & working tools ir	side the confined space?		
Following a	additi	onal precaution	s need to be taken before the	e start of the work		
Permit Is:	sued	By:				
		Approved b	by Principal Agency work in	Endorsed by Principal Ager	าcy HSE	
			charge	Dept		
Name						
Signature						
Date						
Permit Clos	se Ou	it by: Name & S	Signature (Principal Agency)			
Date :				Time:		
Note: All	extra	information or	n preparation and precautions	to be provided on the reverse	side of	
			this PTW.			

### **HOT WORK PERMIT**

Date of Wo	ork :		Initiator:		Permit No.:	
Description	of w	ork :				
Name of pe	erson	supervising:		Dept./Function:		
Names of v	workr	nen involved in	the job:	<u> </u>		
1				2		
3				4		
Exact Loca	tion o	of Work:				
	JSA	Referance No.				
Job Instru	ction	& Confirmation	Sheet Ref.			
Valid Eropa	. T!m	No Dot		To Times.	Data	
Valid From			:e:	To Time:	Date:	
		nformation (if a	•	Checked by	y Agency Safety Represer	ntative
miliate	Initiated by Engineer / Supervisor of Agency		Officered b	y Agency Salety Represer	itative	
Name				Name		
Signature				Signature		
Date				Date		
Exact locat	ion o	f work				
Relevant in						
		uthorization of \				\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Wiinimum a		landatory Preca nit form filled ir				Y/ N / NA
2		n filled in correc				
3			•		ities - specify on wind,	
· ·		osphere, surrou	•	To any abnomian	ities specify off willa,	
4				nd do the workme	n know their use?	
5	Are the necessary PPE provided and do the workmen know their use?  Is the fitter, experienced and knowledgeable enough to carry out the job?					
6	Area has to be cleared of any flammables and combustible material.					
7			•	ted and grounded.		
8			•	<del>-</del>	and buckets etc, located	
		rby for ready in	•	•		
9					restors/ hose condition/	
		s, etc.				
10	Is th	e area easily aco	cessible?			

Additional preca	utions to be ta	ken:	
•	lid only for one	week. A fresh hot work permit h	as to be taken for continued works for
the next week.			
Permit Issued	By:		
	Approved b	y Principal Agency work in charge	Endorsed by Principal Agency HSE Dept
Name			
Signature			
Date			
Permit Close Ou	it by: Name & S	Signature (Principal Agency)	
Date :			Time :
Note: All extra	information or	n preparation and precautions t this PTW.	o be provided on the reverse side of

### **PERMIT FOR LIFTING OF MATERIAL**

Date of	Work:	Initiator:		Permit No.:
Descrip	tion of work:			<u> </u>
Name of	person supervising:		Dept./Function:	
	of workmen involv	ed in the job :		
		•		
Eveet Le	action of Work			
	cation of Work: erence No.			
	Instruction & Confire	mation Sheet Ref. No		
	id From : Time			e:
	tion: (If any)			
Initiated	by Engineer / Supervis	sor of agency	Checked by A Representative	gency Safety
Name			Name	
Signatur	e		Signature	
Date			Date	
1	St for Authorization  Details of type of containing the state of the s			
-	<u> </u>		On arctor?	
2		linator, Rigger/Crane	•	
3	<u> </u>		lable and in good condition	
4	Have soil, wind, atmospheric, and work area conditions (e.g. cold, hot, snow, poor lighting & Ventilation etc.) been considered throughout the job so that work can be done safely?			
5			ings are tested and certified	l?
6	Are all operators trained, competent and healthy (Having Licenses / Experience Certificate)?			
7	Are all the examinations and tests carried out on the equipment (Crane) and certified by competent persons?			
8	Is the safe working load (SWL) marked on all lifting tools & tackles?			
9	Lifting area cordon	ed off?		
10	Tag lines provided	to control the swing	of load?	
11	Load tied properly a	and secured against	toppling and falling?	
12	Signalman/Rigger i	s provided and comp	petent?	
13	Proper communicat and rigger?	ion available betwee	n operator	
14	Is the vehicle for transportation adequate for the load?			

Followin	g additional precautions need to be ta	iken before	the start of the work:
Permit I	ssue b By:		
	ed by Principal agency work incharge	Endorse	d by main agency HSE Dept
Name		Name	
Signature		Signature	
Date		Date	
Permit Clo	ose Out by: Name & Signature (Main agend	cy)	
Date :	T	ime :	
Note: All	extra information on preparation and precau PTW.	tions to be p	rovided on the reverse side of this

### **WORKING AT HEIGHT PERMIT**

Date of Wo	ork :	Initiator:		Permit No.:	
Description	n of work :				
Name of pe	erson supervising:		Dept./Function:		
	workmen involved in	the ich:			
1	Workinen involved in	the job .	2		
3			4		
	tion of Work:		'		
Exact Loca	tion of work:				
	JSA Referance No.				
Job Instru	ıction & Confirmatior No	n Sheet Ref.			
Valid From		te:	To Time:	Date:	
	vant information				
	ed by Engineer / Su	nervisor	Checked b	y Agency Safety Represer	ntative
Name			Name		
Signature			Signature		
Date			Date		
	<u> </u>		Date		
	for Authorization of				Y/ N / NA
1	and Mandatory Preca Permit form filled in				Y/ IN / INA
2	Work area below is				
3	The scaffold erected				
4	Diagonal / lateral br				
	•		-	ire stability	
5	Access ladder is pro				
6	Planks / sheet used			d condition	
7	Planks / sheets are t				
8	Temporary platform		<u> </u>		
9	Workers are wearing	,		<u>C</u>	
10	For Anchoring of sa	fety belt at hei	ight rigid support /	life rope line is provided	
11	Experienced worker	s are engaged	for work		
12	Portable elect equip	/fibre body cho	ecked for its health	iness including earthing	
13	The sling / pulley blocks / ropes are tested for fitness				

14	Workers are briefed on Safety Precautions to be taken					
	Power hand tools used at eight are connected through 30mA ELCB.					
Following a	Following additional precautions need to be taken before the start of the work					
Permit Iss	sued By:					
	Approved I	by Principal Agency work in	Endorsed by Principal Age	ncy HSE		
		charge	Dept			
Name						
Signature						
Date						
Permit Close Out by: Name & Signature (Principal Agency)						
Date: Time:						
Note: All	Note: All extra information on preparation and precautions to be provided on the reverse side of					
this PTW.						

### **DEFINITIONS**

- 1. **Building or other construction work:** means the construction, alteration, repairs, maintenance or demolition, of or, in relation to, buildings, streets, roads, railways, tramways, airfields, generation, transmission and distribution of power, water works, oil and gas installations, electric lines, tunnels, bridges, viaducts, pipelines, towers, cooling towers and such other work as may be specified.
- **2. Building worker:** means a person who is employed by a contractor to do any skilled, semi-skilled or manual, supervisory, technical or clerical work for hire or reward, whether the terms of employment be expressed or implied, in connection with any building or other construction work;
- **3. Establishment:** means an establishment who or which employs building workers in any building or other construction work, and includes an establishment belonging to a contractor;
- **4. Contractor:** means a person who undertakes to produce a given result for any establishment, other than a mere supply of goods or articles of manufacture by the employment of building workers or who supplies building workers for any work of the establishment, and includes a sub-contractor or any other agency engaged on his behalf;
- **5. Employer:** in relation to an establishment, means the owner thereof that is the contractor himself.
- **6. Competent Person:** means a person so approved by the Central Government who belongs to a testing establishment in India possessing adequate qualification, experience and skill for the purpose of testing, examination or annealing and certification of lifting appliances, lifting gears, wire ropes or pressure plant or equipment;
- 7. **Responsible Person:** means a person appointed by the employer to be responsible for the performance of specific duty or duties and who has sufficient knowledge and experience and the requisite authority for the proper performance of such duties;
- **8. Danger:** means danger of accident or of injury or danger to health;
- **9. Hazard:** means danger or potential danger;
- **10. Hazardous substance:** means any substance, which due to its explosiveness, inflammability, radioactivity, toxic or corrosive properties and similar hazardous characteristics may Cause injury; or Affect adversely the human system; or Cause loss of life or damage to property or environment;
- 11. **Hazardous Process:** comprises roof work, steel erection, and work under and over water, demolition and work in confined space;

- **12. National Standard:** means standards as approved by the Bureau of Indian Standards (BIS) and in the absence of such standards, the standards approved by the Central Government for a specific purpose;
- **13. Lifting Appliance:** means a crane, hoist, derrick, winch, jack, pulley block or other equipment used for lifting materials, objects or building workers;
- 14. Lifting gear: means ropes, chains, hooks, slings and other accessories of a lifting appliance;
- **15. Safe Operating Practice:** Means the practice followed in building and construction activities for the safety of workers and for safe operation of machinery and equipment used in such activities. Such practices shall conform to all or any of the following:

Relevant Standards approved by BIS;

National Building Codes;

Manufacturer's instruction on safe use of equipment and machinery;

Code of practice on safety in construction industry published by International Labour Organization .

- **16. Safe working load**: in relation to an article of lifting gear or lifting appliance, means the load which is the maximum load that may be imposed on such article or appliance with safety in the normal conditions as assessed and certified by a competent person;
- **17. Workplace**: means all places where building workers are required to be present or to go for work and which are under the control of an employer;
- **18. Personal Protective Equipment (PPE):** are the protective devices made available for individual or collective use of the workers likely to be affected by the hazards of the workplace or process;
- **19. Construction & Erection Manual (E&C) Rules**: all references to E&C Manual shall mean the Construction & Erection Rules that are detailed hereunder;
- **20. Engineer in-charge**: All references to the Engineer in-charge shall mean the person in-charge of a building and construction of the NTPC.
- 21. Interpretation of words not defined: words and expressions not defined or used in this Manual shall have the same meaning as generally assigned in common engineering practices



# Policy for Debarment from Business Dealings

(Rev-4 dated 05.05.2023)



# Policy for Debarment from Business Dealings (Rev-4 dated 05.05.2023)

### **INDEX**

SI. No.		TOPIC			
1.		Introduction			
2.	Scope				
3.		Definitions			
		olding of business dealings			
	4.1	Grounds			
	4.2	Procedure			
4.	4.3	Notice of Default			
	4.4	Area of Operation			
	4.5	Effect of Withholding			
	4.6	Duration of Withholding			
	4.7	Revocation of Orders			
5.	Banni	ng of Business Dealings			
	5.1	Grounds			
	5.2	Procedure			
	5.3	Show Cause Notice			
	5.4	Speaking Orders			
	5.5	Communication to Agencies			
	5.6	Period of banning			
	5.7	Area of operation			
	5.8	Effect of Banning			
	5.9	Process of reply			
	5.10	Hosting at NTPC Website			
	5.11	Appeal			
	5.12	Revocation			
6.	Suspe	ension of Business Dealings			
	6.1	Grounds			
	6.2	Procedure			
	6.3	Effect of Suspension			
7.	Partici	ipation of Agency under Different Name			
8.		pation of Agency as an Associate/Collaborator/Sub-Vendor & rement in Operating Stations			
9.	Treatr	nent in Tender/ Contracts of JVs/Subsidiaries of NTPC			



# Policy for Debarment from Business Dealings

### 1. Introduction

- 1.1 NTPC Ltd. deals with Agencies, who are expected to adopt ethics of highest standards and a very high degree of integrity, transparency, commitments and sincerity towards the work undertaken. It is not in the interest of NTPC to deal with any Agency, which commits deception, fraud or other misconduct of whatsoever nature in the tendering process and/or execution. NTPC is committed for timely completion of the projects within the awarded value without compromising on quality.
- 1.2 Since banning of business dealings involves civil consequences for an Agency concerned, it is incumbent that adequate opportunity of hearing is provided and the explanation, if tendered, is considered before passing any order in this regard keeping in view the facts and circumstances of the case.

### 2. Scope

- 2.1 NTPC reserves its right to withhold or ban or suspend business dealings with any Agency, if such Agency is found to have committed misconduct or any of its action(s) fall into any such categories as laid down in this policy.
- 2.2 The procedure for (i) Withholding of Business Dealings, (ii) Banning of Business Dealings and (iii) Suspension of Business Dealings with any Agency, has been laid down in these guidelines. The terms 'withholding', 'suspension', 'banning' etc. convey the same meaning as that of debarment.
- **2.3** This policy comes into force from the date of its issuance.
- 2.4 The provisions of this policy will be effective on investigations conducted or misconduct/irregularities noticed on the part of any Agency in all contracts awarded on or after the date of implementation of this policy and in the contracts under execution or contracts not yet closed, on the date of the implementation of this policy.
- **2.5** The provisions of this Policy shall be applicable for Subsidiaries/JVs of NTPC as well.
- **2.6** Withholding / Banning / Suspension of business dealings with any agency shall be done Company wide only (entire NTPC including Subsidiaries and JVs).



### 3. Definitions

In these Guidelines, unless the context otherwise requires:

- Agency shall mean Contractor / Supplier / Applicant/ Purchaser / Bidder/ Seller/ Consultant/ Buyer/ NTPC approved Sub-contractor of a Contractor' to whom work has been awarded. It shall include, but not limited to, a public limited company or a private limited company, a firm whether registered or not, any individual, a cooperative society or an association or a group of persons engaged in any commerce, trade industry, or constituents of an unincorporated Joint Venture Company, Proprietor, Individual, Artificial Juridical person etc.
- ii) Competent Authority shall mean the following :-
  - a) For Banning of Business Dealings pertaining to Contracts awarded/processed from Corporate Centre/ Site/ Region/ USSC/JVs/Subsidiaries of NTPC

Functional Director of the concerned deptt. initiating the proposal for Banning shall be the 'Competent Authority' for the purpose of these guidelines.

For cases pertaining to JVs / Subsidiaries of NTPC, the **Competent Authority** shall be the Chairman of the Board of the JV / Subsidiary provided the Chairman is a Functional Director of NTPC. In case the Chairman of the Board of the JV / Subsidiary is not a Functional Director of NTPC, competent authority shall be Director-In-Charge of CC&M dept. of NTPC.

CMD (NTPC) shall be the 'Appellate Authority' for all cases.

- b) For Withholding of Business Dealings pertaining to Contracts awarded/processed from:
  - (i) Corporate Centre Concerned RED/Functional ED and ED(CC&M)
  - (ii) Site/Region/USSC/JVs/Subsidiaries Concerned RED and ED(USSC).
- c) For Suspension of Business Dealings including issuance of show cause notice for Banning pertaining to Contracts awarded/processed from:
  - (i) Corporate Centre ED (CC&M)
  - (ii) Site/Region/USSC/JVs/Subsidiaries ED (USSC).



- 'Investigating Department' shall mean any Department or Unit of NTPC, investigating into the conduct of the Agency and shall include the NTPC Vigilance Department, Central Bureau of Investigation, the State Police or any other department set up by the Central or State Government having powers to investigate.
- iv) List of Enlisted Agencies –shall mean and include list of Enlisted Parties / Contractors / Suppliers / Bidders etc.
- v) State includes the Government and Parliament of India and the Government and the Legislature of each of the States and all local or other authorities within the territory of India or under the control of the Government of India.
- vi) **Fraud Prevention Policy** shall mean the policy related to prevention of fraud displayed on NTPC tender website <a href="https://ntpctender.ntpc.co.in.">https://ntpctender.ntpc.co.in.</a>
- vii) Contractor Performance Feedback and Evaluation System The guidelines outlined in relevant NTPC circular for evaluating the Contractor's performance by the Screening Committee in respect of Contracts awarded by Corporate Contracts Services.
- viii) **Completion of Facilities** shall mean the term 'Completion of Facilities' as defined in the Contract.
- ix) **Standing Committee** shall mean a cross-functional Committee constituted for the purpose of these guidelines.
- x) **CC&M** shall mean "Corporate Contracts & Materials Deptt. of NTPC".
- xi) **Integrity Pact** shall mean the pact as displayed on NTPC tender website <a href="https://ntpctender.ntpc.co.in.">https://ntpctender.ntpc.co.in.</a>.

### 4. Withholding of Business Dealings

### 4.1 Grounds

The business dealing with the Agency may be withheld, if they are found to be in breach of the terms & conditions of the Contract, on account of the reasons attributable to them, which shall include, but not be limited to the following:

If the Agency

- a) Either fails to commence work on the Facilities in terms of contract or suspends the progress of Contract performance;
- b) Fails to achieve the `Completion of Facilities' or execute the contract milestones within time schedule stipulated in the contract;



- c) Suspends/stops work on any unfounded pretext including seeking higher compensation;
- d) Fails to conduct the Guarantee test in the time limit stipulated in the contract;
- e) Diverts funds advanced to the Contractor for purpose other than the Contract;
- f) Does not deploy or withdraws the technical staff or equipment considered necessary as per the terms & conditions of contract;
- g) Fails to furnish the required documents / information as required under the terms & conditions of contract;
- h) Does not fulfill the obligations as required under the Contract;
- i) Violates terms & conditions of the contract;
- j) Does not Supply material /supplies material of inferior quality with respect to Technical Specifications under the Contract;
- k) On prima-facie scrutiny, work executed found to be of poor quality beyond acceptable limits stipulated in the Technical Specifications under the Contract;
- If a disaster / major failure / accident / collapse of a structure/ system caused during erection or during defect liability period *prima facie* appears to be due to negligence of contractor or design deficiency or poor quality of execution;
- m) Assigns, transfers, sublets or attempts to assign, transfer or sublet the entire Works or any portion thereof without the prior written approval of the Employer;
- n) Misbehavior or physical manhandling by the Agency or his representative or any person acting on his behalf with any official of the company dealing with the concerned contract;
- o) If NTPC prima-facie is of the view that the Agency is guilty of an offence involving corrupt, fraudulent practices including misrepresentation of facts as per NTPC Fraud Prevention Policy, moral turpitude in relation to the business dealings with NTPC;
- p) If the Central Vigilance Commission, Central Bureau of Investigation or any other Central Government investigation Agency or any other Central Government Department recommends such a course in respect of a case under investigation;



- q) If the security consideration, including questions of loyalty of the Agency to the state, so warrants;
- The finished work either prematurely fails or fails to give the desired output/service during the defect liability period and the Agency fails to rectify it;
- s) On any ground as per which doing business dealings with the Agency is not in the public interest in the opinion of Competent Authority;
- t) If the Agency fails to comply with any of the statutory laws and regulations in force, in totality, even after completion of work;

### 4.2 Procedure

The concerned department at Site/Region/USSC/Corporate Centre on noticing any non/under performance and/or irregularities and/or misconduct and/or unethical practice as mentioned above, shall refer the matter to Convener of the Standing Committee along with relevant details. The Standing Committee shall analyze the referred case and if considered appropriate, shall put up the proposal for issuing Notice of Default for the purpose of withholding of business dealings with the Agency for approval of the Competent Authority. The above draft Notice of Default to be issued to the Agency should clearly indicate the charges based on the facts as can be proved.

In case the Standing Committee recommends waiver of withholding of business dealings with the Agency, the proposal along with reasons thereof shall be put up for approval of the CMD (NTPC).

### 4.3 Notice of Default

Once the proposal for issuance of Notice of default is approved by the Competent Authority, a 'Notice of Default' duly vetted by legal dept. shall be issued by the Competent Authority himself or by a person authorized for the said purpose to the Agency giving them a period of twenty eight (28) days to remedy the default.

If Agency fails to remedy or take adequate steps to remedy the default to the satisfaction of NTPC within the notice period mentioned above, then business dealings shall be withheld with the Agency after approval of the Competent Authority. The order of such withholding of business dealings (after vetting by legal dept.), shall be communicated by the Competent Authority himself or by a person authorized for the said purpose.



### 4.4 Area of Operation

Withholding of business dealings with any agency shall be done **Company-wide only** (entire NTPC including Subsidiaries and JVs), for all cases including cases processed from NTPC, Subsidiaries and JVs.

### 4.5 Effect of Withholding

The Agency, after issuance of the Order of Withholding of business dealings under this policy would not be allowed to participate in any future tender enquiry and if the Agency has already participated in another tender process and the price bids are not opened, its technocommercial bid will be rejected and price bid will not be opened. Further, where the price bid of Agency has been opened prior to issuance of Withholding Order under this policy, the price bid of Agency shall be rejected. In case, such agency is the lowest evaluated bidder (L-1), next lowest evaluated bidder shall be considered as L-1.

No award shall be placed on any agency if Withholding Order for business dealings under this policy has been issued prior to award of contract.

Bid Security of such agency shall be returned after rejection of bids in these cases.

**Note-** Contracts concluded before the issue of the Withholding order shall, not be affected by the Withholding Order.

### 4.6 Duration of Withholding

Duration of withholding of business dealings with the Agency shall be **for a period of one year**. Within this period, if the Agency rectifies the reason / ground on which business dealings with the Agency has been withheld, to the satisfaction of the Competent Authority, then on written representation of the Agency, the Competent Authority can review and, if satisfied, may revoke the order of withholding of business dealing. Provided further that, even till completion of one year of withholding period, if the Agency does not rectify, then the Competent Authority after reviewing the situation may issue order extending the period of withholding for one more year or advise initiation of action for banning of business dealings with Agency in accordance with the procedure prescribed in Para 5.2 below.

### 4.7 Revocation of Orders

An order for withholding of business dealing passed for a certain specified period, including extension thereof, shall not be revoked automatically. Such withholding shall be revoked only after order in this respect is issued with the approval of Competent Authority.



### 5. Banning of Business Dealings

### 5.1 Grounds

Banning of business dealings can be initiated against Agency, on following grounds:

- a) If the Agency has abandoned or repudiated the Contract;
- b) If the Contractor is found to be non-performing in execution of contract by the Screening Committee (nominated as per NTPC established 'Contractor Performance Feedback and Evaluation System');
- c) If a disaster / major failure / accident / collapse of a structure / system is caused during erection or during defect liability period due to negligence of contractor or design deficiency or poor quality of execution under the contract:
- d) Misbehavior or physical manhandling by the Agency or his representative or any person acting on his behalf with any official of the Company dealing with the concerned contract is established;
- e) If the Director / Owner of the Agency, proprietor or partner of the Agency, is convicted by a court of law for offences involving corrupt and fraudulent practices including moral turpitude in relation to its business dealings with the government or NTPC or NTPC's group companies, during the last five years;
- f) If the proprietor of the Agency have been guilty of malpractices such as bribery, corruption, fraud, substitution of the tenders, interpolations, etc. in respect of participation in the bidding process for the contract and/or execution of the contract;
- g) If the Agency continuously refuses to return / refund the dues of NTPC or NTPC's group companies, without showing adequate reason and this is not due to any reasonable dispute which would attract proceedings in arbitration or court of Law;
- If the Agency employs a public servant dismissed / removed or employs a person convicted for an offence involving corruption or abetment of such offences;
- If business dealings with the Agency have been banned by the Ministry of Power or Deptt. of Expenditure, Ministry of Finance and the ban is still in force;
- j) If it is established that Agency has resorted to corrupt, fraudulent practices including misrepresentation of facts in respect of participation in the bidding process for the contract and/or the execution of the contract;



- k) If the Agency uses intimidation/threatening or brings undue outside pressure on the NTPC or NTPC's group companies, or its official in acceptance / performance of the job under the contract;
- If the Agency indulges in repeated and / or deliberate use of delay tactics in complying with contractual stipulations;
- m) If the Agency is found to be involved in cartel formation during bidding for the tender;
- n) On willful indulgence by the Agency in supplying sub-standard material with respect to Technical Specifications under the Contract irrespective of whether pre-dispatch inspection was carried out by Company (NTPC) or not;
- o) Based on the findings of the investigation report of CBI/Police/or any other Central Government investigation Agency/Department against the Agency for mala-fide/unlawful acts or improper conduct on his part in matters relating to the Company (NTPC);
- p) If the Agency is declared bankrupt or insolvent or its financial position has become unsound, and in the case of a limited company, it is wound up or liquidated;
- q) Established litigant nature of the Agency to derive undue benefit;
- r) Continued poor performance of the Agency during execution under contracts pertaining to NTPC or its JV/Subsidiary companies;
- s) If the Agency violates Section-2 of the Integrity Pact provided in the bid/Contract;
- t) If the Agency commits fraud as defined under the Fraud Prevention Policy of NTPC;
- u) If the Agency has assigned or transferred the contract or engaged sub- contractor(s) without the prior approval of the Competent Authority in violation of the provisions of the contract;
- v) If the Agency misuses the premises or facilities of the NTPC forcefully occupies, tampers or damages the Company's properties including land, water resources, forests / trees, etc;
- w) If the security consideration, including questions of loyalty of the Agency to the state, so warrants;

**Note:** The examples given above are only illustrative and not exhaustive. The Competent Authority may decide to ban business dealing for any good and sufficient reason if it is established beyond any reasonable doubt.



### 5.2 Procedure

The concerned department on noticing any non/under performance and/or irregularities and/or misconduct and/or unethical practice as mentioned above, shall refer the matter to Convener of the Standing Committee along with relevant details. The Standing Committee shall analyze the referred case and if considered appropriate, shall put up the proposal for issuing Show Cause Notice for the purpose of banning of business dealings with the Agency for approval of the Competent Authority.

In case the Standing Committee recommends waiver of banning of business dealings with the Agency, the proposal along with reasons thereof shall be put up for approval of CMD (NTPC).

Besides the Standing Committee, Vigilance Department / Screening Committee (under Contractor Performance Feedback and Evaluation System) may also be competent to initiate the proposal for banning.

### 5.3 Show Cause Notice

Once the proposal for issuance of Show Cause Notice is approved by the Competent Authority, a 'Show Cause Notice' duly vetted by legal department shall be issued to the delinquent Agency, by the Competent Authority himself or by a person authorized for the said purpose.

The Agency shall be asked to submit the reply of Show Cause Notice within 15 days of its issuance. Further, the Agency shall be given an opportunity for Oral hearing with Standing Committee to present its case in person, if it so desires, and the date for Oral Hearing shall be necessarily indicated in the Show Cause Notice.

The purpose of issuing the Show Cause Notice is only that the Agencies concerned shall be given an opportunity to explain their stand before any action is taken. All that is required in such cases is that the grounds on which action is proposed to be taken shall be disclosed to the Agency inviting representation and after considering that representation, orders may be passed. Such orders require only the subjective satisfaction of the authority that passed the final orders.

If the Agency requests for inspection of any relevant document in possession of NTPC, necessary facility for inspection of documents may be provided.

During the conductance of oral hearing, only the regular employees of Agency will be permitted to represent the Agency and no outsider shall be allowed to represent the Agency on its behalf.

Reply to the Show Cause Notice given by the Agency and their



submissions in oral hearing, if any, will be processed by the Standing Committee for obtaining final decision of the Competent Authority in the matter.

In case, no reply to Show Cause Notice is received from the Agency within stipulated time, action for processing ex-parte against the concerned Agency shall be initiated.

### 5.4 Speaking Order

The speaking order shall be issued by the Competent Authority himself or by a person authorized for the said purpose.

### 5.5 Communication to Agencies

The decision regarding banning of business dealings taken after the issue of a Show Cause Notice and consideration of representation, if any, in reply thereto, shall be communicated to the Agency concerned along with a reasoned order. The fact that the representation has been considered shall invariably be mentioned in the communication. Also the fact that if no reply was received to the Show Cause Notice shall invariably be indicated in the final communication to the Agency.

### 5.6 Period of banning

The period for which the ban would be operative shall be mentioned in the order. The banning shall normally be for a period of six (6) months to two (02) years from the date of issuance of the speaking order. The period of banning shall be recommended by the standing committee on case to case basis depending upon the gravity of the default of the agency except in cases of bribery, corrupt, and fraudulent practices including misrepresentation of facts, where the banning period shall be for two (02) years.

However, in cases processed under provisions of Integrity pact or Contractor Performance Feedback and Evaluation System, the banning would be operative for a period as specified therein.

In case the information/documents submitted by Agency in competing for the tender is found to be false/forged then NTPC, without prejudice to any other rights or remedies it may possess, shall recover from Agency the cost incurred in carrying out physical assessment for establishing veracity of such information/documents. In case Agency refuses to reimburse such cost to NTPC then banning period of Agency shall be extended by another one year.

Notwithstanding para 5.1(a) above, in case an agency after having



been issued the Notification of Award / Letter of Award within the bid validity period, either "does not sign the Contract Agreement" or "does not submit an acceptable Performance Security", business dealings with the agency shall be suspended for a period of six (06) months from the date of issuance of suspension order, in accordance with the procedure for suspension of business dealings as specified at para 6 of this Policy. However, in case the agency commits aforesaid transgression/default again in another tender of NTPC within three (03) years from the date of issuance of suspension order, business dealings with the agency shall be banned for a period of two (02) years from the date of issuance of speaking order.

### 5.7 Area of Operation

Banning of business dealings with any agency shall be done **Company-wide only** (entire NTPC including Subsidiaries and JVs), for all cases including cases processed from NTPC, Subsidiaries and JVs).

### 5.8 Effect of Banning

The Agency, after issuance of the Order of Banning of business dealings under this policy would not be allowed to participate in any future tender enquiry and if the Agency has already participated in another tender process and the price bids are not opened, its technocommercial bid will be rejected and price bid will not be opened. Further, where the price bid of Agency has been opened prior to issuance of Banning Order under this policy, the price bid of Agency shall be rejected. In case, such agency is the lowest evaluated bidder (L-1), next lowest evaluated bidder shall be considered as L-1.

No award shall be placed on any agency if Banning Order for business dealings under this policy has been issued prior to award of contract.

Bid Security of such agency shall be returned after rejection of bids in these cases.

**Note-** Contracts concluded before the issue of the Banning order shall, not be affected by the Banning Order.

### 5.9 Process of reply

The Agency shall be separately advised of the decision taken regarding banning of business dealings, in reply to their representation, if any. As regards any further representation from the Agency, business dealings with whom have been banned, the same shall be processed by the concerned C&M department in consultation with Vigilance department, wherever applicable. If any reply is considered necessary to be sent to the Agency, the same shall be sent by the concerned C&M department.



### 5.10 Hosting at NTPC website

The names of the Agencies with whom Business Dealings have been banned shall be hosted at NTPC website by CC&M.

### 5.11 Not Applicable

### 5.12 Appeal against the Decision of the Competent Authority.

The Agency may file an appeal against the order of the Competent Authority for banning of business dealings before Appellate Authority. Such an appeal shall be preferred within one month from the date of receipt of the order of banning of business dealing. Appellate Authority would consider the appeal and pass appropriate order which shall be communicated to the Agency as well as the Competent Authority.

### 5.13 Revocation of Orders

- a) The banning under 'Contractor Performance Feedback and Evaluation System' shall not be revoked automatically. Such banning shall be revoked only after re-evaluation of the performance of the Agency by the Screening Committee as detailed under the 'Contractor Performance Feedback and Evaluation System'.
- b) In all other cases, an order for banning issued for a certain specified period shall be deemed to have been automatically revoked on the expiry of that specified period and it will not be necessary to issue a specific formal orders of revocation, except that an order of banning passed on account of doubtful loyalty or security consideration shall continue to remain in force until it is specifically revoked.
- c) An order for banning issued for the reasons mentioned under para 5.1 above, may be revoked with the approval of the Appellate Authority, if, in respect of the same facts, the direction/order/judgement of a Court of Law envisages revocation of banning.

Further, an order for banning issued for the reasons mentioned at para 5.1 (e) above may be revoked with the approval of the Appellate Authority, if, in respect of the same facts, the accused has been wholly exonerated by a Court of Law.



### 6. Suspension of Business Dealings

### 6.1 Grounds

The suspension of business dealings can be initiated against Agency, on following grounds:

- a) If fraud by agency has been established. The definition of fraud shall be as defined under the 'Fraud Prevention Policy' of NTPC / Bidding documents for a tender.
- b) If the agency has abandoned or repudiated the contract or fails to sign the Contract Agreement or fails to submit an acceptable Performance Security.

### 6.2 Not Applicable

### 6.3 Procedure:

### 6.3.1 In cases of fraud

- a) The concerned C&M deptt. shall put up the proposal for "Suspension of business dealings" and "issuance of Show Cause Notice" for banning of business dealings with the Agency for approval of the Competent Authority. After approval of Competent Authority, Suspension Order and Show Cause Notice shall be issued which must include the following:
  - the Agency is put on suspension list.
  - ii) why action should not be taken for banning the Agency for future business dealings.

The case shall be further processed for banning of business dealings with the Agency as per para 5 above.

- Suspension of business dealings with any agency shall be done Company-wide (entire NTPC including Subsidiaries and JVs), for all cases including cases processed from NTPC, Subsidiaries and JVs.
- c) The Suspension Order would operate initially for a period of not more than six (06) months. The recommendation for banning the Agency shall be concluded within the period of suspension. In exceptional circumstances, period of suspension can be further extended with the approval of the Competent Authority maximum up to three (03) months pending a conclusive decision to put the Agency on banning list. Also, a communication for extension of suspension period by three months shall be communicated to the



- Agency during the subsistence of suspension order of Six (06) months, failing which the suspension order shall stand revoked.
- d) Show Cause Notice for banning & Suspension order shall be issued by Competent Authority himself or by a person authorized for the said purpose.
- e) The names of the Agencies with whom Business Dealings have been suspended shall be hosted at intranet of CC&M. During the period of suspension, no new business dealing shall be held with the Agency.
- f) Period of suspension shall be accounted for in the final order passed for banning of business dealings with the Agency.
- g) If it is decided not to ban the Agency after due process, the name of the Agency shall be removed immediately from the suspension list.
- h) The suspension of Agency shall be automatically revoked on the expiry of the period of suspension.

# 6.3.2 In cases of abandonment or repudiation of contract (except failure to sign the Contract Agreement or submit an acceptable Performance Security)

- a) The concerned C&M deptt. shall put up the proposal for "Suspension of business dealings" and "issuance of Show Cause Notice" for banning of business dealings with the Agency for approval of the Competent Authority. After approval of Competent Authority, Suspension Order and Show Cause Notice shall be issued which must include the following:
  - i) the Agency is put on suspension list
  - ii) why action should not be taken for banning the Agency for future business dealings.

The case shall be further processed for banning of business dealings with the Agency as per para 5 above.

- Suspension of business dealings with any agency shall be done Company-wide (entire NTPC including Subsidiaries and JVs), for all cases including cases processed from NTPC, Subsidiaries and JVs.
- c) The Suspension Order would operate initially for a period of not more than six (06) months. The recommendation for banning the Agency shall be concluded within the period of suspension. In



exceptional circumstances, period of suspension can be further extended with the approval of the Competent Authority maximum up to three (03) months pending a conclusive decision to put the Agency on banning list. Also, a communication for extension of suspension period by three months shall be communicated to the Agency during the subsistence of suspension order of Six (06) months, failing which the suspension order shall stand revoked.

- d) Show Cause Notice for banning & Suspension order shall be issued by Competent Authority himself or by a person authorized for the said purpose.
- e) The names of the Agencies with whom Business Dealings have been suspended shall be hosted at intranet of CC&M. During the period of suspension, no new business dealing shall be held with the Agency.
- f) Period of suspension shall be accounted for in the final order passed for banning of business dealings with the Agency.
- g) If it is decided not to ban the Agency after due process, the name of the Agency shall be removed immediately from the suspension list.
- h) The suspension of Agency shall be automatically revoked on the expiry of the period of suspension.

# 6.3.3 In cases of failure to sign the Contract Agreement or failure to submit an acceptable Performance Security

- a) The concerned C&M dept. shall put up the proposal for "Suspension of business dealings" with the Agency for approval of the Competent Authority. After approval of Competent Authority, Suspension Order shall be issued which must include the following:
  - i) the Agency is put on suspension list
  - ii) in case the agency commits aforesaid transgression/default again in another tender of NTPC within three (03) years from the date of issuance of suspension order, business dealings with the agency shall be banned for a period of two (02) years from the date of issuance of speaking order for banning.

In case the agency commits aforesaid transgression/default again in another tender of NTPC within three (03) years from the date of issuance of suspension order, process for banning of business dealings with the Agency shall be initiated as mentioned at para 5.6 above.



- Suspension of business dealings with any agency shall be done Company-wide (entire NTPC including Subsidiaries and JVs), for all cases including cases processed from NTPC, Subsidiaries and JVs.
- c) The Suspension Order would operate for a period of six (06) months and is to be communicated to Agency.
- d) Suspension order shall be issued by Competent Authority himself or by a person authorized for the said purpose.
- e) The names of the Agencies with whom Business Dealings have been suspended shall be hosted at intranet of CC&M. During the period of suspension, no new business dealing shall be held with the Agency.
- f) The suspension of Agency shall be automatically revoked on the expiry of the period of suspension.

### 6.4 Effect of Suspension:

The Agency, after issuance of the Order of Suspension of business dealings under this policy would not be allowed to participate in any future tender enquiry and if the Agency has already participated in another tender process and the price bids are not opened, its technocommercial bid will be rejected and price bid will not be opened. Further, where the price bid of Agency has been opened prior to issuance of Suspension Order under this policy, the price bid of Agency shall be rejected. In case, such agency is the lowest evaluated bidder (L-1), next lowest evaluated bidder shall be considered as L-1.

Further, in case such agency is the lowest evaluated bidder (L-1) and award recommendation on such agency has been put up for approval, or the award recommendation is approved prior to issuance of Suspension Order under this policy but award is yet to be placed, then award recommendation on such agency shall stand cancelled and the price bid of Agency shall be rejected. A revised recommendation has to be put up for approval considering next lowest evaluated bidder as L-1.

No award shall be placed on any agency if Suspension Order for business dealings under this policy has been issued prior to award of contract.

Bid Security of such agency shall be returned after rejection of bids in these cases.

**Note-** Contracts concluded before the issue of the Suspension Order shall, not be affected by the Suspension Order.



- 7. During the banning / withholding / suspension period, if it is found at any stage that Agency has participated in tender enquiry under a different name then such Agency would immediately be debarred from the tender/contract and its Bid Security/Performance Security would be forfeited. Payment, if any, made shall also be recovered.
- **8.** Further in case of banning / withholding / suspension following would also be applicable:

# (i) Participation of Agency as an Associate/Collaborator of the Main Contractor

The Agency, after issuance of the Order of Withholding/Banning/ Suspension of business dealings under this policy would not be allowed to participate as Associate/Collaborator of any bidders. In case the agency is proposed as Associate/Collaborator by any of the bidder and the price bids are not opened, its techno-commercial bid will be rejected and price bid will not be opened. Further, where the price bid of bidder has been opened prior to issuance of Withholding/Banning/Suspension Order under this policy, the price bid shall be rejected. In case, such bidder is the lowest evaluated bidder (L-1), next lowest evaluated bidder shall be considered as L-1.

Further, in case such bidder is the lowest evaluated bidder (L-1) and where award recommendation on such bidder has been put up for approval, or the award recommendation is approved prior to issuance of Withholding/Banning/ Suspension Order under this policy but award is yet to be placed, then award recommendation on such bidder shall stand cancelled and the price bid of bidder shall be rejected. A revised recommendation has to be put up for approval considering next lowest evaluated bidder as L-1.

Bid Security of such bidder shall be returned after rejection of bids in these cases.

## (ii) Participation of Agency as an approved Sub-Vendor of the Main Contractor

After banning/ withholding/ suspension order, the banned/ withheld/ suspended Agency shall not be allowed to participate as Sub-Vendor in the tenders for supplying/manufacturing equipment (s)/component (s)/service if it has been banned on grounds of supplying sub-standard material / equipment / service.

Further, if the banned/withheld/suspended agency is an approved Sub- vendor under any Contract for such equipment/component/service, the Main Contractor shall not be permitted to place work order/Purchase order/Contract on the banned/withheld/suspended agency as a sub- vendor after the date of banning/withholding/suspension even though the name of the party



has been approved as a sub-vendor earlier.

# (iii) Procurement of spares/awarding of Contracts in operating stations

There would be no bar on procuring the spares and awarding Contracts towards Annual Maintenance (AMC)/ O&M/ Repair works on Agencies pertaining to the packages for which business dealings have been withheld/banned/suspended with them provided the original Equipment has been supplied/manufactured by such Agency.

#### 9. Treatment in Tender/ Contracts of JVs/Subsidiaries of NTPC

# (i) Tenders/Contracts of JVs/Subsidiaries, whose Pre-award and/ or Post award activities are handled by NTPC Corporate Centre

The Tenders/Contracts of JVs/Subsidiaries, whose pre-award and/or post award activities are handled by NTPC Corporate Centre, the cases of non/under performance and/or irregularities and/or misconduct and/or unethical practice observed in such tenders/contracts may be processed in NTPC under the Policy and Procedure for Debarment from business dealings and/or Contractor Performance Feedback and Evaluation System. The Notice of Default or Order for Withholding of business dealings (under Para 4.3) / Show Cause Notice or Speaking Order for banning of business dealings (under Para 5.3, 5.4) / Suspension order for suspension of Business Dealings (Under para 6.3), after approval in NTPC, shall be forwarded to CEO of concerned JVs / Subsidiaries for issuance of such Notice or Order to the delinquent agency.

Further, the appeal of the Agency against the above Order (under Para 5.12) shall be reviewed by Appellate Authority in NTPC. Appellate Authority would consider the appeal and pass appropriate order which shall be communicated to the Agency as well as the Competent Authority and CEO of concerned JVs/Subsidiaries.

# (ii) The Tenders/Contracts which are handled by JVs/Subsidiaries themselves

The procedure prescribed in the Policy shall appropriately be used by concerned JVs/Subsidiaries to deal with the cases of non/under performance and/or irregularities and/or misconduct and/or unethical practice observed in tenders/contracts handled by them.





Bid Number/बोली क्रमांक (बिड संख्या): GEM/2025/B/6096594 Dated/दिनांक : 10-04-2025

#### Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	01-05-2025 16:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	01-05-2025 16:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	120 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Power
Department Name/विभाग का नाम	Na
Organisation Name/संगठन का नाम	Ntpc Limited
Office Name/कार्यालय का नाम	Cg
क्रेता ईमेल/Buyer Email	buyer613.nl.mh@gembuyer.in
Item Category/मद केटेगरी	Custom Bid for Services - HIRING OF MMU & MCH SERVICES FOR NTPC TTPS FOR A PERIOD OF 4 YEARS
Similar Category/समान श्रेणी	Hiring of Air Ambulance Service (Long Term Services)
Contract Period/अनुबंध अवधि	4 Year(s) 1 Day(s)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria, Bidder Turnover, Certificate (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No
Bid to RA enabled/बिंड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिंड का प्रकार	Two Packet Bid
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days

# Bid Details/बिंड विवरण Evaluation Method/मृल्यांकन पद्धित Total value wise evaluation Arbitration Clause No Mediation Clause No

#### EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाईजरी बैंक	ICICI	
EMD Amount/ईएमडी राशि	200000	

#### ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	ICICI
ePBG Percentage(%)/ईपीबीजी प्रतिशत (%)	5.00
Duration of ePBG required (Months)/ईपीबीजी की अपेक्षित अवधि (महीने).	51

- (a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।
- (b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

#### Beneficiary/लाभार्थी :

HOD

DGM/AGM (CPG-I/C&M) NTPC Limited, Unified Shared Service Centre, Central Procurement Group-I, Western Region-II Head Quarter, Plot No.-87, Sector-24, Atal Nagar Nava Raipur, Raipur, Chhattisgarh, Pin Code-492101 (Ntpc Limited)

#### MII Compliance/एमआईआई अनुपालन

MII Compliance/एमआईआई अनुपालन	Yes
-------------------------------	-----

#### MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

- 1. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference for services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered service. If L-1 is not an MSE and MSE Service Provider (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band as defined in the relevant policy, then 100% order quantity will be awarded to such MSE bidder subject to acceptance of L1 bid price. The buyers are advised to refer to the OM No.1 4 2021 PPD dated 18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if the credentials of the service provider are validated online in GeM profile as well as validated and approved by the Buyer after evaluation of submitted documents.

  2. If L-1 is not an MSE and MSE Service Provider (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band as defined in the relevant policy, then 100% order quantity will be awarded to such MSE bidder subject to acceptance of L1 bid price.
- 3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

#### Additional Qualification/Data Required/अतिरिक्त योग्यता /आवश्यक डेटा

Scope of Work: <u>1743162220.pdf</u>

GEM Availability Report (GAR):1743155875.pdf

Undertaking of Competent Authority is mandatory to create Custom Bid for Services. Please download standard format document and upload: <a href="mailto:1743155883.pdf">1743155883.pdf</a>

Payment Terms: 1743162241.pdf

Quantifiable Specification / Standards of The Service/ BOQ1743162246.pdf

Any other Documents As per Specific Requirement of Buyer -2:1743162254.pdf

Any other Documents As per Specific Requirement of Buyer -1:1743166151.pdf

# Custom Bid For Services - HIRING OF MMU & MCH SERVICES FOR NTPC TTPS FOR A PERIOD OF 4 YEARS (1)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Values	
Core		
Description /Nomenclature of Service Proposed for procurement using custom bid functionality	HIRING OF MMU & MCH SERVICES FOR NTPC TTPS FOR A PERIOD OF 4 YEARS	
Regulatory/ Statutory Compliance of Service	YES	
Compliance of Service to SOW, STC, SLA etc	YES	
Addon(s)/एडऑन		

#### Additional Specification Documents/अतिरिक्त विशिष्टि दस्तावेज़

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/ਧਗ	The quantity of procurement "1" indicates Project based or Lumpsum based hiring.	Additional Requirement/अतिरिक्त आवश्यकता
1	Pratap Kumar Sendh	759101,P. O. Talcher Thermal, Distt. ANGUL, Odisha	1	N/A

### Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

# NTPC LIMITED

(A Government of India Enterprise)

# Additional Terms and Conditions (ATC)

# UNIFIED SHARED SERVICE CENTRE, CPG-1, RAIPUR CONTRACT & MATERIAL DEPTT

NIT / Tender Enquiry No. Tender Ref: NTPC/USSC-CPG1/9900300609

GEM Bid: GEM/2025/B/6096594

#### Name of Package:

- 1. Additional Terms & Conditions (ATC) of this tender comprises the following documents:
  - a. Section-I: Invitation for Bids (IFB)/Tender Enquiry/Notice Inviting Tender (NIT).
  - b. Section-II: Instructions to Bidders (ITB)
  - c. Section-III: General Conditions of Contract (GCC)
  - d. Section-IV: Special Conditions of Contract (SCC)
  - e. Section-V: Technical Specifications and Bid Drawings (Scope of Supply/Service)
  - f. Section-VI: Schedule of Quantities (SOQ) / Bill of Quantities (BOQ)
  - g. Section-VII: Forms and Procedures
- 2. A complete set of documents as mentioned above are enclosed under "Any Other Docume nts As Per Specific Requirement of Buyer-1".
- 3. Terms and Conditions stipulated in ATC will supersede those in GeM GTC and STC in case of any conflicting provisions.
- 4. Bidders are required to submit the documents as mentioned in the check list appended below while s ubmitting their bid and submit the dully filled check list online on GeM portal.

Formats of the documents required to be submitted as per this check list can be referred from "Section-VII: Forms and Procedures" enclosed under 'Instruction to Bidders' and '"Any Other Documents As Per Specific Requirement of Buyer-1".

- 5. Instructions for filling the Price Bid:
- a. The Bidder is required to quote Lumpsum Price (Including GST) in GeM Bid against NTPC estimated amoun t indicated on Section-VI BOQ.
- b. The Break-Up of applicable GST is required to be quoted in Attachment-9 as per the provisions of the biddi ng documents.
- c. Quantity Mentioned "1" in Gem Bid for each item represents Lumpsum-price {i.e. {(Quantity x Unit Rate) + Quoted GST} for individual line item.
  - 6. MSE Benefits are Applicable for this work. MSE bidders seeking exemption for EMD and Purchase Pref erence shall select appropriate option on GeM portal (separately for each i.e. EMD & purchase prefere nce) and should enclose an attested/self-certified copy of UDYAM registration certificate, failing which they run the risk of their bid being passed over as ineligible for the benefits applicable to MSEs. EMD E XEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the re levant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service

Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

7. Bidders are advised to mention their prices at the designated place on the GeM portal only as the sam e shall only be considered for evaluation and price content mentioned / uploaded along with any othe r documents in their bid shall not be considered in any case.

#### **Check List**

SI. N o.	Document Required	Action required	Submitted Please tick (√ )
1	Attachment 1: Bid Security / EMD (as per ITB Clause No. 14.0)-		

	(i) Bank Guarantee, strictly in the format pro vided in the tender document, Amount as pe r NIT, validity as per tender document.	To be uploaded onlin e and Original BG to be submitted physica lly	
	Notes:		
	Any bid not accompanied by an acceptable bid security in a separate sealed envelope shall be rejected by the Employer as being non-responsive.		
	2. The format of the Bank Guarantee shall be in a ccordance with the form of Bank Guarantee to wards Bid Security/EMD/Performance security / *Security for the Deed of Joint Undertaking (if applicable) / *Advance payment (if applicable) included in the 'Section-VII: Forms and Proced ures' of NTPC Bidding Documents only. In addition, the format of the Insurance Surety Bond shall also be in accordance with the form of In surance Surety Bond towards Bid security/Performance security/ *Security for the Deed of Joint Undertaking (if applicable) included in the Employer's Bidding Documents only.		
	Or		
	(ii) MSE (UDYAM only) certificate towards ex emption of Bid Security / EMD.	To be uploaded onl	
2	Attachment 2: Authority to Sign the bid	To be uploaded online	
3	Attachment 3: Bidder's Qualifications - Copies of Documentary evidence in support of the qualification criteria as per ITB Clause No. 5.4.	To be uploaded onl ine duly filled in	
	Undertaking duly certified and verified docum ents from their Statutory Auditors or specifie d TPIA in support of meeting Technical QR.	To be uploaded onl ine duly filled in	
4	Attachment 5: Equipment/ Machinery deployment S chedule	To be uploaded onlin e duly filled in	
5	Attachment 6: General Declaration of Bidder	To be declared throu gh undertaking at Att achment 13	
6	Attachment 7: Electronic Fund Transfer (EFT) Authorisation Form	To be uploaded onlin e duly filled in and au thenticated from the concerned bank	
7	Attachment 8: Details of PF, ESI, PAN and GSTIN Regn	To be uploaded onlin e duly filled in	

8	Attachment 9: Declaration Regarding GST	To be uploaded onlin e duly filled in	
9	Attachment 10: Technical Compliance	To be uploaded onlin e duly filled in	
10	Attachment 11: Declaration of Local Content	To be declared throu gh undertaking at Att achment 13	
11	Attachment 12: Integrity Pact (pre-signed by employer)	To be accepted throu gh undertaking at Att achment 13	
12	Attachment 12A: Details of Foreign Principals of In dian Bidders [if applicable]	To be uploaded onlin	
13	Attachment 13: Undertaking for compliance o f Important Conditions of Tender	To be uploaded onl ine	
14	Schedule of Quantities & Prices i.e. Financial Bid (Price Bid)	To be filled online on GeM portal only	

	Bidder's Sign & Stamp  Bidder's Basic Information
	Didder 5 Basic Information
1.	Name of Agency:
2.	Address:
3.	PAN No.:
4.	NTPC Vendor Code (If Any):
- <b>T</b> •	iii e reilae. eede (ii Aliy).
5.	Name of Proprietor / Partners / Directors:

	a.	
	b.	
	c.	
	d.	
	e.	
	f.	
6.	Dealin	g Person for this Tender:
		a. Name:
		b. Mobile No.:
		c. Alt. Mobile No.:
7.	Mail ID	):
		Date:
		Place:
		Signature
		(Name of Authorized person having Power of attorney)
		Designation

9 / 11

#### 2. Buyer Added Bid Specific ATC

Buyer uploaded ATC document Click here to view the file.

#### Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

- 1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
- 2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
- 3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
- 4. Creating BoQ bid for single item.
- 5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
- 6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
- 7. Floating / creation of work contracts as Custom Bids in Services.
- 8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for attached categories, trials are allowed as per approved procurement policy of the buyer nodal Ministries)
- 9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
- 10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
- 11. Creating bid for items from irrelevant categories.
- 12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
- 13. Reference of conditions published on any external site or reference to external documents/clauses.
- 14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
- 15. Any ATC clause in contravention with GeM GTC Clause 4 (xiii)(h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

This Bid is governed by the <u>General Terms and Conditions/सामान्य</u> नियम <u>और शर्तें</u>, conditions stipulated in Bid and <u>Service Level Agreement</u> specific to this Service as provided in the Marketplace. However in case if any condition specified in General Terms and Conditions/सामान्य नियम और शर्तें is contradicted by the conditions stipulated in Service Level Agreement, then it will over ride the conditions in the General Terms and Conditions.

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---