

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	04-02-2026 15:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	04-02-2026 15:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	120 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Power
विभाग का नाम/Department Name	Patratu Vidyut Utpadan Nigam Limited
संगठन का नाम/Organisation Name	Patratu Vidyut Utpadan Nigam Limited
कार्यालय का नाम/Office Name	Jharkhand
कुल मात्रा/Total Quantity	45
वस्तु श्रेणी /Item Category	MOTOR,SQL CAGE,IP55,2810RPM,0.37KW,71-2 , MOTOR,415V,S4,80L,4,B5,F,0.75KW , MOTOR,SQ CAGE IND,415VAC,1500RPM,1.1KW , MTR SCIM,2.2 KW,415V,4P,100L,B5,S1,IP55 , MTR SQ CAGE IND,415VAC,112M,V1,F,3.7KW , MTR SCIM,3.7KW,415V,2P,100L,B3,S1,F , MOTOR,S4,112M,4,B5,F,3.7KW , MTR SCIM,415VAC,132M,B5,1500RPM,7.5KW , MTR SCI,415VAC,3PH,160M,2P,B3,F,15KW , MTR SCIM,415VAC,160L,B3,F,1460RPM,15KW , MTR SCIM,18.5KW,415V,4P,180M,B3,S1,F , MOTOR,EE IND,415VAC,200M,6,V1,22KW , MOTOR,IND,415VAC,180L,4P,B3,22KW . MOTOR,IND,415VAC,3PH,DW225S,960RPM,30KW , MTR SCIM,200L,B3,F,1475 RPM,30 KW , MOTOR,IND,415VAC,200L,4P,B5,30KW , MOTOR,SQL CAGE IND,3PH,225S,4P,IMB3,37KW , MTR SCIM,45KW,415V,4P,225M,B3,S1,F , MOTOR,IND,415VAC,280M,6P,B35,55KW , MOTOR,SQ CAGE IND,3-PH,280M,V1,55KW , MTR SCIM,415V,250M,4P,B3,F,55KW , MTR SCIM,75KW,415V,4P,280S,B3,S1,F,IE3 , MTR SCIM,415VAC,280M,B3,F,1484RPM,90KW , MTR SCIM,415V,315SM,B35,F,2980RPM,132KW , MOTOR,SQ CAGE IND,415VAC,3000RPM,160KW

बिड विवरण/Bid Details	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	<p>MOTOR,SQL CAGE,IP55,2810RPM,0.37KW,71-2, MOTOR,415V,S4,80L,4,B5,F,0.75KW, MOTOR,SQ CAGE IND,415VAC,1500RPM,1.1KW, MTR: SCIM,2.2 KW,415V,4P,100L,B5,S1,IP55, MTR: SQ CAGE IND,415VAC,112M,V1,F,3.7KW, MTR: SCIM,3.7KW,415V,2P,100L,B3,S1,F, MOTOR,S4,112M,4,B5,F,3.7KW, MTR: SCIM,415VAC,132M,B5,1500RPM,7.5KW, MTR: SCI,415VAC,3PH,160M,2P,B3,F,15KW, MTR: SCIM,415VAC,160L,B3,F,1460RPM,15KW, MTR: SCIM,18.5KW,415V,4P,180M,B3,S1,F, MOTOR,EE IND,415VAC,200M,6,V1,22KW, MOTOR,IND,415VAC,180L,4P,B3,22KW, MOTOR,IND,415VAC,3PH,DW225S,960RPM,30KW, MTR: SCIM,200L,B3,F,1475 RPM,30 KW, MOTOR,IND,415VAC,200L,4P,B5,30KW, MOTOR,SQL CAGE IND,3PH,225S,4P,IMB3,37KW, MTR: SCIM,45KW,415V,4P,225M,B3,S1,F, MOTOR,IND,415VAC,280M,6P,B35,55KW, MOTOR,SQ CAGE IND,3-PH,280M,V1,55KW, MTR: SCIM,415V,250M,4P,B3,F,55KW, MTR: SCIM,75KW,415V,4P,280S,B3,S1,F,IE3, MTR: SCIM,415VAC,280M,B3,F,1484RPM,90KW, MTR: SCIM,415V,315SM,B35,F,2980RPM,132KW, MOTOR,SQ CAGE IND,415VAC,3000RPM,160KW</p>
	<p>Searched String: MOTOR,SQL CAGE,IP55,2810RPM,0.37KW,71-2</p> <p>Induction Motor Fan Cover, Laminar air flow cabinets or stations, POULTRY CAGE, Power cage, Interbody Fusion Cage (V2), Line Operated Three Phase AC Motors ISI Marked to IS 12615, Motor Grader as per IS / ISO 7134 (Latest), Sofa (V3), Transport Cage for forest Department Use, Polyester Enamelled Round Copper Wire, Class 155 as per IS 13730 (Part 3)</p> <p>Searched String: MOTOR,415V,S4,80L,4,B5,F,0.75KW</p> <p>4-Aminoantipyrine, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Synchronous servo motor, Digital Motor Protection Relays, Vehicle Wiper Motor, Ultra low temperature laboratory deep freezer, DC WINCH MOTOR, Transmission Fluid F-10 - Defence(V2), A.C. Motor Capacitors ISI Marked to IS 2993 (Part 1), Potato Peeler</p> <p>Searched String: MOTOR,SQ CAGE IND,415VAC,1500RPM,1.1KW</p> <p>Induction Motor Fan Cover, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Power cage, Power Rack (V2), Nitrile Coated/Nitrile Hand Gloves (V2), POULTRY CAGE, Multipara Monitor - Low End, Individually Ventilated Cage System (IVCS), BOD Incubator, Interbody Fusion Cage (V2)</p> <p>Searched String: MTR: SCIM,2.2 KW,415V,4P,100L,B5,S1,IP55</p> <p>1 KW HF (HP) Trans-Receiver as per MHA QR (V2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Induction Motor Fan Cover,</p>

बिड विवरण/Bid Details	<p>Disconnectors (Isolators) for working voltage up to and Including 1 KV, Carboxin 22.5% + Thiram 22.5% +</p>
	<p>Imidacloprid 18% WS (Water Soluble), Nitrile Coated/Nitrile Hand Gloves (V2), Buprofezin 22.0% + Fipronil 3.0% SC (Suspension Concentrate), Fenobucarb 22.5% + Buprofezin 11.25% + Acephate 2.5% ME (Microemulsion), High End Desktop Computer, Mesotrione 2.27% + Atrazine 22.7% SC (Suspension Concentrate)</p>
	<p>Searched String: MTR: SQ CAGE IND,415VAC,112M,V1,F,3.7KW</p>
	<p>Power cage, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Power Rack (V2), Inflatable Tent, Individually Ventilated Cage System (IVCS), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Induction Motor Fan Cover, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Toilet Seat - Indian Style Squatting Pan, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2)</p>
	<p>Searched String: MTR: SCIM,3.7KW,415V,2P,100L,B3,S1,F</p>
	<p>Transmission Fluid F-10 - Defence(V2), High End Desktop Computer, Induction Motor Fan Cover, Deltamethrin Flowable (F) (V2) Conforming to IS 14411, Nitrile Coated/Nitrile Hand Gloves (V2), Marine fuels (Class F) conforming to IS 16731, Disconnectors (Isolators) for working voltage up to and including 1 KV, CARTON BOX TO DRG NO P-144(f) IN FINISHED CONDITION, Sofa (V3), Anesthesia Breathing Circuit - Mapleson F Infant T Piece Breathing Circuit (V2)</p>
	<p>Searched String: MOTOR,S4,112M,4,B5,F,3.7KW</p>
	<p>4-Aminoantipyrine, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Synchronous servo motor, Vehicle Wiper Motor, High End Desktop Computer, DC WINCH MOTOR, Line Operated Three Phase AC Motors ISI Marked to IS 12615, Transmission Fluid F-10 - Defence(V2), Entry and Mid Level Desktop Computer, A.C. Motor Capacitors ISI Marked to IS 2993 (Part 1)</p>
	<p>Searched String: MTR: SCIM,415VAC,132M,B5,1500RPM,7.5KW</p>
	<p>Induction Motor Fan Cover, All in One PC (V2), File/Folder (V3), High End Desktop Computer, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Entry and Mid Level Desktop Computer, Power Generator - DG Set (up to 900 KVA), Interactive Panels with CPU, Nitrile Coated/Nitrile Hand Gloves (V2)</p>
	<p>Searched String: MTR: SCI,415VAC,3PH,160M,2P,B3,F,15KW</p>
	<p>Transmission Fluid F-10 - Defence(V2), Sofa (V3), Deltamethrin Flowable (F) (V2) Conforming to IS 14411, Marine fuels (Class F) conforming to IS 16731, High End Desktop Computer, CARTON BOX TO DRG NO P-144(f) IN FINISHED CONDITION, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Anesthesia Breathing Circuit - Mapleson F Infant T Piece Breathing</p>

बिड विवरण / Bid Details	Circuit (V2), Entry and Mid Level Desktop Computer, Jacket Combat
	<p>Searched String: MTR: SCIM,415VAC,160L,B3,F,1460RPM,15KW</p> <p>Transmission Fluid F-10 - Defence(V2), Ultra low temperature laboratory deep freezer, Induction Motor Fan Cover, Deltamethrin Flowable (F) (V2) Conforming to IS 14411, High End Desktop Computer, Marine fuels (Class F) conforming to IS 16731, CARTON BOX TO DRG NO P-144(f) IN FINISHED CONDITION, Sofa (V3), Anesthesia Breathing Circuit - Mapleson F Infant T Piece Breathing Circuit (V2), Entry and Mid Level Desktop Computer</p>
	<p>Searched String: MTR: SCIM,18.5KW,415V,4P,180M,B3,S1,F</p> <p>Transmission Fluid F-10 - Defence(V2), High End Desktop Computer, Induction Motor Fan Cover, Deltamethrin Flowable (F) (V2) Conforming to IS 14411, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Marine fuels (Class F) conforming to IS 16731, CARTON BOX TO DRG NO P-144(f) IN FINISHED CONDITION, Nitrile Coated/Nitrile Hand Gloves (V2), Anesthesia Breathing Circuit - Mapleson F Infant T Piece Breathing Circuit (V2), Entry and Mid Level Desktop Computer</p>
	<p>Searched String: MOTOR,EE IND,415VAC,200M,6,V1,22KW</p> <p>6-Benzylaminopurine, Nitrile Coated/Nitrile Hand Gloves (V2), Induction Motor Fan Cover, Digital Motor Protection Relays, Line Operated Three Phase AC Motors ISI Marked to IS 12615, Multipara Monitor - Low End, Motor Resistance and Inductance Measuring Instrument, BOD Incubator, Synchronous servo motor, water baths</p>
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	<p>Searched String: MOTOR,IND,415VAC,180L,4P,B3,22KW</p> <p>Synchronous servo motor, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Vehicle Wiper Motor, Disconnectors (Isolators) for working voltage up to and including 1 KV, DC WINCH MOTOR, High End Desktop Computer, A.C. Motor Capacitors ISI Marked to IS 2993 (Part 1), Winter Jacket, Dental Implant Motor (Physiodispenser), Ultra low temperature laboratory deep freezer</p>
	<p>Searched String: MOTOR,IND,415VAC,3PH,DW225S,960RPM,30KW</p> <p>Synchronous servo motor, High End Desktop Computer, Vehicle Wiper Motor, DC WINCH MOTOR, Sofa (V3), A.C. Motor Capacitors ISI Marked to IS 2993 (Part 1), Entry and Mid Level Desktop Computer, Dental Implant Motor (Physiodispenser), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Motor Boat (UP Police)</p>
	<p>Searched String: MTR: SCIM,200L,B3,F,1475 RPM,30 KW</p> <p>Blood Lancets, Electrical Extension Box (V4), Pipe for Gardening Purpose, Cat 6 Patch cord, Line Operated Three Phase AC Motors ISI Marked to IS 12615, Vault (Strong Room) Door as per IS 11188, Solar Power Plant (Roof Top) for ONGRID System, Single Phase, Extendable Road Barricade (V2), Tennis Ball, Sports Abdominal Guard</p>

बिड विवरण/Bid Details	Searched String: MOTOR,IND,415VAC,200L,4P,B5,30KW
	Synchronous servo motor, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Vehicle Wiper Motor, Winter Jacket, DC WINCH MOTOR, Ultra low temperature laboratory deep freezer, A.C. Motor Capacitors ISI Marked to IS 2993 (Part 1), Disconnectors (Isolators) for working voltage up to and including 1 KV, Dental Implant Motor (Physiodispenser), High End Desktop Computer
	Searched String: MOTOR,SQL CAGE IND,3PH,225S,4P,IMB3,37KW
	Induction Motor Fan Cover, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Power cage, POULTRY CAGE, High End Desktop Computer, Individually Ventilated Cage System (IVCS), Sofa (V3), Interbody Fusion Cage (V2), Entry and Mid Level Desktop Computer, Line Operated Three Phase AC Motors ISI Marked to IS 12615
	Searched String: MTR: SCIM,45KW,415V,4P,225M,B3,S1,F Transmission Fluid F-10 - Defence(V2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Induction Motor Fan Cover, Steinmann Pin, Deltamethrin Flowable (F) (V2) Conforming to IS 14411, High End Desktop Computer, Marine fuels (Class F) conforming to IS 16731, CARTON BOX TO DRG NO P-144(f) IN FINISHED CONDITION, Nitrile Coated/Nitrile Hand Gloves (V2), Anesthesia Breathing Circuit - Mapleson F Infant T Piece Breathing Circuit (V2)
	Searched String: MOTOR,IND,415VAC,280M,6P,B35,55KW Synchronous servo motor, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Vehicle Wiper Motor, Winter Jacket, DC WINCH MOTOR, A.C. Motor Capacitors ISI Marked to IS 2993 (Part 1), Postal Cash Bags as per IS: 11047, Dental Implant Motor (Physiodispenser), Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Motor Boat (UP Police)
	Searched String: MOTOR,SQ CAGE IND,3-PH,280M,V1,55KW Induction Motor Fan Cover, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Power cage, Line Operated Three Phase AC Motors ISI Marked to IS 12615, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, pH Electrode, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, pH Meter, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), pH Paper
	Searched String: MTR: SCIM,415V,250M,4P,B3,F,55KW Transmission Fluid F-10 - Defence(V2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Induction Motor Fan Cover, Deltamethrin Flowable (F) (V2) Conforming to IS 14411, High End Desktop Computer, Marine fuels (Class F) conforming to IS 16731, Disconnectors (Isolators) for working voltage up to and including 1 KV, CARTON BOX TO DRG NO P-144(f) IN

बिड विवरण/Bid Details	FINISHED CONDITION, Sofa (V3), Anesthesia Breathing Circuit - Mapleson F Infant T Piece Breathing Circuit (V2)
	<p>Searched String: MTR: SCIM,75KW,415V,4P,280S,B3,S1,F,IE3</p> <p>Transmission Fluid F-10 - Defence(V2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Induction Motor Fan Cover, Line Operated Three Phase AC Motors ISI Marked to IS 12615, Deltamethrin Flowable (F) (V2) Conforming to IS 14411, High End Desktop Computer, Marine fuels (Class F) conforming to IS 16731, CARTON BOX TO DRG NO P-144(f) IN FINISHED CONDITION, Nitrile Coated/Nitrile Hand Gloves (V2), Anesthesia Breathing Circuit - Mapleson F Infant T Piece Breathing Circuit (V2)</p> <p>Searched String: MTR: SCIM,415VAC,280M,B3,F,1484RPM,90KW</p> <p>Transmission Fluid F-10 - Defence(V2), High End Desktop Computer, Induction Motor Fan Cover, Spares Tyre for Tyre coupling, Deltamethrin Flowable (F) (V2) Conforming to IS 14411, Sofa (V3), Marine fuels (Class F) conforming to IS 16731, CARTON BOX TO DRG NO P-144(f) IN FINISHED CONDITION, Entry and Mid Level Desktop Computer, Anesthesia Breathing Circuit - Mapleson F Infant T Piece Breathing Circuit (V2)</p> <p>Searched String: MTR: SCIM,415V,315SM,B35,F,2980RPM,132KW</p> <p>Transmission Fluid F-10 - Defence(V2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Induction Motor Fan Cover, Deltamethrin Flowable (F) (V2) Conforming to IS 14411, Marine fuels (Class F) conforming to IS 16731, CARTON BOX TO DRG NO P-144(f) IN FINISHED CONDITION, Anesthesia Breathing Circuit - Mapleson F Infant T Piece Breathing Circuit (V2), Central Venous Catheters (V2), Jacket Combat, TLC plate, Silica gel 60</p> <p>Searched String: MOTOR,SQ CAGE IND,415VAC,3000RPM,160KW</p> <p>Induction Motor Fan Cover, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Power cage, Power Rack (V2), POULTRY CAGE, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Individually Ventilated Cage System (IVCS), Interbody Fusion Cage (V2), vortex mixers, Line Operated Three Phase AC Motors ISI Marked to IS 12615</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • LT Spacer
बीओक्यू शीर्षक /BOQ Title	LT motors for AHP PVUNL
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No

बिड विवरण/Bid Details	
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
बिड से रिवर्स नीलामी सक्रिय किया जाना है। / Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	MOTOR,SQL CAGE,IP55,2810RPM,0.37KW,71-2
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमति समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य /Estimated Bid Value	8677409.63
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	100000

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	20

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

PATRATU VIDYUT UTPADAN NIGAM Limited

JHARKHAND, PATRATU VIDYUT UTPADAN NIGAM Limited, PATRATU VIDYUT UTPADAN NIGAM Limited, Ministry of Power

(Patratu Vidyut Utpadan Nigam Limited)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई के लिए आरक्षित / Reserved for Make In India products

एमआईआई के लिए आरक्षित / Reserved for Make In India products	Yes
-------------------------------------------------------------	-----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	100

1. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

2. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide

eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 100% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1_4_2021_PPD_dated_18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

MOTOR,SQL CAGE,IP55,2810RPM,0.37KW,71-2

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ramesh Chandra Mishra	829119,ADM Building, PVUNL, P.O.- Patratu, Distt- Ramgarh	2	120

MOTOR,415V,S4,80L,4,B5,F,0.75KW

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ramesh Chandra Mishra	829119,ADM Building, PVUNL, P.O.- Patratu, Distt- Ramgarh	1	120

MOTOR,SQ CAGE IND,415VAC,1500RPM,1.1KW**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ramesh Chandra Mishra	829119,ADM Building, PVUNL, P.O.- Patratu, Distt- Ramgarh	1	120

MTR SCIM,2.2 KW,415V,4P,100L,B5,S1,IP55**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ramesh Chandra Mishra	829119,ADM Building, PVUNL, P.O.- Patratu, Distt- Ramgarh	3	120

MTR SQ CAGE IND,415VAC,112M,V1,F,3.7KW**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ramesh Chandra Mishra	829119,ADM Building, PVUNL, P.O.- Patratu, Distt- Ramgarh	1	120

MTR SCIM,3.7KW,415V,2P,100L,B3,S1,F**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ramesh Chandra Mishra	829119,ADM Building, PVUNL, P.O.- Patratu, Distt- Ramgarh	4	120

MOTOR,S4,112M,4,B5,F,3.7KW

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ramesh Chandra Mishra	829119,ADM Building, PVUNL, P.O.- Patratu, Distt- Ramgarh	3	120

MTR SCIM,415VAC,132M,B5,1500RPM,7.5KW

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ramesh Chandra Mishra	829119,ADM Building, PVUNL, P.O.- Patratu, Distt- Ramgarh	3	120

MTR SCI,415VAC,3PH,160M,2P,B3,F,15KW

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ramesh Chandra Mishra	829119,ADM Building, PVUNL, P.O.- Patratu, Distt- Ramgarh	1	120

MTR SCIM,415VAC,160L,B3,F,1460RPM,15KW

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ramesh Chandra Mishra	829119,ADM Building, PVUNL, P.O.- Patratu, Distt- Ramgarh	1	120

MTR SCIM,18.5KW,415V,4P,180M,B3,S1,F

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ramesh Chandra Mishra	829119,ADM Building, PVUNL, P.O.- Patratu, Distt- Ramgarh	1	120

MOTOR,EE IND,415VAC,200M,6,V1,22KW

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ramesh Chandra Mishra	829119,ADM Building, PVUNL, P.O.- Patratu, Distt- Ramgarh	1	120

MOTOR,IND,415VAC,180L,4P,B3,22KW

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ramesh Chandra Mishra	829119,ADM Building, PVUNL, P.O.- Patratu, Distt- Ramgarh	2	120

MOTOR,IND,415VAC,3PH,DW225S,960RPM,30KW

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ramesh Chandra Mishra	829119,ADM Building, PVUNL, P.O.- Patratu, Distt- Ramgarh	1	120

MTR SCIM,200L,B3,F,1475 RPM,30 KW

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ramesh Chandra Mishra	829119,ADM Building, PVUNL, P.O.- Patratu, Distt- Ramgarh	3	120

MOTOR,IND,415VAC,200L,4P,B5,30KW

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ramesh Chandra Mishra	829119,ADM Building, PVUNL, P.O.- Patratu, Distt- Ramgarh	1	120

MOTOR,SQL CAGE IND,3PH,225S,4P,IMB3,37KW

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ramesh Chandra Mishra	829119,ADM Building, PVUNL, P.O.- Patratu, Distt- Ramgarh	2	120

MTR SCIM,45KW,415V,4P,225M,B3,S1,F

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ramesh Chandra Mishra	829119,ADM Building, PVUNL, P.O.- Patratu, Distt- Ramgarh	3	120

MOTOR,IND,415VAC,280M,6P,B35,55KW

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ramesh Chandra Mishra	829119,ADM Building, PVUNL, P.O.- Patratu, Distt- Ramgarh	1	120

MOTOR,SQ CAGE IND,3-PH,280M,V1,55KW

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ramesh Chandra Mishra	829119,ADM Building, PVUNL, P.O.- Patratu, Distt- Ramgarh	1	120

MTR SCIM,415V,250M,4P,B3,F,55KW

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ramesh Chandra Mishra	829119,ADM Building, PVUNL, P.O.- Patratu, Distt- Ramgarh	2	120

MTR SCIM,75KW,415V,4P,280S,B3,S1,F,IE3

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ramesh Chandra Mishra	829119,ADM Building, PVUNL, P.O.- Patratu, Distt- Ramgarh	1	120

MTR SCIM,415VAC,280M,B3,F,1484RPM,90KW

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ramesh Chandra Mishra	829119,ADM Building, PVUNL, P.O.- Patratu, Distt- Ramgarh	2	120

MTR SCIM,415V,315SM,B35,F,2980RPM,132KW

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ramesh Chandra Mishra	829119,ADM Building, PVUNL, P.O.- Patratu, Distt- Ramgarh	2	120

MOTOR,SQ CAGE IND,415VAC,3000RPM,160KW

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ramesh Chandra Mishra	829119,ADM Building, PVUNL, P.O.- Patratu, Distt- Ramgarh	2	120

क्रेता द्वारा जोड़ी गई बिट की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

2. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

3. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

1. Alternate Mode of Payment for Micro Small & Medium Enterprises (MSMEs)-Trade Receivables e-Discounting System (TReDS) is a regulatory framework put in place by the Reserve Bank of India under the Payment and Settlement Systems Act 2007 (PSS Act) to facilitate the financing of trade receivables (invoices) of MSMEs through invoice financing by multiple financiers. The Reserve Bank of India has granted approval to (i) Mynd Solutions Pvt Limited, (ii) A.TReDS Ltd. and (iii) Receivables Exchange of India Ltd to set up and o

perate TReDS platform. The name of respective TReDS platform of the above-mentioned entities are M1xc hange, Invoicemart and RXIL. Presently, PVUNL is transacting with M1xchange. MSME Vendors m ay choos e M1xchange platforms as an alternate payment mechanism. For queries/ details, the vendor may directly contact M1xchange M1XCHANGE:- URL: <https://m1xchange.com> Toll free No.: 1800-103-7261. The aforesaid provision may not be applicable for payments envisaged through "Letter of Credit (LC)" or " Escr oow Account" or "A separate account with a Scheduled Bank at Site

4. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस नियिदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---